

## Epson 12000XL Photo scanner 2400 x 4800 DPI Grey

**Brand :** Epson

**Product code:** 12000XL-PH

**Product name :** 12000XL



2400 dpi, 2400 x 4800 dpi, 48-bit, MatrixCCD line sensor, 16.0 msec/line, 3.8 Dmax, 14.3kg

Epson 12000XL Photo scanner 2400 x 4800 DPI Grey:

Featuring a high-performance Transparency Unit for slide and negative batch scanning, the Epson Expression 12000XL-PH is designed for professional photographers. Offering 2400 x 4800 dpi resolution, Micro Step Drive™ technology and a 3.8 Dmax for extraordinary image quality, this versatile scanner also supports large-format scanning up to 12.2" x 17.2". Its exclusive ColorTrue™ II imaging system combines superior processing, a fast warm-up LED lamp, and Epson MatrixCCD® technology for enhanced colors and pinpoint registration. Easy Photo Fix® technology offers one-touch restoration for faded color photos and negatives — plus automatic dust removal and grain reduction. And, LaserSoft Imaging® SilverFast®® Ai software is also included.

Scanning		Power			
Maximum scan size *	309.88 x 436.88 mm	Power consumption (PowerSave)	2.8 W		
Optical scanning resolution *	2400 x 4800 DPI	AC input frequency	50 - 60 Hz		
Colour scanning	✓	Input voltage	120 - 220 V		
Duplex scanning *	✗	System requirements			
Input colour depth	48 bit	Windows 10, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64 Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks			
Output colour depth	48 bit				
Output greyscale depth	16 bit				
Film scanning	✓				
Optical density (Dmax)	3.8				
Design				Windows operating systems supported	
Scanner type *	Photo scanner				
Product colour *	Grey				
Built-in display *	✗			Mac operating systems supported	
Performance					
Sensor type *	CCD				
Ports & interfaces		Mac operating systems supported			
USB port *	✓				
USB version	2.0				
USB connector type	USB Type-B				
Standard interfaces	USB 2.0	Mac operating systems supported			
Power					
Power supply type *	AC				
Power consumption (typical)	30 W	Mac operating systems supported			
Operational conditions					
Operating temperature (T-T)	5 - 35 °C				
Operating relative humidity (H-H)	10 - 80%	Mac operating systems supported			
Storage relative humidity (H-H)	10 - 85%				
Weight & dimensions		Mac operating systems supported			
Width	655.3 mm				
Depth	459.7 mm				
Height	215.9 mm				
Weight	14.3 kg				

**Packaging content**

Cables included	AC, USB
-----------------	---------

**Technical details**

PC connection	USB 2.0
---------------	---------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-JAN-2024. Prints or copies of Information are only valid on the printed Publication date