

Lexmark B2236dw 600 x 600 DPI A4 Wi-Fi

Brand : Lexmark

Product code: 18M0100

Product name : B2236dw

- Monochrome Laser
 - Duplex (2-sided) Printing: Integrated Duplex
 - Print Speed: Up to 36 ppm
 - Recommended Monthly Page Volume: 250 - 2500 Pages
- A4, 250 - 2500 pages, PCL 5e/PCL 6, 36 ppm, Monochrome Laser, Duplex, 256MB, USB 2.0, Fast Ethernet, Wi-Fi 802.11 b/g/n

Lexmark B2236dw. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 30000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 36 ppm, Duplex printing. Display: LCD. Wi-Fi. Product colour: Black, White



| Printing | | Network | |
|--|---|---|---|
| Colour * | ✗ | Supported network protocols (IPv6) | TCP/IP, AppleTalk, TCP, UDP |
| Print technology * | Laser | Management protocols | DHCP, APIPA (AutoIP), mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL/TLS), Finger |
| Duplex printing * | ✓ | Mobile printing technologies | Apple AirPrint, Google Cloud Print, Mopria Print Service |
| Maximum resolution * | 600 x 600 DPI | | |
| Print speed (black, normal quality, A4/US Letter) * | 36 ppm | | |
| Duplex print speed (black, normal quality, A4/US Letter) | 18 ppm | | |
| Time to first page (black, normal) | 8 s | | |
| Print margins (top, bottom, right, left) | 5 mm | | |
| Features | | Performance | |
| Maximum duty cycle * | 30000 pages per month | Internal memory * | 256 MB |
| Recommended duty cycle | 250 - 2500 pages per month | Maximum internal memory | 256 MB |
| Printing colours * | Black | Built-in processor | ✓ |
| Number of print cartridges * | 1 | Processor frequency | 1000 MHz |
| Page description languages * | PCL 5e, PCL 6 | Processor cores | 2 |
| Average cartridge yield (black) | 1200 pages | Sound pressure level (printing) | 53 dB |
| | | Sound pressure level (duplex printing) | 50 dB |
| Input & output capacity | | Design | |
| Total number of input trays * | 2 | Market positioning * | Business |
| Total input capacity * | 251 sheets | Product colour * | Black, White |
| Total output capacity * | 150 sheets | Built-in display * | ✓ |
| Paper input type | Paper tray | Display | LCD |
| Maximum number of input trays | 2 | Display number of lines | 2 lines |
| Maximum input capacity | 251 sheets | | ENERGY STAR, ICES-003 Class B, US FDA/CDRH, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62311, EN 61000-3, EN 55024, EN 55032, UL), EFTA (CE), KCC, CCC, CECP, CEL, UL-AR, KC mark, ISO 532B, ECMA-370, Customs Union EAC, TER |
| Maximum output capacity | 150 sheets | Certification | |
| Paper handling | | Power | |
| Maximum ISO A-series paper size * | A4 | Power consumption (printing) * | 460 W |
| Paper tray media types * | Card stock, Envelopes, Labels, Plain paper | Power consumption (ready) | 4 W |
| Multi-purpose tray media types | Envelopes, Labels, Legal, Letter, Plain paper | Power consumption (standby) | 1.2 W |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Energy Star Typical Electricity Consumption (TEC) | 1.6 kWh/week |
| ISO B-series sizes (B0...B9) | B5 | | |
| ISO C-series sizes (C0...C9) | C5 | | |
| Non-ISO print media sizes | Executive, Folio, Legal, Letter, Oficio | System requirements | |
| JIS B-series sizes (B0...B9) | B5 | Windows operating systems supported | Windows 10, Windows 7, Windows 8, Windows 8.1 |
| Envelopes sizes | 7 3/4, 9, 10, B5, C5, DL | Linux operating systems supported | ✓ |
| Paper tray media weight | 20 - 75 g/m ² | | |
| Paper tray media weight (imperial) | 7.26 - 12.7 kg (16 - 28 lbs) | | |

| | | | |
|--|---|-------------------------------------|---|
| Paper handling | | System requirements | |
| Multi-Purpose Tray media weight (imperial) | 7.26 - 24.5 kg (16 - 54 lbs) | Server operating systems supported | SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012 |
| Ports & interfaces | | Other operating systems supported | Novell Open Enterprise Server |
| USB port * | ✓ | Operational conditions | |
| USB 2.0 ports quantity | 1 | Operating temperature (T-T) | 10 - 32 °C |
| USB connector | USB Type-B | Operating relative humidity (H-H) | 15 - 80% |
| Network | | Operating altitude | 0 - 2896 m |
| Wi-Fi * | ✓ | Sustainability | |
| Ethernet LAN * | ✓ | Sustainability certificates | ENERGY STAR |
| Cabling technology | 10/100Base-T(X) | Weight & dimensions | |
| Ethernet LAN data rates | 10,100 Mbit/s | Width | 355 mm |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) | Depth | 333 mm |
| Security algorithms | IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMPv3, SSL/TLS, TTLS | Height | 215 mm |
| Supported network protocols (IPv4) | TCP/IP, AppleTalk, TCP, UDP | Weight | 6.8 kg |
| | | Packaging data | |
| | | Package width | 418 mm |
| | | Package depth | 443 mm |
| | | Package height | 312 mm |
| | | Package weight | 9.62 kg |
| | | Packaging content | |
| | | Included cartridge capacity (black) | 700 pages |
| | | Cables included | AC |



0734646672962



734646672962

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.