

Lexmark MB2236i Laser A4 2400 x 600 DPI 36 ppm Wi-Fi

Brand : Lexmark

Product code: 18M0751

Product name : MB2236i

- Monochrome Laser
- Duplex (2-sided) Printing: Integrated Duplex
- Print Speed: Up to 36 ppm
- Recommended Monthly Page Volume: 250 - 2500 pages

Monochrome laser, Copying/Printing/Scanning, Duplex printing/copying, 2.8" LCD display, USB 2.0 Type-B, Wi-Fi

Lexmark MB2236i. Print technology: Laser, Printing: Mono printing, Maximum resolution: 2400 x 600 DPI. Copying: Mono copying. Scanning: Colour scanning. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



Printing		Network	
Print resolution black	2400 x 600 DPI	Cabling technology	10/100Base-T(X)
Print technology *	Laser	Ethernet LAN data rates	10,100 Mbit/s
Printing *	Mono printing	Security algorithms	SNMPv3
Duplex printing *	✓	Supported network protocols (IPv4)	TCP/IP
Maximum resolution *	2400 x 600 DPI	Supported network protocols (IPv6)	TCP/IP
Print speed (black, normal quality, A4/US Letter) *	36 ppm	Management protocols	DHCP, AIPA (AutoIP), mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPS (SSL/TLS), Finger
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm	Mobile printing technologies	Apple AirPrint
Time to first page (black, normal)	7.9 s		
Copying		Performance	
Duplex copying *	✓	Maximum internal memory	512 MB
Copying *	Mono copying	Internal memory *	512 MB
Copy speed (black, normal quality, A4)	36 cpm	Built-in processor	✓
Time to first copy (black, normal)	8.5 s	Processor frequency	1000 MHz
Copier resize	25 - 400%	Processor cores	2
Scanning		Sound pressure level (printing)	52 dB
Duplex scanning *	✗	Sound pressure level (duplex printing)	50 dB
Scanning *	Colour scanning	Sound pressure level (copying)	55 dB
Optical scanning resolution (colour)	600 x 600 ppi	Sound pressure level (scanning)	52 dB
Maximum scan area	216 x 356 mm	Design	
Scanner type *	Flatbed & ADF scanner	Product colour *	Black, White
Scan technology	CIS	Market positioning *	Business
Scan to	E-mail, FTP, Network folder, USB	Built-in display *	✓
Image formats supported	JPEG, JPG, TIFF	Display	LCD
Document formats supported	PDF	Display diagonal	7.11 cm (2.8")
Fax		Control type	Touch
Faxing *	✗	Colour display	✓
Features		Power	
Recommended duty cycle	250 - 2500 pages per month	Power consumption (printing)	460 W
Maximum duty cycle *	30000 pages per month	Power consumption (copying)	460 W
Duplex functions *	Copy, Print	Power consumption (scanning)	9.5 W
Number of print cartridges *	1	Power consumption (ready)	6 W
Printing colours *	Black	Power consumption (sleep)	1.1 W
Page description languages	PCL 5e, PCL 6	Energy Star Typical Electricity Consumption (TEC)	0.53 kWh/week

Features		System requirements	
Printer fonts	PCL, Scalable	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64
Bitmap fonts	OCR-A, OCR-B	Linux operating systems supported	Fedora 27, RedHat EL Linux 7.5, RedHat EL Linux 7.6, Ubuntu 16.04, Ubuntu 18.04 LTS, openSUSE 42.3
Country of origin	China	Server operating systems supported	Windows Server 2000, Windows Server 2012, Windows Server 2016
Input & output capacity		Other operating systems supported	Novell Open Enterprise Server 11, Novell Open Enterprise Server 2
Total number of input trays *	2	Operational conditions	
Total input capacity *	250 sheets	Operating relative humidity (H-H)	15 - 80%
Total output capacity *	150 sheets	Operating temperature (T-T)	10 - 32 °C
Auto document feeder (ADF)	✓	Operating altitude	0 - 2896 m
Auto document feeder (ADF) input capacity	50 sheets	Certificates	
Auto document feeder (ADF) output capacity	50 sheets	Certification	ENERGY STAR, ICES-003 Class B, US FDA/CDRH, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62311, EN 61000-3, EN 55024, EN 55032, UL), EFTA (CE), UL-AR, KC mark, ISO 532B, ECMA-370, Customs Union EAC, TER, Wi-Fi CERTIFIED
Manual feeder	✓		
Maximum number of input trays	2	Weight & dimensions	
Maximum input capacity	250 sheets	Width	415 mm
Maximum output capacity	150 sheets	Depth	360 mm
Paper handling		Height	352 mm
Maximum ISO A-series paper size *	A4	Weight	10 kg
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Packaging data	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package width	434 mm
ISO B-series sizes (B0...B9)	B5	Package depth	550 mm
ISO C-series sizes (C0...C9)	C5	Package height	464 mm
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal	Package weight	14 kg
JIS B-series sizes (B0...B9)	B5	Packaging content	
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Cartridge(s) included	✓
Paper tray media weight	60 - 105 g/m ²	Included cartridge capacity (black)	700 pages
Ports & interfaces		Imaging unit included	✓
Direct printing *	✓	Cables included	AC
USB port	✓		
USB connector	USB Type-B		
USB 2.0 ports quantity	1		
Network			
Wi-Fi *	✓		
Ethernet LAN *	✓		



0734646720649



734646720649

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.