



HP LaserJet Enterprise M507dn, Print, Two-sided printing

Brand : HP

Product family: LaserJet Enterprise

Product code: 1PV87A

Product name : HP LaserJet Enterprise M507dn, Print, Two-sided printing

- Two-sided printing
 - Print
 - Print speed up to 45 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise M507dn

HP LaserJet Enterprise M507dn, Print, Two-sided printing:

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.^[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Design	
Duplex printing mode	Auto	Control type	Buttons
Print resolution black	1200 x 1200 DPI	Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by individual countries.
Colour *	✗		
Print technology *	Laser		
Duplex printing *	✓		
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	43 ppm		
Warm-up time	150 s		
Time to first page (black, normal)	5.9 s		
Print margins (top, bottom, right, left)	4.3 mm		
Watermark printing	✓		
Secure printing	✓		
Features		Power	
Maximum duty cycle *	150000 pages per month	Power consumption (printing) *	601 W
Recommended duty cycle	2000 - 7500 pages per month	Power consumption (ready)	7.6 W
Printing colours *	Black	Power consumption (PowerSave)	0.06 W
Number of print cartridges *	1	Power consumption (off)	0.06 W
Page description languages *	PCL 6, PDF 1.7, PostScript 3	Energy Star Typical Electricity Consumption (TEC)	0.42 kWh/week
Printer fonts	PostScript, Scalable, TrueType, Windows	AC input voltage	100 - 240 V
Country of origin	Brazil, Japan, Philippines	AC input frequency	50/60 Hz
HP segment	Business	System requirements	
Input & output capacity		Windows operating systems supported	Windows 7, Windows 8, Windows 11
Total number of input trays *	2	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra
Total input capacity *	650 sheets	Linux operating systems supported	✓
Total output capacity *	250 sheets	Other operating systems supported	iOS, Android
Paper tray 1 input capacity	100 sheets	Operational conditions	
Paper tray 2 input capacity	550 sheets	Operating temperature (T-T)	10 - 32.5 °C
Multi-Purpose tray	✓	Storage temperature (T-T)	-20 - 40 °C
Multi-Purpose tray input capacity	100 sheets	Operating relative humidity (H-H)	10 - 80%
Maximum number of input trays	5	Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	Blue Angel, ENERGY STAR

Input & output capacity		Sustainability	
Maximum input capacity	2300 sheets	Sustainable technologies and materials	Mercury free
Maximum output capacity	250 sheets	Doesn't contain	Mercury
Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Width	418 mm
Paper tray media types *	Bond paper, Card stock, Envelopes, Labels, Letterhead, Plain paper, Recycled paper, Rough paper, Transparencies	Depth	376 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Height	299 mm
ISO B-series sizes (B0...B9)	B5	Pallet dimensions (W x D x H)	1200 x 1000 x 2481 mm
ISO C-series sizes (C0...C9)	C5, C6	Weight	11.5 kg
Non-ISO print media sizes	Oficio, 16K	Packaging data	
JIS B-series sizes (B0...B9)	B5, B6	Package width	497 mm
Envelopes sizes	B5, C5, C6, DL	Package depth	398 mm
Photo paper sizes	10x15 cm	Package height	466 mm
Custom media width	76.2 - 215.9 mm	Package weight	14.3 kg
Custom media length	127 - 355.6 mm	Packaging content	
Paper tray media weight	60 - 200 g/m ²	Included cartridge capacity (black)	5 pages
Ports & interfaces		Warranty card	✓
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Cables included	AC
USB port *	✓	Quick installation guide	✓
USB 2.0 ports quantity	3	Brand-specific features	
Network		HP ePrint	✓
Network ready	✓	HP Auto-On/Auto-Off	✓
Wi-Fi *	✗	HP GTIN (EAN/UPC) with options	(ABT) 192545078771; (ABY) 192545078788; (ACQ) 192545078795; (B13) 192545078801; (B19) 192545078818; (BAZ) 192545078825
Ethernet LAN *	✓	HP GTIN (EAN/UPC)	192545078771, 192545078788, 192545078795, 192545078801, 192545078818, 192545078825
Security algorithms	EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec, SNMPv3, SSL/TLS	Logistics data	
Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service	Harmonized System (HS) code	84433210
Performance		Pallet gross weight	369.4 g
Internal memory *	512 MB	Layers per pallet	5 pc(s)
Maximum internal memory	1536 MB	Products per pallet	30 pc(s)
Memory slots	1	Technical details	
Built-in processor	✓	Master (outer) cases per pallet layer	6 pc(s)
Processor frequency	1200 MHz	Other features	
Sound pressure level (printing)	55 dB	Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
Sound power level (printing)	6.9 dB	Recommended humidity operating range	30 - 70%
Design		Acoustic power emissions (ready)	39 dB
Market positioning *	Business	Acoustic pressure emissions bystander (ready)	25 dB
Product colour *	White		
Built-in display *	✓		
Display	LCD		
Colour display	✓		
Display diagonal	6.86 cm (2.7")		



0193015958159



193015958159




0192545078788



192545078788



0192545078726



192545078726



0192545078849



192545078849



0192545078795



192545078795



0193015958142



193015958142



0192545078825




192545078825



0192545078757



192545078757



0192545799706




192545799706



0192545078832




192545078832



0192545799713



192545799713



0192545078733



192545078733



0192545078771



192545078771




0192545078740



192545078740



0192545078764



192545078764



0192545078856



192545078856



0192545078801



192545078801



0192545078818



192545078818

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites. Use of this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.