

DELL 1355cn A4 600 x 600 DPI 15 ppm

Brand : DELL

Product code: 210-34532

Product name : 1355cn

1355cn All-in-One - 15ppm b/w, 12ppm color, 600 x 600 dpi, 128MB, USB2.0, Fast Ethernet, 15500g, Black

DELL 1355cn. Printing: Colour printing, Maximum resolution: 600 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 12 ppm. Copying: Colour copying. Scanning: Mono scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4





Printing Ports & interfaces Printing * Colour printing Duplex printing * Image: Colour printing * Maximum resolution * 600 x 600 DPI USB 2.0 ports quantity 1	
Duplex printing * V USB port ✓ Maximum resolution * 600 x 600 DPI USB 2.0 ports quantity 1	
Maximum resolution * 600 x 600 DPI USB 2.0 ports quantity 1 Print speed (black normal quality)	
Print speed (black, permal quality	
Print speed (black, permal quality,	
Print speed (black, normal quality, A4/US Letter) * Network	
Print speed (colour, normal quality, 12 ppm Wi-Fi * X A4/US Letter) LAN * ✓	
Warm-up time 36 s Security algorithms 128-bit WEP, 64-bit WEP, Wep, Wep, TKIP	√PA-AES,
Time to first page (black, normal) 22 s WPA-TKIP	
	Port 9100, LPD/LPR, TCP/IP, HTTP, SNMP (v1,v2), BOOTP, DHCP, RARP,
Copying Auto IP, DNS, mDNS, IPv4/I	
Copying * Colour copying Performance	
Copy speed (black, normal quality, 15 cpm Card reader integrated X	
Convictored (colour, normal quality, Internal memory * 8 MB	
A4) Processor frequency 295 MHz	
Time to first copy (black, normal) 32 s Sound pressure level (printing) 50 dB	
Maximum number of copies 99 copies Mac compatibility	
Copier resize 25 - 400% Design	
Scanning Market positioning * Business	
Scanning * Mono scanning Built-in display *	
Optical scanning resolution * 1200 x 1200 DPI Display LCD	
Maximum scan resolution 4800 x 4800 DPI Power	
Maximum scan area 215.9 x 297 mm Power consumption (average 220 w	
Scanner type * Flatbed scanner operating) 320 W	
Image formats supportedJPG, TIFPower consumption (PowerSave)16 W	
Fax Power consumption (standby) 64 W	
Faxing * Mono faxing Operational conditions	
Modem speed 33.6 Kbit/s Operating relative humidity (H-H) 15 - 85%	
Fax memory2 MBStorage temperature (T-T)0 - 35 °C	
Fax broadcasting99 locationsOperating temperature (T-T)5 - 32 °C	
Features Storage relative humidity (H-H) 15 - 80%	
Operating altitude 0 - 3100 m	
Features	
Peatures Operating altitude 0 - 3100 m Maximum duty cycle * 30000 pages per month Non-operating altitude 0 - 3100 m Digital sender X Certificates Certificates	
Peatures Operating altitude 0 - 3100 m Maximum duty cycle * 30000 pages per month Non-operating altitude 0 - 3100 m Digital sender X Certificates Certificates Input & output capacity Certification BoHS, CE, ECC	
Peatures Operating altitude 0 - 3100 m Maximum duty cycle * 30000 pages per month Non-operating altitude 0 - 3100 m Digital sender X Certificates Certificates	

Input & output capacity		Weight & dimensions	
Maximum output capacity	100 sheets	Weight	15.5 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package weight	18 kg
Maximum print size	216 x 356 mm	Other features	
Paper tray media types *	Coated paper, Envelopes, Labels, Plain paper, Recycled paper	Networking features	Fast Ethernet
ISO A-series sizes (A0A9) *	A4, A5	Dimensions (WxDxH)	410 x 379 x 338 mm
ISO B-series sizes (B0B9)	B5	Power requirements	220-240 V, 50/60 Hz
Non-ISO print media sizes	Executive, Folio, Legal, Letter	Compatible operating systems	Windows 7/Vista/Server 2008/XP/2003 Server Mac
Ports & interfaces		All-in-one functions	Copy, Fax, Scan
Standard interfaces	USB 2.0	Colour all-in-one functions	Copy, Print
		Package dimensions (WxDxH)	561 x 530 x 505 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.