

Lexmark MX711de Laser A4 1200 x 1200 DPI 66 ppm

Brand : Lexmark

Product code: 24T7404

Product name : MX711de

Laser, 1200 x 1200 dpi, 66 ppm/66 cpm, 10.2" e-Task Touch, Gigabit Ethernet, USB 2.0, 43.3 kg
 Lexmark MX711de. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 1200 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Black, Grey



Printing		Ports & interfaces	
Print resolution black	1200 x 1200 DPI	Direct printing *	✓
Print technology *	Laser	USB port	✓
Printing *	Mono printing	USB 2.0 ports quantity	3
Duplex printing *	✓	Optional connectivity	Parallel, Serial (RS-232), Wireless LAN
Maximum resolution *	1200 x 1200 DPI	Network	
Print speed (black, normal quality, A4/US Letter) *	66 ppm	Wi-Fi *	✗
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm	Ethernet LAN *	✓
Time to first page (black, normal)	4 s	Security algorithms	802.1x RADIUS, LEAP, MD5, PEAP
Copying		Supported network protocols (IPv4)	TCP/IP, AppleTalk
Duplex copying *	✓	Supported network protocols (IPv6)	TCP/IP, TCP, UDP
Copying *	Mono copying	Management protocols	HTTP, HTTPS (SSL*/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger
Maximum copy resolution *	1200 x 1200 DPI	Network printing methods	LPR/LPD, Direct IP (Port 9100), Enhanced IP (Port 9400) FTP, TFTP, IPP 1.0, 1.1, 2.0
Copy speed (black, normal quality, A4)	66 cpm	Performance	
Time to first copy (black, normal)	4 s	Maximum internal memory	3072 MB
Copier resize	25 - 400%	Internal memory *	1024 MB
N-in-1 copy function (N=)	4	Processor frequency	800 MHz
Scanning		Sound pressure level (printing)	58 dB
Duplex scanning *	✓	Sound pressure level (duplex printing)	58 dB
Scanning *	Colour scanning	Sound pressure level (copying)	58 dB
Optical scanning resolution *	600 x 600 DPI	Sound pressure level (scanning)	57 dB
Maximum scan area	Legal (216 x 356)	Sound power level (standby)	33 dB
Scanner type *	Flatbed & ADF scanner	Mac compatibility	✓
Scan technology	CCD	Design	
Scan speed (colour)	70 ppm	Product colour *	Black, Grey
Scan speed (black)	70 ppm	Market positioning *	Business
Duplex scan speed (colour)	68 ppm	Display diagonal	25.9 cm (10.2")
Duplex scan speed (black)	72 ppm		
Fax			
Duplex faxing	✓		
Faxing *	Mono faxing		

Fax		Design	
Fax transmission speed	3 sec/page	Touchscreen	✓
Modem speed	33.6 Kbit/s	Control type	Touch
Features		System requirements	
Maximum duty cycle *	300000 pages per month	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion
Digital sender	✗	Linux operating systems supported	Fedora 14, Fedora 15, RedHat EL Linux 4.0 U5, RedHat EL Linux 4.0 U6, RedHat EL Linux 4.0 U7, RedHat EL Linux 5.0, RedHat EL Linux 5.1, RedHat EL Linux 5.2, RedHat EL Linux 5.3, SuSE Linux 10, SuSE Linux 10.2, SuSE Linux 10.3, SuSE Linux 11
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PostScript 3, PPDS	Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64
Country of origin	China	Other operating systems supported	Novell NetWare 5.x, Novell NetWare 6.x, Novell Open Enterprise Server
Input & output capacity		Operational conditions	
Total number of input trays *	2	Operating relative humidity (H-H)	8 - 80%
Total input capacity *	650 sheets	Operating temperature (T-T)	16 - 32 °C
Total output capacity *	550 sheets	Operating temperature (T-T)	60 - 90 °F
Auto document feeder (ADF)	✓	Sustainability	
Auto document feeder (ADF) input capacity	150 sheets	Sustainability certificates	ENERGY STAR
Auto document feeder (ADF) output capacity	150 sheets	Weight & dimensions	
Maximum number of input trays	5	Width	548 mm
Maximum input capacity	3300 sheets	Depth	578 mm
Maximum output capacity	550 sheets	Height	727 mm
Paper handling		Weight	43.3 kg
Maximum ISO A-series paper size *	A4	Packaging data	
Maximum print size	216 x 356 mm	Package width	735 mm
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies	Package depth	700 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package height	1017 mm
ISO B-series sizes (B0...B9)	B5	Package weight	57.1 kg
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement	Other features	
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Finishing option	✗
Ports & interfaces		Package dimensions (W x D x H)	735.1 x 700 x 1017 mm (28.9 x 27.6 x 40")
Standard interfaces	Ethernet, USB 2.0	Supported media weight(s)	60 - 176 g/m ²
		All-in-one functions	Copy, Fax, Print, Scan
		Colour all-in-one functions	Scan



0734646355490



734646355490

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.