

Lexmark MS431dn 600 x 600 DPI A4

Brand : Lexmark

Product code: 2950050

Product name : MS431dn

- Monochrome Laser
 - Duplex (2-sided) Printing: Integrated Duplex
 - Print Speed: Up to 40 ppm
 - Recommended Monthly Page Volume: 800 - 8,000 Pages
- Monochrome Laser, 600 x 600 dpi, 40 ppm, Dual Core, 1.0 GHz, Ethernet, USB, Integrated Duplex
 Lexmark MS431dn. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 80000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 40 ppm, Duplex printing. Display: LCD, Product colour: Black, White



Printing		Performance	
Duplex printing mode	Auto	Sound pressure level (duplex printing)	50 dB
Colour *	✗	Design	
Print technology *	Laser	Product colour *	Black, White
Duplex printing *	✓	Built-in display *	✓
Maximum resolution *	600 x 600 DPI	Display	LCD
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Colour display	✗
Time to first page (black, normal)	5.9 s	ENERGY STAR, ICES-003 Class B, BSMI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECF, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, DE-UZ 205, China Green Product (CGP)	
Features		Certification	
Maximum duty cycle *	80000 pages per month	Power	
Recommended duty cycle	800 - 8000 pages per month	Power consumption (printing) *	570 W
Printing colours *	Black	Power consumption (ready)	4.9 W
Number of print cartridges *	1	Energy Star Typical Electricity Consumption (TEC)	0.47 kWh/week
Printer fonts	Bitmap, PCL, PostScript	System requirements	
Bitmap fonts	OCR-A, OCR-B	Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8.1, Windows 8.1 x64
Country of origin	China	Linux operating systems supported	✓
Input & output capacity		Other operating systems supported	✓
Total number of input trays *	1	Operational conditions	
Total input capacity *	350 sheets	Operating temperature (T-T)	10 - 32 °C
Total output capacity *	150 sheets	Operating relative humidity (H-H)	8 - 80%
Paper tray 1 input capacity	350 sheets	Operating altitude	0 - 2.896 m
Multi-Purpose tray	✓		
Maximum input capacity	900 sheets		
Maximum output capacity	150 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Card stock, Envelopes, Plain paper		
ISO A-series sizes (A0...A9) *	A4, A6		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL		
Ports & interfaces			
Direct printing *	✗		

Ports & interfaces		Sustainability	
USB port *	✓	Sustainability certificates	ENERGY STAR
USB 2.0 ports quantity	1	Weight & dimensions	
USB connector	USB Type-B	Width	368 mm
Network		Depth	363 mm
Wi-Fi *	✗	Height	222 mm
Ethernet LAN *	✓	Weight	9.3 kg
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging data	
Security algorithms	LEAP, MD5, MSCHAPv2, SNMPv3, TLS, TTLS	Package width	410 mm
Management protocols	DHCP, BOOTP, RARP, mDNS, IGMP, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL/TLS), SMTP, Finger	Package depth	420 mm
Mobile printing technologies	Apple AirPrint	Package height	280 mm
Performance		Package weight	10.5 kg
Internal memory *	256 MB	Packaging content	
Maximum internal memory	256 MB	Cartridge(s) included	✓
Built-in processor	✓	Included cartridge capacity (black)	3000 pages
Sound pressure level (printing)	53 dB	Cables included	AC
		Other features	
		Printing	Mono printing



0734646695640



734646695640

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.