



HP DeskJet 2723e All-in-One Printer

Brand : HP

Product family: DeskJet

Product code: 2A9Q5A

Product name : DeskJet 2723e All-in-One Printer

- Scan to PDF
- Print, copy, scan
- Print speed up to 7.5 ppm (black) and 5.5 ppm (colour)
- Up to 1200X 1200 rendered dpi (when printing from a computer)

Thermal Inkjet, 4800 x 1200dpi, 7.5ppm, A4, 64MB, WiFi, LCD

HP DeskJet 2723e All-in-One Printer. Print technology: Thermal inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 5.5 ppm. Copying: Colour copying, Maximum copy resolution: 300 x 300 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Grey



| Printing | | Performance | |
|---|----------------------|---|--|
| Duplex printing mode | Manual | Maximum internal memory | 64 MB |
| Print resolution colour | 4800 x 1200 DPI | Internal memory * | 64 MB |
| Print resolution black | 1200 x 1200 DPI | Built-in processor | ✓ |
| Print technology * | Thermal inkjet | Processor frequency | 180 MHz |
| Printing * | Colour printing | Sound power level (printing) | 6.2 dB |
| Duplex printing * | ✓ | Design | |
| Maximum resolution * | 4800 x 1200 DPI | Product colour * | Grey |
| Print speed (black, normal quality, A4/US Letter) * | 7.5 ppm | Colour name | Cement |
| Print speed (colour, normal quality, A4/US Letter) | 5.5 ppm | Market positioning * | Home & office |
| Print speed (black, draft quality, A4/US Letter) | 20 ppm | Built-in display * | ✓ |
| Print speed (colour, draft quality, A4/US Letter) | 16 ppm | Display | LCD |
| Print speed (ISO/IEC 24734) black | 7 ppm | Control type | Buttons |
| Print speed (ISO/IEC 24734) colour | 5 ppm | Power | |
| Time to first page (black, normal) | 15 s | Power consumption (PowerSave) | 0.15 W |
| Time to first page (colour, normal) | 19 s | Power consumption (ready) | 2.5 W |
| | | Power consumption (sleep) | 1.1 W |
| | | Power consumption (off) | 0.15 W |
| | | Energy Star Typical Electricity Consumption (TEC) | 0.18 kWh/week |
| | | AC input voltage | 100 - 240 V |
| | | AC input frequency | 50/60 Hz |
| Copying | | Brand-specific features | |
| Duplex copying * | ✓ | HP Instant Ink | ✓ |
| Copying * | Colour copying | HP dynamic security | ✓ |
| Maximum copy resolution * | 300 x 300 DPI | System requirements | |
| Maximum number of copies | 6 copies | Windows operating systems supported | Windows 7, Windows 10, Windows 11 |
| Auto fit function | ✓ | Mac operating systems supported | Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 10.12 Sierra |
| | | Other operating systems supported | ChromeOS |
| Scanning | | Operational conditions | |
| Duplex scanning * | ✗ | Operating relative humidity (H-H) | 15 - 80% |
| Scanning * | Colour scanning | Storage temperature (T-T) | -40 - 60 °C |
| Optical scanning resolution * | 1200 x 1200 DPI | Operating temperature (T-T) | 5 - 40 °C |
| Maximum scan area | 216 x 297 mm | | |
| Scanner type * | Flatbed scanner | | |
| Scan technology | CIS | | |
| Image formats supported | BMP, JPEG, PNG, TIFF | | |
| Document formats supported | PDF | | |
| Input colour depth | 24 bit | | |
| Greyscale levels | 256 | | |
| Scan drivers | TWAIN | | |

| | | | |
|------------------------------------|--|--|---|
| Fax | | Operational conditions | |
| Faxing * | ✘ | Non-operating relative humidity (non-condensing) | 5 - 90% |
| Fax forwarding | ✔ | Storage relative humidity (H-H) | 5 - 90% |
| Features | | Operating altitude | 0 - 3000 m |
| Recommended duty cycle | 50 - 100 pages per month | Non-operating altitude | 0 - 4500 m |
| Maximum duty cycle * | 1000 pages per month | Certificates | |
| Number of print cartridges * | 2 | Certification | EN 55032:2015 / CISPR 32:2015 Class B, EN 55024:2010 / CISPR 24:2010, EN 55035:2017 / CISPR 35:2016, EN 61000-3-2:2014 / IEC 61000-3-2:2014, EN 61000-3-3:2013 / IEC 61000-3-3:2013, FCC CFR 47 Part 15 Class B, ICES-003, Issue 6 Class B, EN 301 489-1 V2.1.1:2017, EN 301 489-17 V3.1.1:2017 |
| Printing colours * | Black, Cyan, Magenta, Yellow | | |
| Page description languages | URF, PCLm, PCL 3 GUI | Weight & dimensions | |
| All-In-One-multitasking | ✔ | Width | 425 mm |
| Country of origin | China | Depth | 304 mm |
| Replacement cartridges | 3YM61AE, 3YM62AE, 3YM60AE, 3YM63AE | Height | 154 mm |
| HP segment | Home | Weight | 3.42 kg |
| Input & output capacity | | Packaging data | |
| Total number of input trays * | 1 | Package width | 475 mm |
| Total input capacity * | 60 sheets | Package depth | 191 mm |
| Total output capacity * | 25 sheets | Package height | 354 mm |
| Maximum number of input trays | 1 | Package weight | 4.58 kg |
| Maximum input capacity | 60 sheets | Packaging content | |
| Maximum output capacity | 25 sheets | Cartridge(s) included | ✔ |
| Paper handling | | Included cartridge capacity (black) | 100 pages |
| Maximum ISO A-series paper size * | A4 | Included cartridge capacity (CMY) | 50 pages |
| Maximum print size | 215 x 355 mm | Cables included | AC |
| Paper tray media types * | Envelopes, Photo paper, Plain paper | Bundled software | HP Printer Software, available online |
| ISO A-series sizes (A0...A9) * | A4, A6 | Logistics data | |
| ISO B-series sizes (B0...B9) | B5 | Harmonized System (HS) code | 8443310000 |
| Envelopes sizes | B5, DL | Pallet gross weight | 351 g |
| Custom media width | 89 - 215 mm | Layers per pallet | 6 pc(s) |
| Custom media length | 127 - 279 mm | Products per pallet | 72 pc(s) |
| Paper tray media weight | 60 - 300 g/m ² | Technical details | |
| Ports & interfaces | | Master (outer) cases per pallet layer | 12 pc(s) |
| Direct printing * | ✘ | Other features | |
| USB port | ✔ | Number of users | 3 user(s) |
| USB 2.0 ports quantity | 1 | Recommended system requirements | Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. |
| Network | | Pallet weight (imperial) | 350.6 kg (773 lbs) |
| Wi-Fi * | ✔ | Number of print heads | 2 |
| Ethernet LAN * | ✘ | | |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n) | | |
| Mobile printing technologies | Apple AirPrint, Mopria Print Service | | |



0196068699208



196068699208



0196068699185



196068699185

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.