



## DELL 3TB NL-SAS 3.5"

**Brand :** DELL

**Product code:** 400-26699

**Product name :** 3TB NL-SAS

3TB 7200RPM Near Line Serial Attached SCSI Hard Drive

**DELL 3TB NL-SAS 3.5":**

- Offers data storage capacity of up to 3 TB
- 7200 RPM spindle speed ensures excellent performance
- Near Line SAS interface delivers high data transfer speed

Increase storage capacity of your system with 3 TB Hard Drive from Dell. It offers rotational speed of up to 7200 RPM that provides fast disk access. Moreover, its Near Line SAS interface delivers enhanced data transfer speeds. This product has been tested and validated on Dell systems. It is supported by Dell Technical Support when used with a Dell system.

### This product is compatible with the following systems:

- PowerEdge C1100
- PowerEdge R310
- PowerEdge R320
- PowerEdge R410
- PowerEdge R415
- PowerEdge R420
- PowerEdge R510
- PowerVault DX6104 CSN
- PowerVault DX6112 SN
- PowerVault NX3000.

DELL 3TB NL-SAS. HDD size: 3.5", HDD capacity: 3 TB, HDD speed: 7200 RPM



| Features                            |                    | Features                       |  |
|-------------------------------------|--------------------|--------------------------------|--|
| HDD size *                          | 3.5"               | Compatible products            | Dell: PowerEdge C1100 PowerEdge R310 PowerEdge R320 PowerEdge R410 PowerEdge R415 PowerEdge R420 PowerEdge R510 PowerVault DX6104 CSN PowerVault DX6112 SN PowerVault NX3000 |
| HDD capacity *                      | 3 TB               |                                |  |
| HDD speed *                         | 7200 RPM           |                                |  |
| Interface *                         | NL-SAS             |                                |  |
| Type *                              | HDD                |                                |  |
| Component for *                     | Server/workstation | <b>Power</b>                   |  |
| Windows operating systems supported | ✓                  | Operating voltage              | 5 / 12 V   |
| Linux operating systems supported   | ✓                  | <b>Packaging data</b>          |  |
|                                     |                    | Storage drive adapter included | ✗  |
|                                     |                    | Quantity                       | 1  |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-JAN-2024. Prints or copies of Information are only valid on the printed Publication date