

Lexmark CS725de Colour 1200 x 1200 DPI A4

Brand : Lexmark

Product code: 40C9000

Product name : CS725de

Quad Core 1.2 GHz, 1 GB, 1200 x 1200 dpi, 47 ppm, Ethernet, USB, 60 - 218 g/m², duplex
Lexmark CS725de. Print technology: Laser, Colour. Number of print cartridges: 1, Maximum duty cycle:
150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4.
Print speed (black, normal quality, A4/US Letter): 50 ppm, Duplex printing. Network ready. Product
colour: Black, White



Printing		Performance	
Print resolution colour	2400 x 600 DPI	Internal memory *	1024 MB
Print speed (colour, normal quality, A4/US Letter)	50 ppm	Maximum internal memory	3072 MB
Colour *	✓	Built-in processor	✓
Print technology *	Laser	Processor frequency	1200 MHz
Duplex printing *	✓	Sound pressure level (printing)	53 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (duplex printing)	55 dB
Print speed (black, normal quality, A4/US Letter) *	50 ppm	Sound pressure level (quiet mode)	47 dB
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm	Noise level (idle)	15 dB
Time to first page (black, normal)	5 s	Design	
Time to first page (colour, normal)	5.5 s	Product colour *	Black, White
Features		Built-in display *	✓
Maximum duty cycle *	150000 pages per month	Display diagonal	10.9 cm (4.3")
Printing colours *	Black, Cyan, Magenta, Yellow	Touchscreen	✓
Number of print cartridges *	1	Control type	Touch
Page description languages *	Microsoft XPS, PCL 5c, PCL 6, PDF 1.3, PPDS, PostScript 3	Certification	ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, FCC Class B, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT
Input & output capacity			
Total number of input trays *	2		
Total input capacity *	650 sheets		
Total output capacity *	300 sheets		
Paper input type	Paper tray		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Maximum number of input trays	5		
Maximum input capacity	2300 sheets		
Maximum output capacity	300 sheets		
Paper handling		Power	
Maximum ISO A-series paper size *	A4	Power consumption (printing) *	680 W
Paper tray media types *	Banner, Card stock, Envelopes, Labels, Plain paper	Energy Star Typical Electricity Consumption (TEC)	2.3 kWh/week
ISO A-series sizes (A0...A9) *	A4, A5, A6	System requirements	
ISO B-series sizes (B0...B9)	B5	Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8.1
ISO C-series sizes (C0...C9)	C4, C5		
Non-ISO print media sizes	Folio, Letter, Oficio, Statement, Universal		
Ports & interfaces			
Standard interfaces	Ethernet, USB 2.0		
Direct printing *	✓		
USB 2.0 ports quantity	3		
Optional connectivity	Wireless LAN		

Network		System requirements	
Network ready	✓		
Wi-Fi *	✗		
Ethernet LAN *	✓	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Security algorithms	802.1x RADIUS, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SSL/TLS		
Supported network protocols (IPv4)	TCP/IP, AppleTalk		
Supported network protocols (IPv6)	TCP/IP, TCP, UDP	Linux operating systems supported	Linux Mint 17, RedHat EL Linux 4.0 U5, RedHat EL Linux 4.0 U6, RedHat EL Linux 4.0 U7, RedHat EL Linux 5.0, RedHat EL Linux 5.1, RedHat EL Linux 5.2, RedHat EL Linux 5.3, RedHat EL Linux 6.0, Ubuntu 12.04, Ubuntu 14.04, Ubuntu 15.04
Management protocols	HTTP, HTTPS (SSL / TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, telnet, Finger	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012, Windows Server 2012 R2
Operational conditions			
Operating temperature (T-T)			10 - 32 °C
Operating relative humidity (H-H)			10 - 80%
Operating altitude			0 - 2896 m
Weight & dimensions			
Width			475 mm
Depth			499 mm
Height			417 mm
Weight			36.3 kg
Packaging data			
Package width			643 mm
Package depth			738 mm
Package height			568 mm
Package weight			41.9 kg
Other features			
Power LED			✓
Stand-by LED			✓



0734646559249



734646559249

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.