

Lexmark C3326dw Colour 600 x 600 DPI A4 Wi-Fi

Brand : Lexmark

Product code: 40N9010

Product name : C3326dw

- Color Laser
 - Duplex (2-sided) printing: Integrated Duplex
 - Print speed: up to 26 ppm
 - Recommended monthly page volume: 600 - 2500 pages
- A4, 600 - 2500 pages, 26 ppm, 250 + 1 sheets, Duplex, 512MB, USB 2.0 Type B, Gigabit Ethernet, Wi-Fi b/g/n

Lexmark C3326dw. Print technology: Laser, Colour. Maximum duty cycle: 50000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 26 ppm, Duplex printing. Display: LCD. Wi-Fi. Product colour: Black, White



Printing		Performance	
Duplex printing mode	Auto	Internal memory *	512 MB
Print speed (colour, normal quality, A4/US Letter)	26 ppm	Maximum internal memory	512 MB
Colour *	✓	Built-in processor	✓
Print technology *	Laser	Processor frequency	1000 MHz
Duplex printing *	✓	Processor cores	2
Maximum resolution *	600 x 600 DPI	Sound pressure level (printing)	52 dB
Print speed (black, normal quality, A4/US Letter) *	26 ppm	Sound pressure level (duplex printing)	51 dB
Duplex print speed (black, normal quality, A4/US Letter)	13 ppm	Design	
Duplex print speed (colour, normal quality, A4/US Letter)	13 ppm	Product colour *	Black, White
Warm-up time	10.9 s	Built-in display *	✓
Time to first page (black, normal)	10.9 s	Display	LCD
Features		Display number of lines	2 lines
Maximum duty cycle *	50000 pages per month	ENERGY STAR, DE-UZ 205, ICES-003 Class B, US FDA/CDRH, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62311, EN 55022(Class B), EN 55024, EN 61000, EN 61000, UL), EFTA (CE), KCC, CCC, CECP, CEL, RCM DoC, UL-AR, KC mark, UL GS mark, UCRF	
Recommended duty cycle	600 - 2500 pages per month	Power	
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (printing) *	395 W
Page description languages *	PCL 5, PCL 6, PCLm, PostScript 3	Power consumption (ready)	17 W
Average cartridge yield (black)	3000 pages	Energy Star Typical Electricity Consumption (TEC)	0.31 kWh/week
Average cartridge yield (CMY)	2500 pages	System requirements	
Input & output capacity		Windows operating systems supported	Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 Enterprise x64
Total number of input trays *	2	Linux operating systems supported	✓
Total input capacity *	251 sheets	Server operating systems supported	SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows Server 2003, Windows Server 2003 x64
Total output capacity *	100 sheets	Operational conditions	
Paper input type	Paper tray	Operating temperature (T-T)	10 - 32 °C
Maximum number of input trays	2	Operating relative humidity (H-H)	8 - 80%
Maximum input capacity	251 sheets	Operating altitude	0 - 3048 m
Maximum output capacity	100 sheets	Sustainability	
Paper handling		Sustainability certificates	EPEAT Silver, ENERGY STAR
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper		
Multi-purpose tray media types	Envelopes, Executive, Labels, Legal, Letter, Plain paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL		
Paper tray media weight	60 - 176 g/m ²		

Ports & interfaces		Weight & dimensions	
USB port *	✓	Width	411.2 mm
USB connector	USB Type-B	Depth	394.1 mm
Network		Height	243.7 mm
Wi-Fi *	✓	Weight	16.1 kg
Ethernet LAN *	✓	Packaging data	
Cabling technology	10/100/1000Base-T(X)	Package width	332 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Package depth	556 mm
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Package height	519 mm
Security algorithms	HTTPS, IPSec, SNMP, SNMPv3, SSL/TLS	Package weight	19.1 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	750 pages
		Included cartridge capacity (CMY)	500 pages
		Cables included	AC



0734646679794



734646679794

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.