



HP LaserJet Pro MFP M148dw Laser A4 1200 x 1200 DPI 28 ppm Wi-Fi

Brand : HP

Product family: LaserJet Pro

Product code: 4PA41A

Product name : LaserJet Pro
MFP M148dw

- Print, copy, scan
- Up to 1200 x 1200 dpi

LaserJet Pro MFP M148dw

HP LaserJet Pro MFP M148dw. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Duplex functions: Print, Copy. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: White



Printing		Performance	
Duplex printing mode	Auto	Maximum internal memory	256 MB
Print resolution black	1200 x 1200 DPI	Internal memory *	256 MB
Print technology *	Laser	Built-in processor	✓
Printing *	Mono printing	Processor frequency	800 MHz
Duplex printing *	✓	Sound pressure level (printing)	52 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (scanning)	44 dB
Print speed (black, normal quality, A4/US Letter) *	28 ppm	Sound power level (printing)	6.6 dB
Time to first page (black, normal)	6.8 s	Design	
Secure printing	✓	Product colour *	White
Copying		Market positioning *	Home & office
Duplex copying *	✓	Built-in display *	✓
Copying *	Mono copying	Display	LCD
Maximum copy resolution *	600 x 600 DPI	Display number of lines	2 lines
Copy speed (black, normal quality, A4)	28 cpm	Control type	Buttons
Time to first copy (black, normal)	6.5 s	Colour display	✗
Maximum number of copies	99 copies	Power	
Copier resize	25 - 400%	Power consumption (average operating)	475 W
Auto fit function	✓	Power consumption (PowerSave)	0.05 W
Scanning		Power consumption (printing)	475 W
Duplex scanning *	✗	Power consumption (ready)	4.5 W
Scanning *	Colour scanning	Power consumption (sleep)	1 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (off)	0.05 W
Optical scanning resolution (black)	1200 x 1200 ppi	Energy Star Typical Electricity Consumption (TEC)	0.353 kWh/week
Optical scanning resolution (colour)	600 x 600 ppi	AC input voltage	110 - 240 V
Optical scanning resolution (ADF)	300 x 300 DPI	AC input frequency	50/60 Hz
Maximum scan area	215.9 x 297 mm	Brand-specific features	
Scanner type *	Flatbed & ADF scanner	HP Auto-On/Auto-Off	✓
Scan technology	CIS	HP Management tools	HP Printer Assistant (UDC); HP Utility (Mac); HP Device Toolbox
Scan to	Software, TWAIN, WIA		
Scan speed (black)	15 ppm		
Image formats supported	BMP, JPG, PNG, RAW, TIFF		

Scanning		System requirements	
Document formats supported	PDF	Windows operating systems supported	Windows 8, Windows 7, Windows 11, Windows 8.1, Windows 10
Input colour depth	24 bit	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra
Greyscale levels	256		
Scan drivers	TWAIN, WIA		
Fax		Operational conditions	
Faxing *	✗	Operating relative humidity (H-H)	10 - 80%
Features		Recommended humidity operating range	30 - 70%
Recommended duty cycle	200 - 2000 pages per month	Operating temperature (T-T)	15 - 32.5 °C
Maximum duty cycle *	20000 pages per month	Certificates	
Duplex functions *	Print, Copy	Certification	CISPR 22:2008/ CISPR 32:2012 / EN 55032:2012 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55024:2010 FCC Title 47 CFR, Part 15 Class B / ICES-003, Issue 6 GB9254-2008, GB17625.1-2012
Digital sender	✗	Sustainability	
Number of print cartridges *	1	Sustainability compliance	✓
Printing colours *	Black	Sustainability certificates	EPEAT Silver, ENERGY STAR
Page description languages	PCL 5c, PCL 6, URF, PWG, PCLm, PDF	Doesn't contain	Mercury
Printer fonts	Scalable, TrueType	Weight & dimensions	
All-In-One-multitasking	✓	Width	403 mm
Country of origin	Vietnam	Depth	407.4 mm
HP segment	Small medium business	Height	311.5 mm
Input & output capacity		Weight	9.88 kg
Total number of input trays *	2	Packaging data	
Total input capacity *	260 sheets	Package width	490 mm
Total output capacity *	150 sheets	Package depth	392 mm
Paper tray 1 input capacity	10 sheets	Package height	490 mm
Paper tray 2 input capacity	250 sheets	Package weight	13.2 kg
Paper input type	Sheetfed	Packaging content	
Auto document feeder (ADF)	✓	Imaging unit included	✓
Auto document feeder (ADF) input capacity	35 sheets	Cables included	AC
Maximum number of input trays	2	Power cord included	✓
Maximum input capacity	260 sheets	Warranty card	✓
Maximum output capacity	150 sheets	Quick installation guide	✓
Paper handling		Bundled software	For Windows OS: HP Software Installer; HP Software Uninstaller (exclude Win8+); HP PCL6 Printer Driver, HP Scan Driver, HP Scan Application, HP Device Experience (DXP), HP Web Services Assist (HP Connected), Device Setup & Software, HP Printer Assistant; HP Product Improvement Study; Online user manuals; For Mac OS: Directs users to download Software
Maximum ISO A-series paper size *	A4	Logistics data	
Maximum print size	214 x 356 mm	Harmonized System (HS) code	8443310000
Paper tray media types *	Card stock, Envelopes, Labels, Photo paper, Plain paper, Postcard, Rough paper	Technical details	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Master (outer) cases per pallet layer	6 pc(s)
JIS B-series sizes (B0...B9)	B5	Other features	
Custom media width	76 - 216 mm	Number of users	5 user(s)
Custom media length	127 - 356 mm		
Paper tray media weight	60 - 163 g/m ²		
Ports & interfaces			
Standard interfaces	USB		
USB port	✓		
USB 2.0 ports quantity	1		
Network			
Wi-Fi *	✓		
Ethernet LAN *	✓		
Cabling technology	10/100Base-T(X)		
Ethernet LAN data rates	10,100 Mbit/s		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
Wi-Fi Direct	✓		
Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint		

Other features

Recommended system requirements	Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows Vista®: (32-bit only), 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Windows® XP SP3 or higher (32-bit only): any Intel® Pentium® II, Celeron® or 233 MHz compatible processor, 850 MB available hard disk space, Internet connection, USB port, Internet Explorer.
Acoustic power emissions (ready)	28 dB
Acoustic pressure emissions bystander (ready)	16 dB



0192545884457




192545884457




0192545884464




192545884464



0192545884426




192545884426



0192545884402



192545884402



0192545884433



192545884433



0192545884419



192545884419



0192545884440



192545884440

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.