

Lexmark MS825dn A4

Brand : Lexmark

Product code: 50G0300

Product name : MS825dn

- Monochrome Laser
- Duplex (2-sided) Printing: Integrated Duplex
- Print Speed: Up to 70 ppm
- Recommended Monthly Page Volume: 5000 - 100000 pages
- Laser, 66 ppm, A4, 1000MHz, 512 MB, LCD, 2.4"

Lexmark MS825dn A4:

Engineered to last

Steel frames and a robust paper feeding system that reliably handles diverse media types and sizes support heavy-duty use and a long life in even the harshest environments.

Ready to work

With access to input capacity of up to 4400 sheets, replacement toner cartridges that go as high as 55,000 pages**, long-life imaging unit and a fuser that may never need replacement, you'll spend more time printing. Plus, innovations in part replacement and accessibility help you resolve problems quickly.

Fast start + enduring performance

A first page as fast as 4 seconds sets the stage for printing and copying up to 70 ppm*. And support for large workloads is built in, with recommended monthly page volume as high as 350,000 pages.



Printing		Performance	
Print resolution black	1200 x 1200 DPI	Internal memory *	512 MB
Colour *	✗	Maximum internal memory	4608 MB
Print technology *	Laser	Card reader integrated	✓
Duplex printing *	✓	Built-in processor	✓
Print speed (black, normal quality, A4/US Letter) *	66 ppm	Processor frequency	1000 MHz
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm	Processor cores	2
Time to first page (black, normal)	4 s	Sound pressure level (printing)	58 dB
Print margins (top, bottom, right, left)	4.2 mm		
Features		Design	
Maximum duty cycle *	350000 pages per month	Product colour *	Black, White
Recommended duty cycle	5000 - 100000 pages per month	Built-in display *	✓
Printing colours *	Black	Display	LCD
Number of print cartridges *	1	Colour display	✓
Page description languages *	PCL 5e, PCL 6, PDF 1.7, PostScript 3, XML, XPS	Display diagonal	6.1 cm (2.4")
		Touchscreen	✗
Input & output capacity		Power	
Total number of input trays *	2	Power consumption (printing) *	830 W
Total input capacity *	650 sheets	Power consumption (ready)	38.5 W
Total output capacity *	550 sheets	Power consumption (off)	0.2 W
Maximum number of input trays	6	Energy Star Typical Electricity Consumption (TEC)	0.95 kWh/week
Maximum input capacity	4400 sheets		
Maximum output capacity	2550 sheets	System requirements	
Paper handling		Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Maximum ISO A-series paper size *	A4	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies	Linux operating systems supported	Debian 7.0, Debian 8.0, Fedora 23, Fedora 24, Red Hat Enterprise Linux WS 6.0, Red Hat Enterprise Linux WS 7.0, Ubuntu 16.04, openSUSE 13.2, openSUSE 42.3
ISO A-series sizes (A0...A9) *	A4, A5, A6		
Non-ISO print media sizes	Executive, Folio, Letter, Oficio, Statement, Universal		
JIS B-series sizes (B0...B9)	B5		

Paper handling		System requirements	
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Server operating systems supported	SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012
Ports & interfaces		Other operating systems supported	IBM AIX 6.1, IBM AIX 7.1, Solaris 10, Solaris 10 SPARC, Solaris 11, Solaris 11 SPARC
USB port *	✓		
USB 2.0 ports quantity	2		
USB connector	USB Type-A / USB Type-B		
Network		Sustainability	
Network ready	✓	Sustainability certificates	ENERGY STAR
Wi-Fi *	✗	Weight & dimensions	
Ethernet LAN *	✓	Width	428 mm
Cabling technology	10/100/1000Base-T(X)	Depth	510 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	445 mm
Mobile printing technologies	Apple AirPrint	Weight	25.4 kg
		Packaging data	
		Package width	550 mm
		Package depth	650 mm
		Package height	565 mm
		Package weight	29.9 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-JAN-2024. Prints or copies of Information are only valid on the printed Publication date