



# HP LaserJet Enterprise MFP M635h, Print, copy, scan, optional fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient

**Brand :** HP

**Product family:** LaserJet Enterprise

**Product code:** 7PS97A

**Product name :** HP LaserJet Enterprise MFP M635h, Print, copy, scan, optional fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient



- Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient
  - Print, copy, scan, optional fax
  - Print speed up to 65 ppm (black)
  - Up to 1200 x 1200 dpi
- LaserJet Enterprise MFP M635h

HP LaserJet Enterprise MFP M635h, Print, copy, scan, optional fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient:

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry’s deepest security.<sup>[1]</sup>

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Performance	
Duplex printing mode	Auto	Maximum internal memory	4096 MB
Print resolution black	1200 x 1200 DPI	Memory slots	1
Print technology *	Laser	Internal storage capacity	500 GB
Printing *	Mono printing	Internal memory *	2048 MB
Duplex printing *	✓	Built-in processor	✓
Maximum resolution *	1200 x 1200 DPI	Processor frequency	1200 MHz
Print speed (black, normal quality, A4/US Letter) *	61 ppm	Sound pressure level (printing)	54 dB
Warm-up time	170 s	Sound pressure level (scanning)	58 dB
Time to first page (black, normal)	5.2 s	<b>Design</b>	
N-in-1 print function	✓	Product colour *	Black, White
Watermark printing	✓	Market positioning *	Business
Secure printing	✓	Built-in display *	✓
<b>Copying</b>		Display	CGD
Duplex copying *	✓	Display diagonal	20.3 cm (8")
Copying *	Colour copying	Control type	Touch
Maximum copy resolution *	600 x 600 DPI	Colour display	✓
Time to first copy (black, normal)	4.9 s	<b>Power</b>	
Maximum number of copies	9999 copies	Power consumption (average operating)	740 W
Copier resize	25 - 400%	Power consumption (PowerSave)	0.1 W
N-in-1 copy function	✓	Power consumption (printing)	740 W
ID-card copy function	✓	Power consumption (copying)	740 W
Auto fit function	✓	Power consumption (ready)	29 W

<b>Scanning</b>		<b>Power</b>	
Duplex scanning *	✓	Power consumption (sleep)	3.3 W
Scanning *	Colour scanning	Power consumption (off)	0.1 W
Optical scanning resolution *	600 x 600 DPI	Energy Star Typical Electricity Consumption (TEC)	0.935 kWh/week
Maximum scan resolution	600 x 600 DPI	AC input voltage	100 - 240 V
Maximum scan area	216 x 356 mm	AC input frequency	50/60 Hz
Scanner type *	Flatbed & ADF scanner	<b>Brand-specific features</b>	
Scan technology	CCD	HP Auto-On/Auto-Off	✓
Scan to	E-mail, Network folder, USB, TWAIN, Software		(ABT) 194721079978; (ABY) 194721079985; (ACQ) 194721079992; (B13) 194721080004; (B19) 194721080011; (BAZ) 194721080028
Scan speed (colour)	69 ppm	HP GTIN (EAN/UPC) with options	194721079978, 194721079985, 194721079992, 194721080004, 194721080011, 194721080028
Scan speed (black)	69 ppm		
Image formats supported	MTIFF, JPEG, TIFF	<b>System requirements</b>	
Document formats supported	XPS, PDF	Windows operating systems supported	Windows 8.1, Windows 10, Windows 7 Ultimate
Input colour depth	48 bit	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.13 High Sierra
Greyscale levels	256	Other operating systems supported	Android, iOS
Scan drivers	TWAIN	<b>Operational conditions</b>	
<b>Fax</b>		Operating relative humidity (H-H)	10 - 80%
Faxing *	✗	Recommended humidity operating range	30 - 70%
Fax delayed sending	✗	Storage temperature (T-T)	-20 - 40 °C
<b>Features</b>		Operating temperature (T-T)	10 - 32.5 °C
Recommended duty cycle	5000 - 30000 pages per month	<b>Certificates</b>	
Maximum duty cycle *	300000 pages per month	Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International) Class A / EN 55032:2012 Class A, CISPR 35:2016 (International) Class A / EN 55035:2017 Class A, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A. Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.
Duplex functions *	Print, Copy, Scan	<b>Sustainability</b>	
Digital sender	✓	Sustainability compliance	✓
Number of print cartridges *	1	Sustainability certificates	EPEAT Silver, ENERGY STAR
Printing colours *	Black	Sustainable technologies and materials	Mercury free
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3	Doesn't contain	Mercury
Printer fonts	PostScript, Scalable, TrueType, Windows	<b>Weight &amp; dimensions</b>	
All-In-One-multitasking	✓	Width	512 mm
Country of origin	Mexico, China	Depth	558 mm
HP segment	Business	Height	640 mm
<b>Input &amp; output capacity</b>		Weight	33.2 kg
Total number of input trays *	3	<b>Packaging data</b>	
Total input capacity *	650 sheets	Package width	700 mm
Total output capacity *	500 sheets	Package depth	639 mm
Paper tray 1 input capacity	100 sheets	Package height	785 mm
Paper tray 2 input capacity	550 sheets	Package weight	38.8 kg
Multi-Purpose tray	✓	<b>Packaging content</b>	
Multi-Purpose tray input capacity	100 sheets	Cartridge(s) included	✓
Auto document feeder (ADF)	✓	Included cartridge capacity (black)	10500 pages
Auto document feeder (ADF) input capacity	150 sheets		
Maximum input capacity	3750 sheets		
Maximum output capacity	500 sheets		
<b>Paper handling</b>			
Maximum ISO A-series paper size *	A4		
Maximum print size	212 x 352 mm		
Paper tray media types *	Thick paper, Envelopes, Heavy paper, Pre-printed, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
ISO C-series sizes (C0...C9)	C5, C6		
Non-ISO print media sizes	Oficio, 16K		
JIS B-series sizes (B0...B9)	B5, B6		
Envelopes sizes	B5, C5, C6, DL		
Photo paper sizes	10x15 cm		

Paper handling		Packaging content	
Custom media width	76 - 216 mm	Cables included	AC
Custom media length	127 - 356 mm	<b>Logistics data</b>	
Paper tray media weight	60 - 120 g/m <sup>2</sup>	Harmonized System (HS) code	84433100
<b>Ports &amp; interfaces</b>		Pallet gross weight	247.6 g
Direct printing *	✘	Layers per pallet	3 pc(s)
USB port	✔	Products per pallet	6 pc(s)
USB 2.0 ports quantity	1	<b>Technical details</b>	
<b>Network</b>		Master (outer) cases per pallet layer	2 pc(s)
Wi-Fi *	✘	<b>Other features</b>	
Ethernet LAN *	✔	Number of users	30 user(s)
Cabling technology	10/100/1000Base-T(X)	Pallet dimensions (W x D x H)	1325 x 756 x 2482 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Recommended system requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser.
Security algorithms	SNMPv3, EAP-TLS, HTTPS, EAP-PEAP, IPSec, FIPS 140, SSL/TLS	Pallet dimensions (W x D x H) (imperial)	1325.9 x 756.9 x 2481.6 mm (52.2 x 29.8 x 97.7")
Mobile printing technologies	Google Cloud Print, Apple AirPrint, HP ePrint, Mopria Print Service	Pallet weight (imperial)	247.6 kg (545.8 lbs)



0194721079954



194721079954



0194721079930



194721079930



0194850085000



194850085000



0194721079992



194721079992



0194721079916



194721079916



0194721080028



194721080028



0194721080035



194721080035



0194721079961



194721079961



0194721079985



194721079985



0194721079923



194721079923



0194721079947



194721079947



0194850085017



194850085017



0194721079978




194721079978



0194721080011



194721080011



0194721080004



194721080004

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.