



HP LaserJet Enterprise Flow MFP M636z, Print, copy, scan, fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient; Strong Security

Brand : HP

Product family: LaserJet Enterprise Flow

Product code: 7PT01A

Product name : HP LaserJet Enterprise Flow MFP M636z, Print, copy, scan, fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient; Strong Security

- Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient; Strong Security
 - Print, copy, scan, fax
 - Print speed up to 75 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise Flow MFP M636z

HP LaserJet Enterprise Flow MFP M636z, Print, copy, scan, fax, Scan to email; Two-sided printing; 150-sheet ADF; Energy Efficient; Strong Security;

This HP LaserJet MFP with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them – all while protecting your network from attacks with the industry’s deepest security.^[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN *	✓
Print resolution black	1200 x 1200 DPI	Cabling technology	10/100/1000Base-T(X)
Print technology *	Laser	Ethernet LAN data rates	10,100,1000 Mbit/s
Printing *	Mono printing	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Duplex printing *	✓	Wi-Fi Direct	✓
Maximum resolution *	1200 x 1200 DPI	Security algorithms	SNMPv3, EAP-TLS, HTTPS, EAP-PEAP, IPSec, FIPS 140, SSL/TLS
Print speed (black, normal quality, A4/US Letter) *	71 ppm	Mobile printing technologies	Google Cloud Print, Apple AirPrint, HP ePrint, Mopria Print Service
Duplex print speed (black, normal quality, A4/US Letter)	58 ppm		
Time to first page (black, normal)	5.2 s	Performance	
N-in-1 print function	✓	Maximum internal memory	4608 MB
Watermark printing	✓	Memory slots	1
Secure printing	✓	Internal storage capacity	500 GB
Copying		Card reader integrated	✗
Duplex copying *	✓	Internal memory *	2560 MB
Duplex copying mode	Auto	Built-in processor	✓
Copying *	Colour copying	Processor frequency	1200 MHz
Maximum copy resolution *	600 x 600 DPI	Sound pressure level (scanning)	58 dB
Copy speed (black, normal quality, A4)	71 cpm	Sound power level (printing)	68.9 dB
Time to first copy (black, normal)	4.9 s	Design	
Maximum number of copies	9999 copies	Product colour *	Black, White
Copier resize	25 - 400%	Market positioning *	Business
		Built-in display *	✓

Copying		Design	
N-in-1 copy function	✓	Display	CGD
ID-card copy function	✓	Display diagonal	20.3 cm (8")
Auto fit function	✓	Control type	Touch
Scanning		Colour display	✓
Duplex scanning *	✓	Power	
Scanning *	Colour scanning	Power consumption (PowerSave)	0.1 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (printing)	740 W
Maximum scan resolution	600 x 600 DPI	Power consumption (copying)	740 W
Maximum scan area	216 x 356 mm	Power consumption (ready)	29 W
Scanner type *	Flatbed & ADF scanner	Power consumption (sleep)	3.3 W
Scan technology	CCD	Power consumption (off)	0.1 W
Scan to	E-mail, Network folder, USB, TWAIN, Software	Energy Star Typical Electricity Consumption (TEC)	1.079 kWh/week
Scan speed (colour)	83 ppm	AC input voltage	100 - 240 V
Scan speed (black)	83 ppm	AC input frequency	50/60 Hz
Image formats supported	MTIFF, JPEG, TIFF	Brand-specific features	
Document formats supported	XPS, RTF, UNICODE, CSV, HTML, PDF	HP ePrint	✓
Input colour depth	24 bit	HP Auto-On/Auto-Off	✓
Greyscale levels	256	HP GTIN (EAN/UPC) with options	(ABT) 194850085123; (ABY) 194850085130; (ACQ) 194850085147; (B13) 194850085154; (B19) 194850085161; (BAZ) 194850085178
Scan drivers	TWAIN	HP GTIN (EAN/UPC)	194850085123, 194850085130, 194850085147, 194850085154, 194850085161, 194850085178
Fax		System requirements	
Faxing *	Colour faxing	Windows operating systems supported	Windows 8.1, Windows 10, Windows 7 Ultimate
Fax resolution (black)	300 x 300 DPI	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.13 High Sierra
Fax transmission speed	6 sec/page	Other operating systems supported	Android, iOS
Modem speed	33.6 Kbit/s	Operational conditions	
Fax memory	500 pages	Operating relative humidity (H-H)	10 - 80%
Auto-redialing	✓	Recommended humidity operating range	30 - 70%
Speed dialling	✓	Storage temperature (T-T)	-20 - 40 °C
Fax forwarding	✓	Operating temperature (T-T)	10 - 32.5 °C
Fax delayed sending	✗	Storage relative humidity (H-H)	-20 - 40%
Auto reduction	✓	Certificates	
Features		Certification	
Recommended duty cycle	14250 - 23750 pages per month	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International) Class A / EN 55032:2012 Class A, CISPR 35:2016 (International) Class A / EN 55035:2017 Class A, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013, FCC CFR 47 Part 15 Class A, ICES-003, Issue 6 Class A, Low Voltage Directive 2014/35/EU, EMC Directive 2014/30/EU. Other EMC approvals as required by individual countries.	
Maximum duty cycle *	300000 pages per month	Sustainability	
Duplex functions *	Print, Copy, Scan	Sustainability compliance	✓
Digital sender	✓	Sustainability certificates	EPEAT Silver, ENERGY STAR
Number of print cartridges *	1	Sustainable technologies and materials	Mercury free
Printing colours *	Black	Doesn't contain	Mercury
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3	Weight & dimensions	
Printer fonts	PostScript, Scalable, TrueType, Windows	Width	661 mm
All-In-One-multitasking	✓		
Country of origin	Mexico, China		
HP segment	Business		
Input & output capacity			
Total number of input trays *	2		
Total input capacity *	3200 sheets		
Total output capacity *	1000 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	550 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	150 sheets		
Maximum number of input trays	6		
Maximum input capacity	3750 sheets		
Maximum output capacity	500 sheets		

Paper handling		Weight & dimensions	
Maximum ISO A-series paper size *	A4	Depth	658 mm
Maximum print size	212 x 352 mm	Height	1234 mm
Paper tray media types *	Thick paper, Envelopes, Heavy paper, Pre-printed, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper	Weight	64.3 kg
ISO A-series sizes (A0...A9) *	A4, A5, A6	Packaging data	
ISO B-series sizes (B0...B9)	B5	Package width	856 mm
ISO C-series sizes (C0...C9)	C5, C6	Package depth	760 mm
Non-ISO print media sizes	Oficio, 16K	Package height	1660 mm
JIS B-series sizes (B0...B9)	B5, B6	Package weight	90.8 kg
Envelopes sizes	B5, C5, C6, DL	Packaging content	
Photo paper sizes	10x15 cm	Cartridge(s) included	✓
Photo paper sizes (imperial)	4x6,5x7,5x8	Included cartridge capacity (black)	10500 pages
Custom media width	76 - 216 mm	Cables included	AC
Custom media length	127 - 356 mm	Logistics data	
Paper tray media weight	60 - 120 g/m ²	Harmonized System (HS) code	84433100
Ports & interfaces		Pallet gross weight	90.8 g
Direct printing *	✓	Layers per pallet	1 pc(s)
USB port	✓	Products per pallet	1 pc(s)
USB 2.0 ports quantity	1	Technical details	
Network		Master (outer) cases per pallet layer	1 pc(s)
Wi-Fi *	✓	Other features	
		Number of users	30 user(s)
		Pallet dimensions (W x D x H)	856 x 760 x 1660 mm
		Recommended system requirements	2 GB available hard disk space, Internet connection, or USB port, Internet browser.
		Pallet dimensions (W x D x H) (imperial)	856 x 759.5 x 1661.2 mm (33.7 x 29.9 x 65.4")
		Pallet weight (imperial)	90.8 kg (200.1 lbs)



0194850085178



194850085178




0194721080530



194721080530



0194721080509



194721080509



0194721080523



194721080523



0194721080493



194721080493



0194721080486



194721080486



0194721080516



194721080516



0194850085130



194850085130



0194850085147



194850085147



0194850085123



194850085123



0194721080547



194721080547



0194850085154



194850085154



0194850085161



194850085161

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.