



Lenovo System x3550 M5 server Rack (1U) Intel® Xeon® E5 v4 E5-2620V4 2.1 GHz 16 GB DDR4-SDRAM 750 W



Brand : Lenovo

Product family: System

Product code: 8869EJG

Product name : x3550 M5




Intel Xeon E5-2620 v4(20M Cache, 2.10 GHz), 16GB DDR3 2133MHz, Raid M5210-e, 4 x 2.5" Hot swap SATA/SAS, 4 x GbE, 1 x 750W redundant hot-swap

Lenovo System x3550 M5. Processor family: Intel® Xeon® E5 v4, Processor frequency: 2.1 GHz, Processor model: E5-2620V4. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. HDD size: 2.5", HDD interface: Serial ATA III, Serial Attached SCSI (SAS). Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 750 W, Redundant power supply (RPS) support. Chassis type: Rack (1U)

Processor		Network	
Processor manufacturer *	Intel	Cabling technology	10/100/1000Base-T(X)
Processor family *	Intel® Xeon® E5 v4	Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Processor model *	E5-2620V4	Ports & interfaces	
Processor frequency *	2.1 GHz	Ethernet LAN (RJ-45) ports *	4
Processor boost frequency	3 GHz	USB 2.0 ports quantity	2
Processor cores	8	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
Processor cache	20 MB	VGA (D-Sub) ports quantity	2
Memory channels supported by processor	Quad	Serial ports quantity	1
Number of processors installed	1	Expansion slots	
Thermal Design Power (TDP)	85 W	PCI Express x8 (Gen 3.x) slots	1
Processor cache type	Smart Cache	PCI Express slots version	3.0
System bus rate	8 GT/s	Design	
Processor socket	LGA 2011-v3	Chassis type *	Rack (1U)
Processor lithography	14 nm	Redundant fans support	✓
Processor threads	16	Performance	
Processor operating modes	64-bit	Trusted Platform Module (TPM)	✓
Stepping	R0	Software	
Bus type	QPI	Operating system installed *	✗
Number of QPI links	2	Compatible operating systems *	Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware vSpher
Processor codename	Broadwell	Processor special features	
Tcase	74 °C	CPU configuration (max)	2
Maximum internal memory supported by processor	1.54 TB	Enhanced Intel SpeedStep Technology	✓
Memory types supported by processor	DDR4-SDRAM	Intel® Identity Protection Technology (Intel® IPT)	✗
Memory clock speeds supported by processor	1600,1866,2133 MHz	Intel Virtualization Technology for Directed I/O (VT-d)	✓
Memory bandwidth supported by processor (max)	68.3 GB/s	Intel® Hyper Threading Technology (Intel® HT Technology)	✓
ECC supported by processor	✓	Intel® Turbo Boost Technology	2.0
Execute Disable Bit	✓	Intel Flex Memory Access	✗
Idle States	✓	Intel® AES New Instructions (Intel® AES-NI)	✓
Thermal Monitoring Technologies	✓	Intel Trusted Execution Technology	✓
Maximum number of PCI Express lanes	40	Intel Enhanced Halt State	✓
Processor package size	45 x 52.5 mm	Intel VT-x with Extended Page Tables (EPT)	✓
Supported instruction sets	AVX 2.0	Intel Demand Based Switching	✓
Processor code	SR2R6	Intel® Secure Key	✓
Scalability	2S		
Physical Address Extension (PAE)	✓		
Physical Address Extension (PAE)	46 bit		
Embedded options available	✓		
Processor series	Intel Xeon E5-2600 v4		

Processor		Processor special features	
Conflict-Free processor	✓	Intel TSX-NI	✓
Memory		Intel® OS Guard	✓
Internal memory *	16 GB	Intel 64	✓
Internal memory type *	DDR4-SDRAM	Intel Identity Protection Technology version	0.00
Memory slots	24	Intel Secure Key Technology version	1.00
ECC	✓	Intel Virtualization Technology (VT-x)	✓
Memory clock speed	2133 MHz	Intel TSX-NI version	1.00
Memory layout (slots x size)	1 x 16 GB	Processor ARK ID	92986
Maximum internal memory *	384 GB	Power	
Storage		Redundant power supply (RPS) support *	✓
HDD interface	Serial ATA III, Serial Attached SCSI (SAS)	Power supply *	750 W
HDD size	2.5"	Number of redundant power supplies supported	2
Number of HDDs supported	4	Number of main power supplies	1
Supported HDD sizes	2.5"	Weight & dimensions	
SSD interface	Serial Attached SCSI (SAS)	Width	429 mm
RAID support *	✓	Depth	734 mm
RAID levels	0, 10	Height	43 mm
Hot-swap	✓	Weight	13.8 kg
Optical drive type *	✗	Other features	
Graphics		Graphics card	G200eR2
On-board graphics card	✓	S.M.A.R.T. support	✓
Maximum graphics card memory	16 MB	Graphics card family	Matrox
Network			
LAN controller	Broadcom BCM5719		
Ethernet LAN	✓		



0889488407477



889488407477



4058154081518

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.