![brother at your side]

Brother ADS-1200 scanner ADF scanner 600 x 600 DPI A4 Black, White

Brand : Brother   **Product code:** ADS-1200

Product name : ADS-1200

- 25ppm/50ipm, 2-sided colour scan speed
- 20 sheet Automatic Document Feeder (ADF)
- Portable with USB 3.0 Bus power
- Dedicated plastic ID card slot
- Scan to PDF, file, email and USB host
- Industry leading Nuance Power PDF editing software

Duplex ADF, 25 ppm, Dual CIS, 600 x 600 dpi, Micro USB 3.0, 8 W

Brother ADS-1200. Maximum scan size: 215 x 863 mm, Optical scanning resolution: 600 x 600 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: ADF scanner, Product colour: Black, White. Sensor type: Dual CIS, Daily duty cycle (max): 1000 pages, Light source: LED. Auto document feeder (ADF) input capacity: 20 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Plain paper, Plastic Card, Auto Document Feeder (ADF) media weight: 51.8 - 200 g/m²

![ENERGY STAR]

Scanning

Maximum scan size *	215 x 863 mm
Optical scanning resolution *	600 x 600 DPI
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	✓
Duplex scanning *	✓
Input colour depth	48 bit
Output colour depth	24 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	25 ppm
ADF scan speed (colour, A4)	25 ppm
Black/white scanning colour modes	Grayscale, Monochrome

Design

Scanner type *	ADF scanner
Product colour *	Black, White
Built-in display *	✗

Performance

Sensor type *	Dual CIS
Light source	LED
Scan file formats	JPG, PDF, TIFF
Daily duty cycle (max) *	1000 pages
Maximum duty cycle	10000 pages per month
Scan to	E-mail, File, Image, OCR, USB
Scan drivers	ICA, SANE, TWAIN, WIA
Scanning noise level	62 dB
Internal memory	256 MB

Input capacity

Auto document feeder (ADF) input capacity	20 sheets

Ports & interfaces

USB version	3.2 Gen 1 (3.1 Gen 1)
USB connector type	Micro-USB B
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Power

Power supply type *	AC
Power consumption (typical)	8 W
Power consumption (standby)	3.2 W
Power consumption (off)	0.1 W
AC input frequency	50 - 60 Hz
Input voltage	100 - 240 V
Power consumption (sleep)	1.3 W

Packaging data

Package width	380 mm
Package depth	157 mm
Package height	200 mm
Package weight	1.9 kg

Paper handling	
Scanning media types supported	Plain paper, Plastic Card
Long-paper mode	✔
Maximum ISO A-series paper size *	A4
Auto Document Feeder (ADF) media weight	51.8 - 200 g/m²
Maximum scan width	21.5 cm
Maximum scan length	86.3 cm

Ports & interfaces	
USB port *	✔

System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions	
Width	300 mm
Depth	103 mm
Height	83 mm
Weight	1.36 kg

Packaging content	
Quick start guide	✔
AC adapter included	✔

Technical details	
Sustainability certificates	ENERGY STAR

Logistics data	
Harmonized System (HS) code	84716070

0012502651956

012502651956

4977766792134

4977766792141