



# HP Color LaserJet Enterprise M553dn, Print, Front-facing USB printing; Two-sided printing

**Brand :** HP

**Product family:** Color LaserJet Enterprise **Product code:** B5L25A

**Product name :** HP Color LaserJet Enterprise M553dn, Print, Front-facing USB printing; Two-sided printing



- Front-facing USB printing; Two-sided printing
- Print
- Up to 40 ppm (black) and 40 ppm (colour)
- Up to 1200 x 1200 dpi, HP ImageREt 3600 (best)

Color LaserJet Enterprise M553dn

HP Color LaserJet Enterprise M553dn, Print, Front-facing USB printing; Two-sided printing. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 80000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 38 ppm, Duplex printing. Display: LCD. Network ready. Product colour: Grey



|   |                                      |  |                           |
|---|--------------------------------------|--|---------------------------|
| <b>Printing</b>                                     |                                      | <b>Design</b>                          |                           |
| Colour *  | ✓                                    | Built-in display *                     | ✓                         |
| Print technology *                                  | Laser                                | Display                                | LCD                       |
| Duplex printing *                                   | ✓                                    | Display number of lines                | 4 lines                   |
| Maximum resolution *                                | 1200 x 1200 DPI                      | <b>Power</b>                           |                           |
| Print speed (black, normal quality, A4/US Letter) * | 38 ppm                               | Power consumption (printing) *         | 617 W                     |
| Print speed (colour, draft quality, A4/US Letter)   | 38 ppm                               | Power consumption (standby)            | 3.95 W                    |
| Time to first page (black, normal)                  | 6 s                                  | Power consumption (off)                | 0.1 W                     |
| Time to first page (colour, normal)                 | 7 s                                  | AC input voltage                       | 100 - 240 V               |
| <b>Features</b>                                     |                                      | AC input frequency                     | 50 - 60 Hz                |
| Maximum duty cycle *                                | 80000 pages per month                | <b>System requirements</b>             |                           |
| Recommended duty cycle                              | 2000 - 7000 pages per month          | Windows operating systems supported    | ✓                         |
| Printing colours *                                  | Black, Cyan, Magenta, Yellow         | Mac operating systems supported        | ✓                         |
| Number of print cartridges *                        | 4                                    | Linux operating systems supported      | ✓                         |
| Page description languages *                        | PCL 5c, PCL 6, PDF 1.7, PostScript 3 | <b>Operational conditions</b>          |                           |
| HP segment  | Enterprise                           | Operating temperature (T-T)            | 15 - 30 °C                |
| <b>Input &amp; output capacity</b>                  |                                      | Operating relative humidity (H-H)      | 30 - 70%                  |
| Total number of input trays *                       | 2                                    | <b>Sustainability</b>                  |                           |
| Total input capacity *                              | 650 sheets                           | Sustainability certificates            | EPEAT Silver, ENERGY STAR |
| Total output capacity *                             | 250 sheets                           | Sustainable technologies and materials | Mercury free              |
| Multi-Purpose tray                                  | ✓                                    | <b>Weight &amp; dimensions</b>         |                           |
| Multi-Purpose tray input capacity                   | 100 sheets                           | Width                                  | 458 mm                    |
| Maximum number of input trays                       | 5                                    | Depth                                  | 479 mm                    |
| Maximum input capacity                              | 2300 sheets                          | Height                                 | 399 mm                    |
| <b>Paper handling</b>                               |                                      | Weight                                 | 27.5 kg                   |
| Maximum ISO A-series paper size *                   | A4                                   | <b>Packaging data</b>                  |                           |
|   |                                      | Package width                          | 600 mm                    |

|                                |  |   |  |
|--------------------------------|--|---|--|
| <b>Paper handling</b>          |  | <b>Packaging data</b>                         |  |
| Paper tray media types *       | Bond paper, Card stock, Envelopes, Heavy paper, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies | Package depth                                 | 500 mm   |
| ISO A-series sizes (A0...A9) * | A4, A5   | Package height                                | 598 mm   |
| <b>Ports &amp; interfaces</b>  |  | Package weight                                | 31.3 kg  |
| Standard interfaces            | Ethernet, USB 2.0  | <b>Packaging content</b>                      |  |
| USB port *                     | ✓  | Cartridge(s) included                         | ✓  |
| USB 2.0 ports quantity         | 1  | Included cartridge capacity (black)           | 6000 pages   |
| Optional connectivity          | Ethernet   | Included cartridge capacity (CMY)             | 5000 pages   |
| <b>Network</b>                 |  | Software CD                                   | ✓  |
| Network ready                  | ✓  | Cables included                               | AC   |
| Wi-Fi *                        | ✗  | <b>Brand-specific features</b>                |  |
| Ethernet LAN *                 | ✓  | HP ePrint                                     | ✓  |
| Mobile printing technologies   | Apple AirPrint, HP ePrint, Mopria Print Service  | HP Web Jetadmin                               | ✓  |
| <b>Performance</b>             |  | HP Auto-On/Auto-Off                           | ✓  |
| Internal memory *              | 1024 MB  | HP Management tools                           | HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac)   |
| Maximum internal memory        | 2048 MB  | HP Software provided                          | HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, HP Web Services Assist (HP Connected) |
| Built-in processor             | ✓  | <b>Logistics data</b>                         |  |
| Processor frequency            | 1200 MHz   | Harmonized System (HS) code                   | 84433210   |
| <b>Design</b>                  |  | <b>Technical details</b>                      |  |
| Market positioning *           | Enterprise   | Master (outer) cases per pallet layer 4 pc(s) |  |
| Product colour *               | Grey   |   |  |



0888182487327




888182487327



0888182487426




888182487426



0888182487310




888182487310



0888182487372




888182487372



0888182487358



888182487358



0888182487303



888182487303



0888182487396




888182487396



0888182487341



888182487341



0888182487334



888182487334



0888182487297



888182487297



0888182487280



888182487280



0888182487273



888182487273



0888182487419




888182487419




0888182585641




888182585641



0888793861387



888793861387



0888793861370



888793861370



0888182585634




888182585634



0888182487389



888182487389



0888182487402



888182487402



4056572693320

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.