

## Intel BOXDH61WWB3 motherboard Intel® H61 LGA 1155 (Socket H2) micro ATX

**Brand :** Intel

**Product code:** BOXDH61WWB3

**Product name :** BOXDH61WWB3

DH61WWB3 Box, LGA1155, Intel H61, 2 x DDR3 1333/1066MHz, 1 x PCIE2.0 x16, 4 x SATA 3Gb/s, 6 x USB 2.0, mATX

Intel BOXDH61WWB3 motherboard Intel® H61 LGA 1155 (Socket H2) micro ATX:

Explore the great multitasking performance and legacy features of the Intel® Desktop Board DH61WW. Designed with affordability in mind to support the 2nd generation Intel® Core™ processor family in the LGA1155 socket and offered in the micro-ATX form factor, it is populated with a PCI Express\* 2.0 x16 slot, 2 DIMM slots for DDR3 memory, and VGA display capabilities allowing you to build a feature-rich system with expansion capabilities.

The Intel® Turbo Boost Technology 2.0 and enhanced Intel® Hyper-Threading Technology (Intel® HT Technology) provide smarter performance and a seamless visual experience.



Processor		Features	
Processor manufacturer *	Intel	Power source type	ATX
Processor socket *	LGA 1155 (Socket H2)	Compatible operating systems	Windows 7, Vista, XP 32/64-bit
Compatible processor series *	Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7	Market segment	Desktop
System bus rate	5 GT/s	<b>Expansion slots</b>	
Maximum internal memory supported by processor	16 GB	PCI Express x1 slots	1
Product family	Desktop board	PCI Express x1 (Gen 2.x) slots	1
Product series	Intel desktop board with Intel H61 Express	PCI Express x16 slots	1
<b>Memory</b>		PCI Express x16 (Gen 2.x) slots	1
Supported memory types *	DDR3-SDRAM	PCI slots	1
Number of memory slots *	2	PCI Express slots version	2.0
Memory slots type	DIMM	<b>BIOS</b>	
Memory channels	Dual-channel	BIOS type *	EFI
Memory voltage	1.5 V	BIOS memory size	32 Mbit
ECC	✗	<b>Processor special features</b>	
Non-ECC	✓	Intel Dual Display Capable Technology	✗
Supported memory clock speeds	1066,1333 MHz	Intel® High Definition Audio (Intel® HD Audio)	✓
Maximum internal memory *	16 GB	<b>Operational conditions</b>	
<b>Storage controllers</b>		Storage temperature (T-T)	-40 - 60 °C
Supported storage drive interfaces *	SATA	Operating temperature (T-T)	0 - 40 °C
RAID levels	0, 1, 5, 10	<b>Logistics data</b>	
<b>Graphics</b>		Harmonized System (HS) code	8473301180
Maximum graphics card memory	1748 MB	<b>Weight &amp; dimensions</b>	
Parallel processing technology support *	Not supported	Width	243.8 mm
On-board graphics card	✓	Depth	198.1 mm
Graphics card family	Intel	<b>Packaging content</b>	
<b>Internal I/O</b>		Drivers included	✓
USB 2.0 connectors *	1	<b>Other features</b>	
Number of SATA II connectors	4	Dual Link DVI	✗
Number of SATA connectors	4	Quick installation guide	✓
Total number of SATA connectors	4	Maximum internal memory	16384 MB
S/PDIF out connector	✓	Number of DIMM slots	2
Front panel audio connector	✓	Serial port via internal header	✓
ATX Power connector (24-pin)	✓	Parallel port via internal header	✗

Internal I/O		Other features	
Number of EATX power connectors	1	Consumer infrared headers	✘
CPU fan connector	✓	Embedded options available	✘
Chassis intrusion connector	✓	CPU configuration (max)	1
TPM connector	✓	Discrete graphics card model	1 PCIe 3.0 x16
Rear panel I/O ports		Graphics output	VGA
USB 2.0 ports quantity *	4	Audio channels	5.1
Ethernet LAN (RJ-45) ports *	1	Consumer infrared Rx sensor	✘
PS/2 ports quantity	1	Thermal Design Power (TDP)	95 W
VGA (D-Sub) ports quantity *	1	Commodity Classification Automated Tracking System (CCATS)	G400445
Headphone outputs	3	Export Control Classification Number (ECCN)	5A992C
S/PDIF out port	✓	Motherboard ARK ID	54876
Parallel ports quantity	1	Technical details	
Network		DC input capable	✘
Ethernet interface type	Gigabit Ethernet	Launch date	Q1'11
LAN controller	Intel® 82579V	PCI Support	1
Networking features	10/100/1000 Mbit/sec	Product type	Desktop Board
Features		Status	Discontinued
Motherboard chipset *	Intel® H61	USB ports quantity	6
Audio chip	Realtek ALC892	USB version	2.0
Audio output channels *	5.1 channels	Maximum memory	16 GB
Component for *	PC	Supported RAID configuration	N/A
Extended Life Program (XLP)	✘	Last change	63903513
Motherboard form factor *	micro ATX	Form factor	Micro ATX
Motherboard chipset family *	Intel		



5032037013185



0735858220859



735858220859

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.