



# HP LaserJet Pro M402n 1200 x 1200 DPI A4

Brand : HP

Product family: LaserJet Pro

Product code: C5F93A

Product name : M402n

- Print
- Up to 38 ppm (black)
- HP FastRes 1200

LaserJet Pro M402n

HP LaserJet Pro M402n. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 80000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 38 ppm. Display: LCD. Network ready. Product colour: White




Printing		Design	
Colour *	✗	Display	LCD
Print technology *	Laser	Display number of lines	2 lines
Duplex printing *	✗	Power	
Maximum resolution *	1200 x 1200 DPI	Power consumption (printing) *	591 W
Print speed (black, normal quality, A4/US Letter) *	38 ppm	Power consumption (standby)	6.1 W
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm	Power consumption (off)	0.1 W
Time to first page (black, normal)	5.7 s	AC input voltage	110 - 240 V
		AC input frequency	50 - 60 Hz
Features		System requirements	
Maximum duty cycle *	80000 pages per month	Windows operating systems supported	✓
Recommended duty cycle	750 - 4000 pages per month	Mac operating systems supported	✓
Printing colours *	Black	Linux operating systems supported	✓
Number of print cartridges *	1	Operational conditions	
Page description languages *	PCL 5, PCL 6, PDF 1.7, PostScript 3, URF	Operating temperature (T-T)	17.5 - 25 °C
HP segment	Small medium business	Storage temperature (T-T)	-20 - 40 °C
Input & output capacity		Operating relative humidity (H-H)	30 - 70%
Total number of input trays *	2	Storage relative humidity (H-H)	10 - 90%
Total input capacity *	350 sheets	Sustainability	
Total output capacity *	150 sheets	Sustainability certificates	Blue Angel, ENERGY STAR
Paper tray 2 input capacity	250 sheets	Sustainable technologies and materials	Mercury free
Paper input type	Paper tray	Weight & dimensions	
Multi-Purpose tray	✓	Width	381 mm
Multi-Purpose tray input capacity	100 sheets	Depth	357 mm
Maximum number of input trays	3	Height	216 mm
Maximum input capacity	900 sheets	Weight	8.58 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package width	443 mm
Paper tray media types *	Envelopes, Heavy paper, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies	Package depth	274 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package height	464 mm

<b>Paper handling</b>		<b>Packaging data</b>	
Non-ISO print media sizes	Executive, Legal, Letter	Package weight	11.4 kg
JIS B-series sizes (B0...B9)	B5	<b>Packaging content</b>	
<b>Ports &amp; interfaces</b>		Cartridge(s) included	✓
Standard interfaces	Ethernet, USB 2.0	Included cartridge capacity (black)	1500 pages
USB 2.0 ports quantity	1	Software CD	✓
<b>Network</b>		Documentation CD	✓
Network ready	✓	Cables included	AC
Wi-Fi *	✗	<b>Brand-specific features</b>	
Ethernet LAN *	✓	HP ePrint	✓
Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service	HP Web Jetadmin	✓
<b>Performance</b>		HP Auto-On/Auto-Off	✓
Internal memory *	128 MB	HP Management tools	HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox
Maximum internal memory	128 MB	<b>Logistics data</b>	
Built-in processor	✓	Layers per pallet	5 pc(s)
Processor frequency	1200 MHz	Products per pallet	45 pc(s)
<b>Design</b>		<b>Technical details</b>	
Market positioning *	Business	Master (outer) cases per pallet layer 9 pc(s)	
Product colour *	White		
Built-in display *	✓		



0888793328606




888793328606




0888793328644



888793328644



0888793328538




888793328538



0888793328576



888793328576



0888793328637



888793328637



0888793328613



888793328613



0888793328569




888793328569




0889899379486



889899379486



0888793328545




888793328545



0888793328583



888793328583



0888793328620




888793328620



0888793328552



888793328552



0192018298255



192018298255



5054629872314

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.