



HP LaserJet 1220 Laser A4 1200 x 1200 DPI 14 ppm

Brand : HP

Product family: LaserJet

Product code: C7045A

Product name : 1220

14 ppm, 12cpm, 25 - 200%, TWAIN, 600 dpi, 302W, 8.73 kg

[HP LaserJet 1220 Laser A4 1200 x 1200 DPI 14 ppm:](#)

The HP LaserJet 1220 allows you to copy and send documents direct from the desktop by e-mail and to the web. The fast, reliable personal laser printer for business users needing professional results in any size office or at home.


HP LaserJet 1220. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Product colour: White



Printing		Paper handling	
Print technology *	Laser	ISO A-series sizes (A0...A9) *	A4, A5
Printing *	Mono printing	ISO B-series sizes (B0...B9)	B5
Maximum resolution *	1200 x 1200 DPI	Non-ISO print media sizes	Executive
Print speed (black, normal quality, A4/US Letter) *	14 ppm	Envelopes sizes	B5, C5, DL, Monarch
Copying		Paper tray media weight	60 - 163 g/m ²
Copying *	Mono copying	Auto Document Feeder (ADF) media weight	30 - 75 g/m ²
Copy speed (black, normal quality, A4)	12 cpm	Performance	
Copier resize	25 - 200%	Card reader integrated	✗
Scanning		Internal memory *	8 MB
Scanning *	Colour scanning	Sound pressure level (printing)	56 dB
Optical scanning resolution *	600 x 600 DPI	Design	
Maximum scan resolution	9600 x 9600 DPI	Product colour *	White
Scanner type *	ADF scanner	Market positioning *	Home & office
Scan to	E-mail, File, OCR	Power	
Input colour depth	24 bit	Power consumption (max)	284 W
Scan drivers	TWAIN	Power consumption (average operating)	302 W
Fax		System requirements	
Faxing *	✗	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 95, Windows 98, Windows 98SE, Windows ME, Windows NT
Features		Operational conditions	
Maximum duty cycle *	10000 pages per month	Operating relative humidity (H-H)	10 - 80%
Number of print cartridges *	1	Operating temperature (T-T)	0 - 40 °C
Printing colours *	Black	Weight & dimensions	
Page description languages	PCL 5e, PCL 6, PostScript 2	Width	415 mm
Input & output capacity		Depth	487 mm
Auto document feeder (ADF)	✓	Height	417 mm
Auto document feeder (ADF) input capacity	30 sheets	Weight	8.73 kg
Paper handling		Packaging content	
Maximum ISO A-series paper size *	A4	Drivers included	✓
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Postcard, Transparencies		



0725184632303



725184632303




0725184632983



725184632983



0088698332177



088698332177



0725184632990



725184632990



0725184633003



725184633003




0088698332184



088698332184



0725184633010




725184633010




0088698332191



088698332191



0725184632815



725184632815



0725184632822



725184632822



0725184632839



725184632839



0088698332078



088698332078



0725184632310



725184632310



0725184632327



725184632327




0725184632334



725184632334



0725184632341



725184632341



0725184632358



725184632358



0725184632365



725184632365



0725184632372



725184632372




0725184632389



725184632389




0088698332153



088698332153



0725184632846



725184632846



0725184632853



725184632853



0725184632860



725184632860



0725184632877




725184632877



0088698332160




088698332160



0725184632884



725184632884



0725184632891



725184632891



0725184632907



725184632907



0725184632914



725184632914



0725184633270



725184633270



0725184633249




725184633249




0725184632921



725184632921



0725184632938



725184632938



0725184632945



725184632945



0725184632952



725184632952



0725184632969




725184632969



0725184632976



725184632976



0725184632402



725184632402

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.