



# HP LaserJet 9000n 600 x 600 DPI A3

Brand : HP

Product family: LaserJet

Product code: C8520A

Product name : 9000n



300MHz, 64MB, A3, 600x600dpi, 1040W, White

HP LaserJet 9000n. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 300000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 50 ppm, Duplex printing: O. Network ready. Product colour: White

| Printing  |   | Network                             |   |
|---|---|-------------------------------------|---|
| Colour *  | ✗   | Network ready                       | ✓   |
| Print technology *                                  | Laser   | Wi-Fi *                             | ✗   |
| Duplex printing *                                   | 0   | Ethernet LAN *                      | ✓   |
| Maximum resolution *                                | 600 x 600 DPI   | Performance                         |   |
| Print speed (black, normal quality, A4/US Letter) * | 50 ppm  | Internal memory *                   | 64 MB   |
| Print speed (black, normal quality, A3)             | 28 ppm  | Maximum internal memory             | 384 MB  |
| Time to first page (black, normal)                  | 8 s   | Built-in processor                  | ✓   |
|   |   | Processor frequency                 | 300 MHz   |
| Features  |   | Design                              |   |
| Maximum duty cycle *                                | 300000 pages per month  | Product colour *                    | White   |
| Printing colours *                                  | Black   | Built-in display *                  | ✓   |
| Number of print cartridges *                        | 1   | Display number of lines             | 4 lines   |
| Page description languages *                        | PCL 5e, PCL 6, PjL, PML, PostScript 3   | Power                               |   |
| Input & output capacity                             |   | Power consumption (printing) *      | 1012 W  |
| Total number of input trays *                       | 2   | AC input voltage                    | 100 - 240 V   |
| Total input capacity *                              | 1000 sheets   | AC input frequency                  | 50 - 60 Hz  |
| Total output capacity *                             | 600 sheets  | System requirements                 |   |
| Multi-Purpose tray                                  | ✓   | Windows operating systems supported | Windows 2000, Windows 2000 Professional, Windows 95, Windows 98, Windows 98SE, Windows ME, Windows NT, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| Multi-Purpose tray input capacity                   | 100 sheets  | Mac operating systems supported     | ✓   |
| Maximum number of input trays                       | 4   | Linux operating systems supported   | ✓   |
| Paper handling                                      |   | Other operating systems supported   | IBM iSeries, Novell NetWare 3.x, Novell NetWare 4.x, Novell NetWare 5.x, Novell NetWare 6.x   |
| Maximum ISO A-series paper size *                   | A3  | Weight & dimensions                 |   |
| Paper tray media types *                            | Bond paper, Card stock, Labels, Plain paper, Pre-printed, Recycled paper, Rough paper, Transparencies | Width                               | 638 mm  |
| ISO A-series sizes (A0...A9) *                      | A3, A4, A5, A6  | Depth                               | 600 mm  |
| ISO B-series sizes (B0...B9)                        | B4, B5  | Height                              | 633 mm  |
| Non-ISO print media sizes                           | Executive, Legal, Letter, Tabloid (media size)  | Weight                              | 69.4 kg   |
| Ports & interfaces                                  |   | Packaging content                   |   |
| Standard interfaces                                 | Parallel, USB   | Drivers included                    | ✓   |
| USB 2.0 ports quantity                              | 1   | Manual                              | ✓   |
|   |   | Quick start guide                   | ✓   |
|   |   | Cables included                     | AC  |



0725184847707




725184847707



0725184847110




725184847110



0725184847127




725184847127



0725184847134



725184847134



0725184847141



725184847141



0725184847158



725184847158



0725184847165




725184847165



0725184847172




725184847172



0725184847189




725184847189



0725184847196



725184847196



0725184847202



725184847202



0725184847219



725184847219



0725184847226




725184847226



0725184847233




725184847233



0725184847240




725184847240



0725184847257



725184847257



0725184847264



725184847264



0725184847271



725184847271



0725184847288




725184847288




0725184847295




725184847295



0725184847301



725184847301



0725184912948



725184912948



0725184912955



725184912955



0725184847028



725184847028



0725184847035




725184847035



0725184846489




725184846489



0725184912962




725184912962



0725184912979



725184912979



0725184846496



725184846496



0725184846502



725184846502



0725184846519




725184846519




0725184846526




725184846526



0725184846533




725184846533



0725184846540



725184846540



0725184912986



725184912986



0725184847042



725184847042



0725184847059




725184847059




0725184847066




725184847066



0725184847073




725184847073



0725184847080



725184847080



0725184847097



725184847097



0725184847103



725184847103



0725184847318




725184847318



0725184847325




725184847325



0725184847332




725184847332



0725184847349



725184847349



0725184847714



725184847714

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including this Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.