



HP OfficeJet 7500A Thermal inkjet A3 4800 x 1200 DPI 10 ppm Wi-Fi



Brand : HP

Product family: Officejet

Product code: C9309A

Product name : 7500A

Officejet 7500A Wide Format e-All-in-One Printer, Inkjet, 10ppm, A3, 192MHz, 128MB, 2.36" LCD

HP OfficeJet 7500A Thermal inkjet A3 4800 x 1200 DPI 10 ppm Wi-Fi:

Wide format printing up to A3+, lowest cost per page vs. in-class wide-format inkjet all-in-ones, wireless/Ethernet networking, HP ePrint, web printing including apps, 35-page ADF, 6.1 cm HP TouchSmart screen, 150-sheet wide-format paper tray, digital solutions including scan-to-PC or e-mail, integral fax, two-sided ID card copy feature, four individual HP Officejet inks, optional XL cartridges, ENERGY STAR® qualified

Create professional colour documents from postcard size to A3+ for the lowest cost per page compared with in-class, wide-format inkjet all-in-ones.^[1] Share the performance with wireless/wired networking, and print from anywhere with HP ePrint.^[2,3]



Printing

Print resolution colour	4800 x 1200 DPI
Print resolution black	600 x 600 DPI
Print technology *	Thermal inkjet
Printing *	Colour printing
Duplex printing *	✗
Maximum resolution *	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	10 ppm
Print speed (colour, normal quality, A4/US Letter)	7 ppm
Print speed (black, draft quality, A4/US Letter)	33 ppm
Print speed (colour, draft quality, A4/US Letter)	32 ppm
Print speed (ISO/IEC 24734) black	10 ppm
Print speed (ISO/IEC 24734) colour	7 ppm
Time to first page (black, normal)	16 s
Time to first page (colour, normal)	19 s
Economical printing	✓
Borderless printing	✓

Copying

Duplex copying *	✓
Copying *	Colour copying
Maximum copy resolution *	4800 x 1200 DPI
Copy speed (black, normal quality, A4)	33 cpm
Copy speed (colour, normal quality, A4)	32 cpm
Copy speed (black, draft, A4)	33 cpm
Copy speed (colour, draft, A4)	32 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
Auto fit function	✓
PC free copying	✓

Paper handling

Custom media length	127 - 1118 mm
Multi-Purpose Tray media weight	60 - 280 g/m ²

Ports & interfaces

Standard interfaces	Ethernet, RJ-11, USB 2.0, Wireless LAN
Direct printing *	✓
USB port	✓
USB 2.0 ports quantity	1
RJ-11 ports quantity	1

Network

Wi-Fi *	✓
Ethernet LAN *	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Mobile printing technologies	Apple AirPrint

Performance

Maximum internal memory	128 MB
Card reader integrated	✓
Internal memory *	128 MB
Compatible memory cards	SD
Built-in processor	✓
Processor frequency	192 MHz
Sound pressure level (printing)	56 dB
Sound power level (printing)	6.5 dB
Mac compatibility	✓

Design

Product colour *	Black
Market positioning *	Home & office
Built-in display *	✓
Display	LCD
Display diagonal	5.99 cm (2.36")
Display resolution	480 x 234 pixels

Scanning		Power	
Duplex scanning *	✗	Power consumption (max)	50 W
Scanning *	Colour scanning	Power consumption (average operating)	16 W
Optical scanning resolution *	4800 x 4800 DPI	Power consumption (PowerSave)	4.1 W
Maximum scan area	297 x 420 mm	Power consumption (standby)	6 W
Scanner type *	Flatbed & ADF scanner	Power consumption (sleep)	4.1 W
Scan technology	CIS	Power consumption (off)	0.7 W
Scan to	E-mail, TWAIN, WIA, Memory card, Software, PC, File	AC input voltage	100 - 240 V
Scan speed (black)	2.2 ppm	AC input frequency	50/60 Hz
Image formats supported	JPEG, TIFF, BMP	System requirements	
Document formats supported	RTF, PDF, TXT	Windows operating systems supported	Windows 7, Windows Vista, Windows XP
Input colour depth	24 bit	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.5 Leopard
Greyscale levels	256	Linux operating systems supported	✓
Scan drivers	WIA, TWAIN	Other operating systems supported	Linux
Fax		Minimum RAM	128 MB
Duplex faxing	✓	Minimum storage drive space	300 MB
Faxing *	Colour faxing	Minimum processor	Pentium 233 MHz
Fax resolution (black)	300 x 300 DPI	Operational conditions	
Fax transmission speed	3 sec/page	Operating relative humidity (H-H)	10 - 80%
Modem speed	33.6 Kbit/s	Recommended humidity operating range	20 - 80%
Fax memory	100 pages	Storage temperature (T-T)	-40 - 60 °C
Auto-redialing	✓	Operating temperature (T-T)	5 - 40 °C
Speed dialling	✓	Certificates	
Fax speed dialing (max numbers)	110	Certification	CISPR 22: 2005/EN 55022: 2006 Class B, EN 55024: 1998+A1: 2001+A2: 2003, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1: 2001, FCC CFR 47, Part 15 Class B/ICES-003, Issue 4 Class B
Fax forwarding	✓		
Fax broadcasting	48 locations	Sustainability	
Fax delayed sending	✓	Sustainability compliance	✓
Auto reduction	✓	Sustainability certificates	ENERGY STAR
Features		Weight & dimensions	
Recommended duty cycle	200 - 800 pages per month	Width	606 mm
Maximum duty cycle *	7000 pages per month	Depth	426 mm
Duplex functions *	Fax	Height	293 mm
Digital sender	✓	Weight	14 kg
Number of print cartridges *	4	Packaging data	
Printing colours *	Black, Cyan, Magenta, Yellow	Package width	697 mm
Page description languages	PCL 3 GUI	Package depth	500 mm
All-In-One-multitasking	✓	Package height	404 mm
Country of origin	Malaysia	Package weight	19.2 kg
HP segment	Small medium business	Packaging content	
Input & output capacity		Cables included	AC, Phone
Total number of input trays *	1	Manual	✓
Total input capacity *	150 sheets	Bundled software	ArcSoft® Scan-n-Stitch™ Deluxe v 1.1.1.36
Total output capacity *	100 sheets	Logistics data	
Auto document feeder (ADF)	✓	Pallet gross weight	346 g
Auto document feeder (ADF) input capacity	35 sheets	Other features	
Maximum number of input trays	1	Standard input trays	1
Maximum input capacity	150 sheets	Number of users	3 user(s)
Maximum output capacity	100 sheets	Pallet dimensions (W x D x H)	1219 x 1016 x 2545 mm
Paper handling			
Maximum ISO A-series paper size *	A3		
Maximum print size	297 x 420 mm		
Paper tray media types *	Envelopes, Photo paper, Plain paper, Transparencies, Labels		
ISO A-series sizes (A0...A9) *	A3, A3+, A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B7		
Non-ISO print media sizes	2L		
JIS B-series sizes (B0...B9)	B4, B5		
Photo paper sizes	13x18,10x15 cm		

Paper handling		Other features
Borderless printing media sizes	A3+	Microsoft® Windows® 7: 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB (32-bit) or 2 GB (64-bit) RAM, 1.5 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port; Windows Vista®: 800 MHz 32-bit (x86) or 64-bit (x64) processor, 512 MB RAM, 2.0 GB hard disk space, CD-ROM/DVD drive or Internet connection, USB port; Windows® XP (32-bit) (SP2): Intel Pentium II, Celeron or compatible processor, 233 MHz or higher, 128 MB RAM, 750 MB hard disk space, CD-ROM/DVD drive or Internet connection, USB port
Custom media width	76 - 330 mm	
		Recommended system requirements
		Scan file formats
		Compatible operating systems
		All-in-one functions
		Colour all-in-one functions
		Number of print heads



0884962806371



884962806371




0884962806340




884962806340



0884962806173




884962806173



0884962806319




884962806319



0884962806296



884962806296



0884962806258



884962806258



0884962806265



884962806265




3610170541257



0884962806326




884962806326



5052711481239




5053086169043




4053162315082



5053676921617




5052916455356




5052883311235



5052695463597




7330381944949



8849628062654




2082014023457



0884962806210



884962806210




3112014011617




0884962806197




884962806197



0884962806388



884962806388



0884962806241



884962806241



0884962806203




884962806203




0884962806333




884962806333



0884962806302



884962806302



0884962806364




884962806364



0884962806357




884962806357



0884962806227



884962806227



0884962806234



884962806234



0884962806180



884962806180

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.