



HP OfficeJet Pro 8500 - A909a Thermal inkjet A4 4800 x 1200 DPI 15 ppm

Brand : HP

Product family: OfficeJet

Product code: CB022A

Product name : Pro 8500 - A909a



Officejet Pro 8500 All-in-One Printer, Thermal Inkjet, 15ppm, A4, 384MHz, 64MB, LCD

HP OfficeJet Pro 8500 - A909a Thermal inkjet A4 4800 x 1200 DPI 15 ppm:

Professional colour for up to 50% less cpp and energy use than lasers, speeds equivalent to a laser printer with up to 15 ppm black/11 ppm colour, print/copy at up to 35 ppm black/34 ppm colour, 4 individual HP Officejet Ink cartridges with pigment inks, Ethernet networking, duplex printing, 35-page one-sided ADF, 2-line LCD, digital solutions including scan-to-computer, Energy Star, HP Smart Web Printing, HP Web Jetadmin

Create high impact colour documents and save as much as 50% per page compared with competitive laser printers^[1] with this business all-in-one. Share high-speed two-sided printing between up to 5 users, plus built-in fax, scan and copy functions.




Printing		Design	
Print technology *	Thermal inkjet	Product colour *	Black, Grey
Printing *	Colour printing	Market positioning *	Business
Duplex printing *	✓	Built-in display *	✓
Maximum resolution *	4800 x 1200 DPI	Display	LCD
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Power	
Print speed (colour, normal quality, A4/US Letter)	19, 11	Power consumption (average operating)	34 W
Print speed (black, draft quality, A4/US Letter)	35 ppm	Power consumption (PowerSave)	5.1 W
Print speed (colour, draft quality, A4/US Letter)	34 ppm	Power consumption (off)	0.4 W
Print speed (black, best quality, A4)	5 ppm	System requirements	
Print speed (colour, best quality, A4)	3.5 ppm	Windows operating systems supported	Windows 2000, Windows 7, Windows Vista, Windows XP
Print speed (colour photo, draft quality)	34 ppm	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard
Print speed (black, best quality, letter)	5 ppm	Server operating systems supported	Windows Server 2008
Print speed (colour, best quality, letter)	3.5 ppm	Operational conditions	
Print speed (colour, draft quality, letter)	34 ppm	Operating relative humidity (H-H)	20 - 80%
Copying		Recommended operating temperature range (T-T)	15 - 35 °C
Copying *	Colour copying	Storage temperature (T-T)	-40 - 60 °C
Maximum copy resolution *	1200 x 600 DPI	Operating temperature (T-T)	5 - 40 °C
Copy speed (black, normal quality, A4)	17 cpm	Storage relative humidity (H-H)	20 - 80%
Copy speed (colour, normal quality, A4)	17 cpm	Sustainability	
Copy speed (colour, normal, US Letter)	17 cpm	Sustainability certificates	ENERGY STAR
Time to first copy (colour, normal)	23 s	Weight & dimensions	
Time to first copy (letter)	18 sec	Width	494 mm
Maximum number of copies	99 copies	Depth	479 mm
Copier resize	25 - 400%	Height	299 mm
Copy resolution (black graphics)	1200 x 600 dpi	Weight	11.9 kg
Maximum copy speed (black, A4)	35 cpm	Packaging data	
		Package width	593 mm
		Package depth	450 mm

Copying		Packaging data	
Maximum copy speed (colour, A4)	34 cpm	Package height	581 mm
Copy speed (black, best, letter)	5 cpm	Package weight	17.4 kg
Scanning		Packaging content	
Scanning *	Colour scanning	Bundled software	HP Solution Center, HP Photosmart Essential, HP Smart Web Printing, HP Update, HP Document Manager, HP Product Assistant
Optical scanning resolution *	2400 x 4800 DPI		
Maximum scan resolution	4800 x 4800 DPI		
Maximum scan area	216 x 297 mm		
Scanner type *	Flatbed scanner		
Scan technology	CIS		
Input colour depth	48 bit		
Greyscale levels	256		
TWAIN version	1.9		
Fax		Logistics data	
Faxing *	Mono faxing	Pallet gross weight	295 kg
Modem speed	33.6 Kbit/s	Master (outer) cases per pallet	4 pc(s)
Fax memory	125 pages	Layers per pallet	4 pc(s)
Auto-redialing	✓	Products per pallet	16 pc(s)
Fax speed dialing (max numbers)	99		
Fax forwarding	✓		
Fax speed (A4)	3 sec/page		
Fax broadcasting	48 locations		
Fax delayed sending	✓		
Distinctive ring	✓		
Features		Other features	
Maximum duty cycle *	15000 pages per month	Standard input trays	1
Digital sender	✗	Dimensions (WxDxH)	494 x 479 x 299 mm
Number of print cartridges *	4	Acoustic pressure emissions	59 dB
Printing colours *	Black, Cyan, Magenta, Yellow	Custom media sizes	76 x 127 - 216 x 356 mm
All-In-One-multitasking	✓	Duty cycle letter size (maximum)	15000 pages per month
		Pallet dimensions (W x D x H)	1219 x 1016 x 2468 mm
		Power requirements	100 - 240 VAC (+/- 10%), 50 - 60 Hz
		Print quality (colour, best quality)	4800 DPI
		Media types supported	Paper (brochure, inkjet, plain), photo paper, envelopes, cards (index), transparencies
		Minimum system requirements for Macintosh	Mac OS X v 10.4, v 10.5, v 10.6; PowerPC G3, G4, G5, or Intel Core processor; 256 MB RAM; 500 MB hard disk space; CD-ROM; USB
		Print quality (black, best quality)	1200 x 1200 DPI
		Print quality (black, normal quality)	1200 DPI
		Standard output capacity for transparencies	60 sheets
		Duplex supported media size	A4
		Media size (tray 2)	A4, A5, A6, B5, B6, C5, C6, 182 x 257 mm to 216 x 356 mm
		Compatible operating systems	Microsoft Windows 7, Windows Vista Ultimate (32-bit x86 & 64-bit), Windows Vista Enterprise, Windows Vista Business, Windows Vista Home Premium, Windows Vista Home Basic, Windows XP Professional x64 (SP1), Windows XP Professional (SP1) and Home (SP1) (32 & 64-bit), Windows 2000 (SP4), Windows Foundation Server 2008, Windows Small Business Server 2008 Standard Edition; Mac OS X v 10.4.11 +, Mac OS X v 10.5.x, Mac OS X v 10.6, Linux
		PictBridge	✓
		Automatic paper sensor	✗
		A6 Card	✓
		Maximum scan area (imperial)	21.6 cm (8.5")
		Package dimensions (W x D x H)	593.1 x 450.1 x 580.9 mm (23.4 x 17.7 x 22.9")
		Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2468.1 mm (48 x 40 x 97.2")
		Pallet weight (imperial)	293.9 kg (648 lbs)
		Weight (imperial)	11.9 kg (26.2 lbs)
		Size (imperial)	49.4 cm (19.4")
		Auto fax reduction supported	✓
		First page out (black&white, A4, ready)	15 s
		First page out (black&white, letter, ready)	15 s
		Junk barrier supported	Yes (requires Caller ID)
Input & output capacity			
Total input capacity *	250 sheets		
Total output capacity *	150 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	35 sheets		
Maximum input capacity for envelopes	20		
Maximum input capacity for transparencies	70 sheets		
Maximum input capacity for 10 x 15 cm photographs	55 sheets		
Standard output capacity for envelopes	15 sheets		
Standard output capacity for cards	55		
Maximum input capacity	500 sheets		
Maximum output capacity	150 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Maximum print size	216 x 297 mm		
Paper tray media types *	Card stock, Envelopes, Labels, Photo paper, Plain paper, Transparencies		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B5, B6		
Non-ISO print media sizes	Executive		
Envelope feeder	✗		
Recommended media weight	75 - 90 g/m ²		
Maximum input capacity for cards	55		
Maximum paper trays	2		

Ports & interfaces		Other features	
Standard interfaces	Ethernet, RJ-11, USB 2.0	Maximum input capacity (photo paper)	55 sheets
USB port	✓	Maximum scan area (ADF) (imperial)	215.9 x 355.6 mm (8.5 x 14")
USB 2.0 ports quantity	1	Maximum scan area (ADF)	216 x 356 mm
RJ-11 ports quantity	1	Media sizes supported (imperial)	Letter, legal, statement, executive, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 4 x 10 in, 4 x 11 in, 4 x 12 in, 8 x 10 in, envelopes (No. 10, Monarch, DL)
Network		Package weight (imperial)	17.4 kg (38.3 lbs)
Wi-Fi *	✗	Recommended media weight (imperial)	20 to 24 lb
Ethernet LAN *	✓	Send to email capability	✗
Performance		Standard input capacity for legal	250 sheets
Card reader integrated	✓	Standard output capacity for legal	150 sheets
Internal memory *	64 MB	SureSupply supported	✓
Compatible memory cards	CF, Memory Stick (MS), miniSD, MMC, MMCmicro, MS Duo, MS PRO, MS PRO Duo, SD, SDHC, xD	Vivera inks supported	✗
Processor frequency	384 MHz	Wireless option type	Optional, enabled with purchase of a hardware accessory
Mac compatibility	✓	All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Copy, Print, Scan
		Package dimensions (WxDxH)	593 x 450 x 581 mm
		Media size (tray 1)	A4, A5, A6, B5, B6, C5, C6, 76 x 127 mm to 216 x 356 mm



0884420397540



884420397540




0884420397625



884420397625



0884420397557



884420397557



0884420479017



884420479017



08844203975336




0884420397533



884420397533




0884420397588



884420397588




0884420397601



884420397601



0884420397618




884420397618



0884420479024



884420479024



0884420479031



884420479031



0884420397571



884420397571




0884420397595



884420397595



0884420397564



884420397564

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.