



HP OfficeJet CB023A multifunction printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi

Brand : HP

Product family: Officejet

Product code: CB023A

Product name : CB023A



Officejet Pro 8500 Wireless All-in-One Printer, Thermal Inkjet, 15ppm, A4, 384MHz, 128MB, 3.45" LCD

HP OfficeJet CB023A multifunction printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi:

Professional colour for up to 50% less cpp and energy use than lasers, speeds equivalent to a laser printer with up to 15 ppm black/11 ppm colour, print/copy at up to 35 ppm black/34 ppm colour, 4 individual HP Officejet Ink cartridges with pigment inks, wireless and Ethernet networking, duplex printing, 50-page one-sided ADF, 8.5 cm touch screen, digital solutions including direct digital filing, Energy Star, HP Smart Web Printing, HP Web Jetadmin

Create high impact colour documents and save as much as 50% per page compared with competitive laser printers^[1] with this business all-in-one. Share fast wireless^[2] printing between up to 5 users, plus built-in fax, scan and copy functions.




Printing		Design	
Print technology *	Thermal inkjet	Touchscreen	✓
Printing *	Colour printing	Control type	Touch
Duplex printing *	✓	Power	
Maximum resolution *	4800 x 1200 DPI	Power consumption (average operating)	34 W
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Power consumption (PowerSave)	5.7 W
Print speed (colour, normal quality, A4/US Letter)	19, 11	Power consumption (standby)	7.2 W
Print speed (black, draft quality, A4/US Letter)	35 ppm	Power consumption (off)	0.4 W
Print speed (colour, draft quality, A4/US Letter)	34 ppm	System requirements	
Print speed (black, best quality, A4)	11 ppm	Windows operating systems supported	Windows 2000, Windows 7, Windows Vista Business, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Professional, Windows XP Professional x64
Print speed (colour, best quality, A4)	3.5 ppm	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard
Print speed (black, best quality, letter)	5 ppm	Linux operating systems supported	✓
Print speed (colour, best quality, letter)	3.5 ppm	Server operating systems supported	Windows Server 2008, Windows Small Business Server 2008
Print speed (colour, draft quality, letter)	34 ppm	Operational conditions	
Copying		Operating relative humidity (H-H)	20 - 80%
Copying *	Colour copying	Recommended operating temperature range (T-T)	15 - 35 °C
Maximum copy resolution *	1200 x 600 DPI	Storage temperature (T-T)	-40 - 60 °C
Copy speed (black, normal quality, A4)	17 cpm	Operating temperature (T-T)	5 - 40 °C
Copy speed (colour, normal quality, A4)	17 cpm	Storage relative humidity (H-H)	20 - 80%
Copy speed (colour, normal, US Letter)	17 cpm	Operating temperature (T-T)	41 - 104 °F
Time to first copy (colour, normal)	23 s	Sustainability	
Time to first copy (letter)	18 sec	Sustainability certificates	ENERGY STAR
Maximum number of copies	99 copies		
Copier resize	25 - 400%		
Copy resolution (black graphics)	1200 x 600 dpi		
Maximum copy speed (black, A4)	35 cpm		
Maximum copy speed (colour, A4)	34 cpm		

Copying		Weight & dimensions	
Copy speed (black, best, letter)	5 cpm	Width	494 mm
Scanning		Depth	479 mm
Scanning *	Colour scanning	Height	331 mm
Optical scanning resolution *	2400 x 4800 DPI	Weight	12.7 kg
Maximum scan resolution	4800 x 4800 DPI	Packaging data	
Maximum scan area	216 x 356 mm	Package width	593 mm
Scanner type *	Flatbed scanner	Package depth	450 mm
Scan technology	CIS	Package height	581 mm
Input colour depth	48 bit	Package weight	17.4 kg
Greyscale levels	256	Packaging content	
TWAIN version	1.9	Bundled software	HP Solution Center, HP Photosmart Essential, HP Smart Web Printing, HP Update, HP Document Manager, HP Product Assistant
Fax		Logistics data	
Faxing *	Colour faxing	Pallet gross weight	295 kg
Modem speed	33.6 Kbit/s	Master (outer) cases per pallet	4 pc(s)
Fax memory	125 pages	Layers per pallet	4 pc(s)
Auto-redialing	✓	Products per pallet	16 pc(s)
Fax speed dialing (max numbers)	99	Other features	
Fax forwarding	✓	Standard input trays	1
Fax speed (A4)	3 sec/page	Dimensions (WxDxH)	494 x 479 x 331 mm
Fax broadcasting	48 locations	Acoustic pressure emissions	59 dB
Fax delayed sending	✓	Custom media sizes	76 x 127 - 216 x 356 mm
Auto reduction	✓	Duty cycle letter size (maximum)	15000 pages per month
Distinctive ring	✓	Pallet dimensions (W x D x H)	1219 x 1016 x 2468 mm
Features		Power requirements	100 - 240 VAC (+/- 10%), 50 - 60 Hz
Maximum duty cycle *	15000 pages per month	Print quality (black, draft quality)	35 DPI
Digital sender	✗	Print quality (colour, best quality)	4800 DPI
Number of print cartridges *	4	Print quality (colour, best quality)	4800 DPI
Printing colours *	Black, Cyan, Magenta, Yellow	Media types supported	Paper (brochure, inkjet, plain), photo paper, envelopes, cards (index), transparencies
All-In-One-multitasking	✓	Minimum system requirements for Macintosh	Mac OS X v 10.4, v 10.5, v 10.6; PowerPC G3, G4, G5, or Intel Core processor; 256 MB RAM; 500 MB hard disk space; CD-ROM; USB
Input & output capacity		Print quality (black, best quality)	1200 x 1200 DPI
Total input capacity *	250 sheets	Print quality (black, normal quality)	1200 DPI
Total output capacity *	150 sheets	Standard output capacity for transparencies	60 sheets
Auto document feeder (ADF)	✓	Duplex supported media size	A4
Auto document feeder (ADF) input capacity	50 sheets	Compatible operating systems	Microsoft Windows 7 ready, Windows Vista Ultimate (32-bit x86 & 64-bit), Windows Vista Enterprise, Windows Vista Business, Windows Vista Home Premium, Windows Vista Home Basic, Windows XP Professional x64 (SP1), Windows XP Professional (SP1) & Home (SP1) (32 & 64-bit), & Windows 2000 (SP4), Windows Foundation Server 2008, Windows Small Business Server 2008 Standard Edition; Mac OS X v 10.4.11 +, Mac OS X v 10.5.x, Mac OS X v 10.6, Linux
Maximum input capacity for envelopes	20	PictBridge	✓
Maximum input capacity for transparencies	70 sheets	Automatic paper sensor	✗
Maximum input capacity for 10 x 15 cm photographs	55 sheets	A6 Card	✓
Standard output capacity for envelopes	15 sheets	Maximum scan area (imperial)	21.6 cm (8.5")
Standard output capacity for cards	55	Package dimensions (W x D x H)	593.1 x 450.1 x 580.9 mm (23.4 x 17.7 x 22.9")
Maximum input capacity	500 sheets	Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2468.1 mm (48 x 40 x 97.2")
Maximum output capacity	150 sheets	Pallet weight (imperial)	293.9 kg (648 lbs)
Paper handling		Size (imperial)	49.4 cm (19.4")
Maximum ISO A-series paper size *	A4		
Maximum print size	216 x 356 mm		
Paper tray media types *	Card stock, Envelopes, Labels, Photo paper, Plain paper, Transparencies		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B4, B5, B6		
Non-ISO print media sizes	Legal		
Envelope feeder	✗		
Recommended media weight	75 - 90 g/m ²		
Maximum input capacity for cards	-55		
Maximum paper trays	2		

Ports & interfaces		Other features	
Standard interfaces	Ethernet, USB 2.0	Auto fax reduction supported	✓
USB port	✓	First page out (black&white, A4, ready)	15 s
USB 2.0 ports quantity	1	First page out (black&white, letter, ready)	15 s
Network		Junk barrier supported	Yes (requires Caller ID)
Wi-Fi *	✓	Maximum input capacity (photo paper)	55 sheets
Ethernet LAN *	✓	Maximum scan area (ADF) (imperial)	215.9 x 355.6 mm (8.5 x 14")
Performance		Maximum scan area (ADF)	216 x 356 mm
Card reader integrated	✓	Media sizes supported (imperial)	Letter, legal, statement, executive, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 4 x 10 in, 4 x 11 in, 4 x 12 in, 8 x 10 in, envelopes (No. 10, Monarch, DL)
Internal memory *	128 MB	Package weight (imperial)	17.4 kg (38.3 lbs)
Compatible memory cards	CF, Memory Stick (MS), miniSD, MMC, MMCmicro, MS Duo, MS PRO, MS PRO Duo, SD, SDHC, xD	Recommended media weight (imperial)	20 to 24 lb
Processor frequency	384 MHz	Send to email capability	✓
Design		Standard input capacity for legal	250 sheets
Product colour *	Black, White	Standard output capacity for legal	150 sheets
Market positioning *	Business	SureSupply supported	✓
Built-in display *	✓	Vivera inks supported	✗
Display	LCD	Wireless option type	✓
Display diagonal	8.76 cm (3.45")	Case or master carton quantity	40 pc(s)
		UNSPSC-code	43211507
		All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Copy, Fax, Print, Scan
		Package dimensions (WxDxH)	593 x 450 x 581 mm
		Media size (tray 1)	A4, A5, A6, B5, B6, C5, C6, 76 x 127 mm - 216 x 356 mm



0884420397687



884420397687



0884420397649



884420397649



0884420397816



884420397816



0884420397786



884420397786



0884420397656



884420397656




0884420397632



884420397632



0884420397700



884420397700



0884420397717



884420397717



0884420397762



884420397762



0884420397748



884420397748



0884420397755



884420397755



0884420397793



884420397793



0884420479048



884420479048



0884420397779



884420397779



0884420479055



884420479055



0884420397809



884420397809



0884420397724



884420397724



0884420397731



884420397731



0884420397670



884420397670




0884420397694



884420397694



0884420397663



884420397663

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.