



# HP LaserJet Enterprise 700 color MFP M775z Laser A3 600 x 600 DPI 30 ppm

**Brand :** HP

**Product family:** LaserJet Enterprise

**Product code:** CC524A

**Product name :** HP LaserJet Enterprise 700 color MFP M775z, Color, Printer for Business, Print, copy, scan, fax, digital send, easy access USB, offset and staple capabilities, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

HP LaserJet Enterprise 700 color MFP M775z Printer, Laser, 30ppm, A3, 800MHz, 1536MB, 8.07" CGD

HP LaserJet Enterprise 700 color MFP M775z Laser A3 600 x 600 DPI 30 ppm:

**as HP LaserJet Enterprise 700 color MFP M775dn with built-in fax; 500-sheet inline stapler/stacker; 3 x 500-sheet paper feeder and stand**

Enable large-volume professional-quality colour printing on a wide range of paper sizes up to A3, with paper capacity up to 4,350 sheets<sup>[2]</sup>. Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

HP LaserJet Enterprise 700 color MFP M775z. Print technology: Laser, Printing: Colour printing, Maximum resolution: 600 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 30 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Print, Copy, Scan. Maximum ISO A-series paper size: A3. Direct printing. Product colour: Grey, White



Printing		Ports & interfaces	
Duplex printing mode	Auto	USB 2.0 ports quantity	4
Print resolution colour	600 x 600 DPI	Optional connectivity	Wireless LAN
Print resolution black	600 x 600 DPI	<b>Network</b>	
Print technology *	Laser	Wi-Fi *	✗
Printing *	Colour printing	Ethernet LAN *	✓
Duplex printing *	✓	Cabling technology	10/100/1000Base-T(X)
Maximum resolution *	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (black, normal quality, A4/US Letter) *	30 ppm	Security algorithms	PEAP, SNMPv3, EAP-TLS, IPsec, WPA2-Enterprise, SSL/TLS
Print speed (colour, normal quality, A4/US Letter)	30 ppm	Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service
Print speed (colour, normal quality, A3)	15 ppm	<b>Performance</b>	
Time to first page (black, normal)	10.5 s	Maximum internal memory	1536 MB
Time to first page (colour, normal)	10.5 s	Internal storage capacity	500 GB
N-in-1 print function	✓	Card reader integrated	✗
Watermark printing	✓	Internal memory *	1536 MB
Secure printing	✓	Built-in processor	✓
<b>Copying</b>		Processor frequency	800 MHz
Duplex copying *	✓	Sound pressure level (printing)	53 dB
Copying *	Colour copying	Sound pressure level (copying)	53 dB
Maximum copy resolution *	600 x 600 DPI	Sound power level (printing)	6.7 dB
Copy speed (black, normal quality, A4)	30 cpm	<b>Design</b>	
		Product colour *	Grey, White

<b>Copying</b>		<b>Design</b>	
Copy speed (colour, normal quality, A4)	30 cpm	Market positioning *	Business
Maximum number of copies	9999 copies	Built-in display *	✓
Copier resize	25 - 400%	Display	CGD
Auto fit function	✓	Display diagonal	20.5 cm (8.07")
<b>Scanning</b>		Touchscreen	✓
Duplex scanning *	✓	Control type	Touch
Scanning *	Colour scanning	Colour display	✓
Optical scanning resolution *	600 x 600 DPI	<b>Power</b>	
Maximum scan resolution	600 x 600 DPI	Power consumption (average operating)	686 W
Maximum scan area	297 x 420 mm	Power consumption (printing)	686 W
Scanner type *	Flatbed & ADF scanner	Power consumption (copying)	703 W
Scan technology	CCD	Power consumption (ready)	85 W
Scan to	E-mail, Network folder, USB, Fax	Power consumption (sleep)	14.8 W
Scan speed (colour)	30 ppm	Power consumption (off)	0.5 W
Scan speed (black)	30 ppm	Energy Star Typical Electricity Consumption (TEC)	3.38 kWh/week
Image formats supported	MTIFF, JPEG, TIFF	AC input voltage	110 - 240 V
Document formats supported	XPS, PDF	AC input frequency	50/60 Hz
Input colour depth	24 bit	<b>System requirements</b>	
Greyscale levels	256	Windows operating systems supported	Windows 7, Windows Vista, Windows 10, Windows 8, Windows XP
<b>Fax</b>		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Faxing *	Mono faxing	Linux operating systems supported	✓
Fax resolution (black)	300 x 300 DPI	Server operating systems supported	Windows Server 2003, Windows Server 2008
Fax transmission speed	3 sec/page	Other operating systems supported	Linux, Novell
Modem speed	33.6 Kbit/s	<b>Operational conditions</b>	
Auto-redialing	✓	Operating relative humidity (H-H)	10 - 70%
Speed dialling	✓	Recommended humidity operating range	30 - 70%
Fax speed dialling (max numbers)	100	Operating temperature (T-T)	15 - 27 °C
Fax forwarding	✓	<b>Certificates</b>	
Fax broadcasting	100 locations	Certification	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Fax delayed sending	✗	<b>Sustainability</b>	
Auto reduction	✓	Sustainability compliance	✓
<b>Features</b>		Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel
Recommended duty cycle	2500 - 7500 pages per month	<b>Weight &amp; dimensions</b>	
Maximum duty cycle *	120000 pages per month	Width	745 mm
Duplex functions *	Print, Copy, Scan	Depth	668 mm
Digital sender	✓	Height	1198 mm
Number of print cartridges *	4	Weight	107.7 kg
Printing colours *	Black, Cyan, Magenta, Yellow	<b>Packaging data</b>	
Page description languages	PCL 5, PCL 6, PDF 1.4, PostScript 3	Package width	856 mm
Printer fonts	PostScript, Scalable, TrueType, Windows	Package depth	760 mm
All-In-One-multitasking	✓	Package height	1553 mm
Country of origin	Mexico, China	Package weight	126.7 kg
HP segment	Business		
<b>Input &amp; output capacity</b>			
Total number of input trays *	5		
Total input capacity *	1850 sheets		
Total output capacity *	750 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	250 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Paper input type	Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	100 sheets		
Maximum number of input trays	5		
Maximum input capacity	1850 sheets		

Input & output capacity		Packaging content	
Maximum output capacity	750 sheets	Cables included	AC
Paper handling		Drivers included	✓
Maximum ISO A-series paper size *	A3	Warranty card	✓
Maximum print size	302 x 454.2 mm	Quick installation guide	✓
Paper tray media types *	Thick paper, Envelopes, Heavy paper, Rough paper, Letterhead, Bond paper, Plain paper, Transparencies, Card stock, Matte paper, Labels, Recycled paper, Glossy paper	Bundled software	Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver
		Logistics data	
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Pallet gross weight	126.7 g
ISO B-series sizes (B0...B9)	B5	Layers per pallet	1 pc(s)
ISO C-series sizes (C0...C9)	C5, C6	Products per pallet	1 pc(s)
Ports & interfaces		Technical details	
Standard interfaces	USB 2.0	Master (outer) cases per pallet layer	1 pc(s)
Direct printing *	✓	Other features	
USB port	✓	Number of users	30 user(s)
		Pallet dimensions (W x D x H)	857 x 760 x 1553 mm
		Recommended system requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see <a href="http://www.micr">http://www.micr</a>
		Acoustic power emissions (ready)	56 dB
		Acoustic pressure emissions bystander (ready)	42 dB
		All-in-one functions	Copy, Digital sender, Fax, Print, Scan
		Colour all-in-one functions	Copy, Print, Scan



0886112959531




886112959531




0886112625672



886112625672




0886112959524



886112959524



0886112625665



886112625665



0886112625634



886112625634



0886112625641



886112625641



0886112625610



886112625610




0886112625603



886112625603




0886112625627




886112625627



0886112625597



886112625597



0886112625559



886112625559



0886112625566



886112625566




0886112625573



886112625573



0886112625580



886112625580



0886112625658



886112625658



0888182819654



888182819654

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.