



HP LaserJet Enterprise 500 color MFP M575f Laser A4 1200 x 1200 DPI 31 ppm

Brand : HP

Product family: LaserJet

Product code: CD645A

Product name : LaserJet Enterprise 500 color MFP M575f



LaserJet Enterprise 500 color MFP M575f

HP LaserJet Enterprise 500 color MFP M575f. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 31 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Product colour: Black, Grey



Printing		Input & output capacity	
Print technology *	Laser	Total input capacity *	350 sheets
Printing *	Colour printing	Total output capacity *	250 sheets
Duplex printing *	✓	Paper handling	
Maximum resolution *	1200 x 1200 DPI	Maximum ISO A-series paper size *	A4
Print speed (black, normal quality, A4/US Letter) *	31 ppm	Maximum print size	216 x 297 mm
Print speed (colour, normal quality, A4/US Letter)	31 ppm	Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies
Copying		ISO A-series sizes (A0...A9) *	A4
Copying *	Colour copying	Non-ISO print media sizes	Executive, Oficio, Statement
Maximum copy resolution *	600 x 600 DPI	Ports & interfaces	
Copy speed (black, normal quality, A4)	30 cpm	Standard interfaces	Ethernet, RJ-11, USB 2.0
Copy speed (colour, normal quality, A4)	30 cpm	USB port	✓
Maximum number of copies	9999 copies	USB 2.0 ports quantity	3
Copier resize	25 - 200%	RJ-11 ports quantity	1
Scanning		Network	
Duplex scanning *	✓	Wi-Fi *	✗
Scanning *	Colour scanning	Ethernet LAN *	✓
Optical scanning resolution *	600 x 600 DPI	Mobile printing technologies	Apple AirPrint, HP ePrint
Maximum scan area	Legal (216 x 356)	Performance	
Scanner type *	Flatbed & ADF scanner	Maximum internal memory	1536 MB
Scan technology	CCD	Card reader integrated	✗
Scan to	E-mail, Fax, File, FTP	Internal memory *	1536 MB
Scan speed (colour)	30 ppm		

Scanning		Performance	
Scan speed (black)	30 ppm	Processor frequency	800 MHz
Image formats supported	JPG, TIF	Mac compatibility	✓
Document formats supported	PDF	Design	
Fax		Product colour *	Black, Grey
Faxing *	Mono faxing	Market positioning *	Business
Fax resolution (black)	300 x 300 DPI	Built-in display *	✓
Fax transmission speed	6 sec/page	Display	LCD
Modem speed	33.6 Kbit/s	Display diagonal	20.3 cm (8")
Auto-redialing	✓	Touchscreen	✓
Fax forwarding	✓	Control type	Touch
Fax broadcasting	100 locations	Power	
Auto reduction	✓	Power consumption (average operating)	655 W
Features		Power consumption (standby)	11.3 W
Maximum duty cycle *	75000 pages per month	Power consumption (off)	0.3 W
Digital sender	✓	AC input voltage	100 - 240 V
Number of print cartridges *	4	AC input frequency	50 - 60 Hz
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability	
Page description languages	PCL 5c, PCL 6, PDF 1.4, PostScript 3	Sustainability certificates	ENERGY STAR
Input & output capacity		Weight & dimensions	
Total number of input trays *	2	Width	663 mm
		Depth	555 mm
		Height	585 mm
		Weight	47 kg



0886112397425



886112397425




0886112397401



886112397401



0886112397463



886112397463



0886112397432



886112397432



0886112397470



886112397470



0886112397388



886112397388



0886112397487




886112397487




0888182820070



888182820070



0888793628638



888793628638



0887111951748



887111951748



0887111951380



887111951380



0887111251800



887111251800



0887758172681



887758172681




0886112397326



886112397326




0886112397333



886112397333



0886112397340




886112397340



0886112397357



886112397357



0886112397364



886112397364



0886112397371




886112397371




0886112397395



886112397395




0886112397418



886112397418



0886112397449



886112397449



0886112397456



886112397456

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.