



# HP LaserJet Pro M1212nf Laser A4 600 x 600 DPI 18 ppm

Brand : HP

Product family: LaserJet

Product code: CE841A

Product name : Pro M1212nf


LaserJet Pro M1212nf - Laser, 4-in-1, 18 ppm, 8.5 sec, 600 x 600 dpi, 64 MB, 400 MHz Processor, Flatbed/ADF, 8.3 kg

HP LaserJet Pro M1212nf. Print technology: Laser, Printing: Mono printing, Maximum resolution: 600 x 600 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 400 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Product colour: Black



Printing		Performance	
Print technology *	Laser	Maximum internal memory	64 MB
Printing *	Mono printing	Card reader integrated	✗
Duplex printing *	✗	Internal memory *	64 MB
Maximum resolution *	600 x 600 DPI	Processor family	Marvell
Print speed (black, normal quality, A4/US Letter) *	18 ppm	Processor frequency	400 MHz
Warm-up time	10 s	Sound pressure level (printing)	50 dB
Time to first page (black, normal)	8.5 s	Design	
Copying		Product colour *	Black
Duplex copying *	✗	Market positioning *	Home & office
Copying *	Mono copying	Built-in display *	✓
Maximum copy resolution *	600 x 400 DPI	Display	LCD
Copy speed (black, normal quality, A4)	18 cpm	Display number of lines	2 lines
Copy speed (colour, normal, US Letter)	19 cpm	Power	
Maximum number of copies	99 copies	Power consumption (average operating)	375 W
Copier resize	25 - 400%	Power consumption (PowerSave)	2 W
Scanning		Power consumption (standby)	4.7 W
Duplex scanning *	✗	Power consumption (off)	0.3 W
Scanning *	Colour scanning	System requirements	
Optical scanning resolution *	1200 x 1200 DPI	Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Maximum scan area	216 x 297 mm	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard
Scanner type *	Flatbed & ADF scanner	Linux operating systems supported	✓
Scan to	E-mail, File		
Scan speed (colour)	3 ppm		
Scan speed (black)	7.4 ppm		
Image formats supported	BMP, GIF, JPG, TIF		
Document formats supported	PDF		
Input colour depth	24 bit		
Greyscale levels	256		
Fax			
Duplex faxing	✗		
Faxing *	Mono faxing		
Fax resolution (black)	300 x 300 DPI		
Modem speed	33.6 Kbit/s		
Fax memory	500 pages		
Auto-redialing	✓		
Fax speed dialing (max numbers)	100		

Fax		System requirements	
Fax forwarding	✓	Server operating systems supported	Windows Server 2003, Windows Server 2008
Fax delayed sending	✓	Minimum RAM	1024 MB
Distinctive ring	✓	Minimum storage drive space	700 MB
<b>Features</b>		Minimum processor	1 GHz
Recommended duty cycle	250 - 2000 pages per month	<b>Operational conditions</b>	
Maximum duty cycle *	8000 pages per month	Operating relative humidity (H-H)	10 - 80%
Digital sender	✗	Recommended operating temperature range (T-T)	10 - 32.5 °C
Number of print cartridges *	1	Storage temperature (T-T)	0 - 35 °C
Printing colours *	Black	Operating temperature (T-T)	10 - 32.5 °C
All-In-One-multitasking	✓	Storage relative humidity (H-H)	10 - 80%
<b>Input &amp; output capacity</b>		<b>Sustainability</b>	
Total input capacity *	150 sheets	Sustainability certificates	ENERGY STAR
Total output capacity *	100 sheets	<b>Weight &amp; dimensions</b>	
Paper input type	Paper tray	Width	435 mm
Auto document feeder (ADF)	✓	Depth	265 mm
Auto document feeder (ADF) input capacity	35 sheets	Height	306 mm
Maximum output capacity	100 sheets	Weight	8.3 kg
<b>Paper handling</b>		<b>Packaging data</b>	
Maximum ISO A-series paper size *	A4	Package width	597 mm
Maximum print size	216 x 356 mm	Package depth	397 mm
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies	Package height	351 mm
ISO A-series sizes (A0...A9) *	A4, A5	<b>Logistics data</b>	
ISO B-series sizes (B0...B9)	B5	Pallet gross weight	400.7 kg
ISO C-series sizes (C0...C9)	C5, C6	<b>Other features</b>	
Envelopes sizes	DL	Hardware scan resolution	1200 x 1200 DPI
Custom media width	76 - 216 mm	Networking features	Fast Ethernet
Custom media length	127 - 356 mm	Dimensions (WxDxH)	435 x 265 x 306 mm
Auto Document Feeder (ADF) media weight	60 - 90 g/m <sup>2</sup>	Acoustic pressure emissions	50 dB
<b>Ports &amp; interfaces</b>		Pallet dimensions (W x D x H)	1200 x 1000 x 2457 mm
Standard interfaces	RJ-11, USB 2.0	Print quality (black, best quality)	600 x 600 DPI
USB port	✓	Maximum dimensions (W x D x H)	435 x 365 x 306 mm
USB 2.0 ports quantity	1	Print margin bottom (A4)	4 mm
RJ-11 ports quantity	1	Print margin left (A4)	4 mm
<b>Network</b>		Print margin right (A4)	4 mm
Wi-Fi *	✗	Print margin top (A4)	4 mm
Ethernet LAN *	✓	Standard output capacity for transparencies	75 sheets
		Maximum scan area (imperial)	21.6 cm (8.5")
		Supported media weight (imperial)	7.26 kg (16 lbs)
		Maximum scan area (ADF)	216 x 356 mm
		Minimum scan area (ADF)	152 x 114 mm
		All-in-one functions	Copy, Fax, Print, Scan
		Colour all-in-one functions	Scan
		Colour faxing	✓
		Colour scanning	✓
		Package dimensions (WxDxH)	597 x 397 x 351 mm
		Scan speed	10 sec/page



0884962455159




884962455159



3610170550044



5711045282386



0884962455180



884962455180



8592457018063



0884962455104



884962455104



5711045485404



0884962742631



884962742631



8849624550988



5711045485411



0884962455142



884962455142




0884962455098



884962455098




4053162334076




0999992715828



999992715828



8849624551428



0884962594421




884962594421



0884962455081




884962455081



0884962465004



884962465004



0884962464991



884962464991



0884962455111



884962455111



0884962455173



884962455173



0884962455128




884962455128



0886111637652




886111637652



0884962455166




884962455166



0886111439249




886111439249



0884962455135




884962455135



0884962455074




884962455074



0884962455067




884962455067



0884962464984




884962464984



0884962455043



884962455043



0884962455036



884962455036



0884962455050



884962455050

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.