



HP LaserJet Enterprise MFP M725dn, Black and white, Printer for Business, Print, copy, scan, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

Brand : HP

Product family: LaserJet Enterprise

Product code: CF066A

Product name : HP LaserJet Enterprise MFP M725dn, Black and white, Printer for Business, Print, copy, scan, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

- 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
 - Print, copy, scan
 - Up to 40 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise MFP M725dn

HP LaserJet Enterprise MFP M725dn, Black and white, Printer for Business, Print, copy, scan, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing:

Print high-quality documents on an array of paper sizes up to A3, launch one-touch workflows, and manage jobs on the desktop with touchscreen ease. Enable large-volume printing on a wide range of paper sizes – up to A3 – with a 4,600-sheet maximum input capacity.^[1] Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.



Printing		Performance	
Duplex printing mode	Auto	Internal storage capacity	500 GB
Print resolution black	1200 x 1200 DPI	Internal memory *	1024 MB
Print technology *	Laser	Built-in processor	✓
Printing *	Mono printing	Processor frequency	800 MHz
Duplex printing *	✓	Sound pressure level (printing)	54 dB
Maximum resolution *	1200 x 1200 DPI	Sound pressure level (scanning)	52 dB
Print speed (black, normal quality, A4/US Letter) *	41 ppm	Sound power level (printing)	6.8 dB
Print speed (black, normal quality, A3)	20 ppm	Design	
Duplex print speed (ISO/IEC 24734) mono	28 ipm	Product colour *	Black, Grey
Time to first page (black, normal)	10 s	Market positioning *	Business
Print margins (top, bottom, right, left)	2 mm	Built-in display *	✓
Economical printing	✓	Display	LCD
Secure printing	✓	Display diagonal	20.3 cm (8")
Copying		Control type	Touch
Duplex copying *	✓	Colour display	✓
Copying *	Mono copying	Power	
Maximum copy resolution *	600 x 600 DPI	Power consumption (average operating)	890 W
Copy speed (black, normal quality, A4)	41 cpm	Power consumption (PowerSave)	39 W
Maximum number of copies	9999 copies	Power consumption (printing)	890 W
Copier resize	25 - 400%	Power consumption (copying)	890 W
Auto fit function	✓	Power consumption (ready)	39 W
Scanning		Power consumption (standby)	6.5 W
Duplex scanning *	✓	Power consumption (sleep)	6.5 W
		Power consumption (off)	0.3 W
		Energy Star Typical Electricity Consumption (TEC)	0.653 kWh/week
		AC input voltage	110 - 240 V

Scanning		Power	
Scanning *	Colour scanning	AC input frequency	50/60 Hz
Optical scanning resolution *	600 x 600 DPI	Brand-specific features	
Maximum scan area	297 x 420 mm	HP Auto-On/Auto-Off	✓
Scanner type *	Flatbed & ADF scanner	System requirements	
Scan technology	CCD	Windows operating systems supported	Windows 7, Windows Vista, Windows 10, Windows 8, Windows XP
Scan to	E-mail, Network folder, USB, Fax	Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.8 Mountain Lion, Mac OS X 10.7 Lion
Scan speed (colour)	30 ppm	Linux operating systems supported	✓
Scan speed (black)	50 ppm	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2012
Image formats supported	MTIFF, JPEG, TIFF	Other operating systems supported	Linux, Novell
Document formats supported	XPS, PDF	Operational conditions	
Input colour depth	24 bit	Operating relative humidity (H-H)	20 - 80%
Greyscale levels	256	Recommended humidity operating range	30 - 70%
Features		Operating temperature (T-T)	10 - 32.5 °C
Recommended duty cycle	5000 - 20000 pages per month	Certificates	
Maximum duty cycle *	200000 pages per month	Certification	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
Duplex functions *	Print, Copy, Scan		
Digital sender	✓	Sustainability	
Number of print cartridges *	1	Sustainability compliance	✓
Printing colours *	Black	Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel
Page description languages	PCL 5, PCL 6, PDF 1.4, PostScript 3	Sustainable technologies and materials	Mercury Free
Printer fonts	PostScript, Scalable, TrueType, Windows	Doesn't contain	Mercury
Number of printer fonts	105	Weight & dimensions	
All-In-One-multitasking	✓	Width	614 mm
Optional functions	Fax	Depth	649 mm
Country of origin	Mexico, Netherlands, China	Height	609 mm
HP segment	Business	Weight	54.1 kg
Input & output capacity		Packaging data	
Total number of input trays *	3	Package width	760 mm
Total input capacity *	600 sheets	Package depth	745 mm
Total output capacity *	250 sheets	Package height	832 mm
Paper tray 1 input capacity	100 sheets	Package weight	68.6 kg
Paper tray 2 input capacity	250 sheets	Packaging content	
Multi-Purpose tray	✓	Cables included	AC
Multi-Purpose tray input capacity	100 sheets	Warranty card	✓
Paper input type	Paper tray, Sheetfed	Quick installation guide	✓
Auto document feeder (ADF)	✓	Bundled software	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
Auto document feeder (ADF) input capacity	100 sheets	Logistics data	
Maximum number of input trays	6	Harmonized System (HS) code	84433100
Maximum input capacity	4600 sheets	Pallet gross weight	68.6 g
Maximum output capacity	250 sheets	Ports & interfaces	
Paper handling		Standard interfaces	
Maximum ISO A-series paper size *	A3	Ethernet, USB 2.0	
Maximum print size	308 x 465.9 mm	Direct printing *	
Paper tray media types *	Thick paper, Envelopes, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper	✓	
	ISO A-series sizes (A0...A9) *	USB port	
ISO B-series sizes (B0...B9)	B4, B5, B6	✓	
JIS B-series sizes (B0...B9)	B4, B5		
Custom media width	76.2 - 312 mm		
Custom media length	127 - 469.9 mm		
Paper tray media weight	60 - 199 g/m ²		

Ports & interfaces		Technical details	
USB 2.0 ports quantity	3		(ABT) 887111016812; (ABY) 887111016829; (ACQ) 887111016836; (B13) 888182819586; (B19) 887111016843; (BAZ) 887111016850
Optional connectivity	Wireless LAN	EAN/UPC/GTIN and local identifier(s)	
Network		Other features	
Wi-Fi *	✘	Number of users	30 user(s)
Ethernet LAN *	✔	Pallet dimensions (W x D x H)	760 x 745 x 832 mm
Cabling technology	10/100/1000Base-T(X)	Printer management	HP Web Jetadmin, HP Utility (Mac)
Ethernet LAN data rates	10,100,1000 Mbit/s		Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.micr
Security algorithms	PEAP, SNMPv3, EAP-TLS, IPsec, WPA2-Enterprise, SSL/TLS	Recommended system requirements	
Supported network protocols (IPv4)	AutoIP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print	Acoustic power emissions (ready)	50 dB
Supported network protocols (IPv6)	DHCPv6, MLDv1, ICMPv6	Acoustic pressure emissions bystander (ready)	36 dB
Security features	AES 256-bit	All-in-one functions	Copy, Print, Scan
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service	Colour all-in-one functions	✘
Performance			
Maximum internal memory	1536 MB		
Memory slots	1		



0887111016829



887111016829



0887111016850




887111016850



0887111016805



887111016805



0887111647597



887111647597



0887111016867



887111016867



0889894815194



889894815194



0887111647580



887111647580



0887111016744



887111016744



0887111016751



887111016751



0887111016768



887111016768



0887111016775



887111016775



0887111016782



887111016782



0887111016812




887111016812



0887111016836



887111016836



0887111016799



887111016799

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.