



## HP LaserJet Enterprise MFP M725f, Black and white, Printer for Business, Print, copy, scan, fax, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

**Brand :** HP

**Product family:** LaserJet Enterprise

**Product code:** CF067A

**Product name :** HP LaserJet Enterprise MFP M725f, Black and white, Printer for Business, Print, copy, scan, fax, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing



- 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
  - Print, copy, scan, fax
  - Up to 40 ppm (black)
  - Up to 1200 x 1200 dpi
- LaserJet Enterprise MFP M725f

HP LaserJet Enterprise MFP M725f, Black and white, Printer for Business, Print, copy, scan, fax, 100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing:

**Produce high-quality A3 documents, fax conveniently, launch one-touch workflows, and preview and manage jobs with touchscreen ease.** Enable large-volume printing on a wide range of paper sizes - up to A3 - with a 4,600-sheet maximum input capacity.<sup>[1]</sup> Preview and edit scanning jobs; centrally manage printing policies; safeguard sensitive business information.



Printing		Network	
Duplex printing mode	Auto	Supported network protocols (IPv6)	DHCPv6, MLDv1, ICMPv6
Print resolution black	1200 x 1200 DPI	Security features	AES 256-bit
Print technology *	Laser	Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service
Printing *	Mono printing	Performance	
Duplex printing *	✓	Maximum internal memory	1536 MB
Maximum resolution *	1200 x 1200 DPI	Memory slots	1
Print speed (black, normal quality, A4/US Letter) *	41 ppm	Internal storage capacity	500 GB
Print speed (black, normal quality, A3)	20 ppm	Internal memory *	1024 MB
Duplex print speed (ISO/IEC 24734) mono	28 ipm	Built-in processor	✓
Time to first page (black, normal)	10 s	Processor frequency	800 MHz
Print margins (top, bottom, right, left)	2 mm	Sound pressure level (printing)	54 dB
Secure printing	✓	Sound pressure level (scanning)	52 dB
Copying		Sound power level (printing)	6.8 dB
Duplex copying *	✓	Design	
Maximum copy resolution *	600 x 600 DPI	Product colour *	Black, Grey
Copy speed (black, normal quality, A4)	41 cpm	Market positioning *	Business
Maximum number of copies	9999 copies	Built-in display *	✓
Copier resize	25 - 400%	Display	LCD
Auto fit function	✓	Display diagonal	20.3 cm (8")
		Touchscreen	✓
		Control type	Touch
		Colour display	✓

<b>Scanning</b>		<b>Power</b>	
Duplex scanning *	✓	Power consumption (average operating)	890 W
Scanning *	Colour scanning	Power consumption (printing)	890 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (copying)	890 W
Maximum scan area	297 x 420 mm	Power consumption (ready)	39 W
Scanner type *	Flatbed & ADF scanner	Power consumption (sleep)	6.5 W
Scan technology	CCD	Power consumption (off)	0.3 W
Scan to	E-mail, Network folder, USB, Fax	Energy Star Typical Electricity Consumption (TEC)	0.653 kWh/week
Scan speed (colour)	30 ppm	AC input voltage	110 - 240 V
Scan speed (black)	50 ppm	AC input frequency	50/60 Hz
Image formats supported	MTIFF, JPEG, TIFF	<b>Brand-specific features</b>	
Document formats supported	XPS, PDF	HP Auto-On/Auto-Off	✓
Input colour depth	24 bit	<b>System requirements</b>	
Greyscale levels	256	Windows operating systems supported	Windows 7, Windows Vista, Windows 10, Windows 8, Windows XP
<b>Fax</b>		Mac operating systems supported	Mac OS X 10.6 Snow Leopard, Mac OS X 10.8 Mountain Lion, Mac OS X 10.7 Lion
Fax resolution (black)	300 x 300 DPI	Linux operating systems supported	✓
Fax transmission speed	3 sec/page	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2012
Modem speed	33.6 Kbit/s	Other operating systems supported	Linux, Novell
Fax memory	100 pages	<b>Operational conditions</b>	
Auto-redialing	✓	Operating relative humidity (H-H)	20 - 80%
Speed dialling	✓	Recommended humidity operating range	30 - 70%
Fax speed dialling (max numbers)	100	Operating temperature (T-T)	10 - 32.5 °C
Fax forwarding	✓	<b>Certificates</b>	
Fax broadcasting	100 locations	Certification	CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008; EN 55024:1998+A1+A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries
Fax delayed sending	✗	<b>Sustainability</b>	
Auto reduction	✓	Sustainability compliance	✓
Distinctive ring	✗	Sustainability certificates	EPEAT Silver, ENERGY STAR, Blue Angel
<b>Features</b>		Sustainable technologies and materials	Mercury Free
Recommended duty cycle	5000 - 20000 pages per month	Doesn't contain	Mercury
Maximum duty cycle *	200000 pages per month	<b>Weight &amp; dimensions</b>	
Duplex functions *	Print, Copy, Scan	Width	745 mm
Digital sender	✓	Depth	681 mm
Number of print cartridges *	1	Height	1160 mm
Printing colours *	Black	Weight	87.1 kg
Page description languages	PCL 5, PCL 6, PDF 1.4, PostScript 3	<b>Packaging data</b>	
Printer fonts	PostScript, Scalable, TrueType, Windows	Package width	856 mm
Number of printer fonts	105	Package depth	760 mm
All-In-One-multitasking	✓	Package height	1522 mm
Country of origin	Mexico, Netherlands, China	Package weight	105.4 kg
HP segment	Business	<b>Packaging content</b>	
<b>Input &amp; output capacity</b>		Cables included	AC
Total number of input trays *	5	Warranty card	✓
Total input capacity *	1600 sheets	Quick installation guide	✓
Total output capacity *	250 sheets		
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	250 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	100 sheets		
Maximum number of input trays	5		
Maximum input capacity	1600 sheets		
Maximum output capacity	250 sheets		
<b>Paper handling</b>			
Maximum ISO A-series paper size *	A3		
Maximum print size	308 x 465.9 mm		

Paper handling		Packaging content	
Paper tray media types *	Thick paper, Envelopes, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper	Bundled software	Windows Installer, HP PCL 6 discrete driver, Mac SW Link to Web, [Postscript emulation driver & Installer on Web], Note: No Mac SW inbox
ISO A-series sizes (A0...A9) *	A3, A4, A5	<b>Logistics data</b>	
ISO B-series sizes (B0...B9)	B4, B5, B6	Harmonized System (HS) code	84433100
JIS B-series sizes (B0...B9)	B4, B5	Pallet gross weight	105.4 g
Custom media width	76.2 - 312 mm	<b>Technical details</b>	
Custom media length	127 - 469.9 mm	EAN/UPC/GTIN and local identifier(s)	(ABT) 887111016942; (ABY) 887111016959; (ACQ) 887111016966; (B13) 888182819593; (B19) 887111016973; (BAZ) 887111016980
Paper tray media weight	60 - 199 g/m <sup>2</sup>	EAN/UPC/GTIN identifier(s)	887111016942, 887111016959, 887111016966, 888182819593, 887111016973, 887111016980
Ports & interfaces		Other features	
Standard interfaces	Ethernet, USB 2.0	Number of users	30 user(s)
Direct printing *	✓	Pallet dimensions (W x D x H)	856 x 760 x 1522 mm
USB port	✓	Printer management	HP Web Jetadmin, HP Utility (Mac)
USB 2.0 ports quantity	3	Recommended system requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 (64-bit); 200 MB available hard disk space; operating system compatible hardware system requirements, see <a href="http://www.micr">http://www.micr</a>
Optional connectivity	Wireless LAN	Acoustic power emissions (ready)	50 dB
Network		Acoustic pressure emissions bystander (ready)	36 dB
Wi-Fi *	✗	All-in-one functions	Copy, Fax, Print, Scan
Ethernet LAN *	✓	Colour all-in-one functions	✗
Cabling technology	10/100/1000Base-T(X)		
Ethernet LAN data rates	10,100,1000 Mbit/s		
Security algorithms	PEAP, SNMPv3, EAP-TLS, IPsec, WPA2-Enterprise, SSL/TLS		
Supported network protocols (IPv4)	AutoIP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print		



0887111016980



887111016980



0887111016959



887111016959



0887758596845



887758596845



0887111016935



887111016935



0887111016997



887111016997



0887111016874



887111016874



0887111016881




887111016881




0888793628690




888793628690



0888793628683



888793628683



0887758596852



887758596852



0887111016966



887111016966



0887111016942



887111016942



0887111016928



887111016928



0887111016911



887111016911



0887111016904



887111016904



0887111016898



887111016898

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.