



HP LaserJet Enterprise 500 MFP M525f Laser A4 1200 x 1200 DPI 42 ppm

Brand : HP

Product family: LaserJet

Product code: CF117A

Product name : Enterprise 500
MFP M525f




LaserJet Enterprise 500 MFP M525f

HP LaserJet Enterprise 500 MFP M525f. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying. Scanning: Mono scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Product colour: Black, Grey

Printing		Paper handling	
Print technology *	Laser	ISO A-series sizes (A0...A9) *	A4, A5, A6
Printing *	Mono printing	Non-ISO print media sizes	Executive, Oficio, Statement
Duplex printing *	✓	JIS B-series sizes (B0...B9)	B5, B6
Maximum resolution *	1200 x 1200 DPI	Envelopes sizes	9, 10, B5, C5, C6, DL
Print speed (black, normal quality, A4/US Letter) *	42 ppm	Ports & interfaces	
Time to first page (black, normal)	8.5 s	Standard interfaces	Ethernet, RJ-11, USB 2.0
Copying		USB port	✓
Copying *	Mono copying	USB 2.0 ports quantity	3
Copy speed (black, normal quality, A4)	42 cpm	RJ-11 ports quantity	1
Maximum number of copies	9999 copies	Network	
Copier resize	25 - 400%	Wi-Fi *	✗
Scanning		Ethernet LAN *	✓
Scanning *	Mono scanning	Mobile printing technologies	HP ePrint
Optical scanning resolution *	600 x 600 DPI	Performance	
Maximum scan area	Legal (216 x 356)	Maximum internal memory	1024 MB
Scan technology	CCD	Card reader integrated	✗
Scan speed (black)	42 ppm	Internal memory *	1024 MB
Image formats supported	JPG, TIF	Processor frequency	800 MHz
Fax		Design	
Faxing *	Mono faxing	Product colour *	Black, Grey
Fax resolution (black)	300 x 300 DPI	Market positioning *	Business
Fax transmission speed	6 sec/page	Built-in display *	✓
		Display	LCD


Fax		Design	
Modem speed	33.6 Kbit/s	Display diagonal	20.3 cm (8")
Auto-redialing	✓	Touchscreen	✓
Fax speed dialing (max numbers)	100	Control type	Touch
Fax forwarding	✓	Power	
Fax broadcasting	100 locations	Power consumption (average operating)	780 W
Fax delayed sending	✗	Power consumption (standby)	9.6 W
Auto reduction	✓	Power consumption (off)	0.9 W
Features		AC input voltage	100 - 240 V
Maximum duty cycle *	75000 pages per month	AC input frequency	50 - 60 Hz
Digital sender	✓	System requirements	
Number of print cartridges *	1	Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows Vista
Printing colours *	Black	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Page description languages	PCL 5c, PCL 6, PDF 1.4, PostScript 3	Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64
Input & output capacity		Sustainability	
Total number of input trays *	2	Sustainability certificates	ENERGY STAR
Total input capacity *	600 sheets	Weight & dimensions	
Total output capacity *	350 sheets	Width	516 mm
Auto document feeder (ADF)	✓	Depth	547 mm
Auto document feeder (ADF) input capacity	50 sheets	Height	576 mm
Paper handling		Weight	29.8 kg
Maximum ISO A-series paper size *	A4	Packaging data	
Maximum print size	216 x 297 mm	Package width	733 mm
Paper tray media types *	Bond paper, Card stock, Envelopes, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies	Package depth	600 mm
		Package height	613 mm
		Package weight	36 kg



0886112426163




886112426163



0886112426149



886112426149



0886112426170




886112426170



0887111095947



887111095947



0886112426200



886112426200



0886112426125



886112426125



0886112426217




886112426217



0888182820049




888182820049



0886112426156




886112426156



0886112426057




886112426057



0886112426064



886112426064



0886112426071




886112426071



0886112426088




886112426088



0886112426095




886112426095



0886112426187




886112426187



0886112426194




886112426194



0886112426101




886112426101



0886112426118



886112426118



0886112426132



886112426132

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.