



HP LaserJet Enterprise flow M525c Laser A4 1200 x 1200 DPI 40 ppm

Brand : HP

Product family: LaserJet

Product code: CF118A

Product name : Enterprise flow M525c

A4, 1200x1200 dpi, 40 ppm, 75000 pages/month, 1.5GB, 8.0" SVGA, USB 2.0, Gigabit Ethernet, HP ePrint, Apple AirPrint

HP LaserJet Enterprise flow M525c. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Black, Grey



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN *	✓
Print technology *	Laser	Mobile printing technologies	Apple AirPrint, HP ePrint
Printing *	Mono printing	Performance	
Duplex printing *	✓	Maximum internal memory	1536 MB
Maximum resolution *	1200 x 1200 DPI	Card reader integrated	✗
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Internal memory *	1536 MB
Time to first page (black, normal)	8 s	Processor frequency	800 MHz
Economical printing	✓	Design	
Copying		Product colour *	Black, Grey
Copying *	Mono copying	Market positioning *	Business
Maximum copy resolution *	600 x 600 DPI	Built-in display *	✓
Copy speed (black, normal quality, A4)	40 cpm	Display	LCD
Copy speed (colour, normal, US Letter)	42 cpm	Display diagonal	20.3 cm (8")
Maximum number of copies	9999 copies	Touchscreen	✓
Copier resize	25 - 400%	Control type	Touch
Scanning		Power	
Scanning *	Colour scanning	Power consumption (average operating)	780 W
Optical scanning resolution *	600 x 600 DPI	Power consumption (PowerSave)	30 W
Maximum scan area	216 x 356 mm	Power consumption (standby)	9.6 W
Scanner type *	Flatbed & ADF scanner	Power consumption (off)	0.9 W
Scan to	File, Image, OCR	AC input voltage	100 - 240 V
Input colour depth	24 bit	AC input frequency	50 - 60 Hz

Scanning		System requirements	
Greyscale levels	204	Windows operating systems supported	✓
Fax		Mac operating systems supported	✓
Faxing *	Mono faxing	Linux operating systems supported	✓
Fax resolution (black)	300 x 300 DPI	Server operating systems supported	Windows Server 2003, Windows Server 2008
Fax transmission speed	3 sec/page	Operational conditions	
Auto-redialing	✓	Operating relative humidity (H-H)	30 - 70%
Fax speed dialing (max numbers)	100	Operating temperature (T-T)	10 - 32 °C
Fax forwarding	✓	Sustainability	
Fax speed (A4)	3 sec/page	Sustainability certificates	ENERGY STAR
Fax broadcasting	100 locations	Weight & dimensions	
Distinctive ring	✗	Width	516 mm
Features		Depth	547 mm
Recommended duty cycle	2000 - 6000 pages per month	Height	576 mm
Maximum duty cycle *	75000 pages per month	Weight	30.5 kg
Digital sender	✓	Packaging data	
Number of print cartridges *	1	Package width	733 mm
Page description languages	PCL 5, PCL 6, PostScript 3	Package depth	600 mm
All-In-One-multitasking	✓	Package height	613 mm
Input & output capacity		Package weight	36.5 kg
Total input capacity *	500 sheets	Logistics data	
Total output capacity *	250 sheets	Pallet gross weight	241.7 kg
Multi-Purpose tray	✓	Products per pallet	6 pc(s)
Multi-Purpose tray input capacity	100 sheets	Other features	
Auto document feeder (ADF)	✓	Hardware scan resolution	600 x 600 DPI
Auto document feeder (ADF) input capacity	50 sheets	Pallet dimensions (W x D x H)	1200 x 800 x 1989 mm
Maximum output capacity	250 sheets	Print quality (black, best quality)	1200 x 1200 DPI
Paper handling		Maximum dimensions (W x D x H)	516 x 717 x 576 mm
Maximum ISO A-series paper size *	A4	Print margin bottom (A4)	5 mm
Maximum print size	216 x 297 mm	Print margin left (A4)	5 mm
Paper tray media types *	Bond paper, Card stock, Envelopes, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies	Print margin right (A4)	5 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Print margin top (A4)	5 mm
ISO B-series sizes (B0...B9)	B5, B6	Standard output capacity for transparencies	75 sheets
ISO C-series sizes (C0...C9)	C5, C6	Print technology resolution	600 x 600 DPI
JIS B-series sizes (B0...B9)	B5, B6	Scan file formats	XPS, TIFF
Envelopes sizes	B5, C5, C6, DL	Connection to PC	✓
Media weight (tray 1)	52 - 199 g/m ²	Maximum scan area (ADF)	216 x 356 mm
Ports & interfaces		Minimum scan area (ADF)	68 x 148 mm
Standard interfaces	Ethernet, USB 2.0	Colour scanning	✓
Direct printing *	✓	Package dimensions (WxDxH)	733 x 600 x 613 mm
USB port	✓	Network	
Optional connectivity	Wireless LAN	Wi-Fi *	
Network		✗	



0886112822149




886112822149




0886112822163



886112822163



0886112822118



886112822118



0886112822088



886112822088



0886112822156



886112822156



0886112822101



886112822101



0886112822064




886112822064




0888182820056




888182820056



0886112822002




886112822002



0886112822019



886112822019



0886112822026



886112822026



0886112822033



886112822033



0886112822040




886112822040



0886112822057



886112822057



0886112822071



886112822071



0886112822095



886112822095



0886112822125



886112822125



0886112822132



886112822132

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.