



HP LaserJet M251nw Colour 600 x 600 DPI A4 Wi-Fi

Brand : HP


Product family: LaserJet

Product code: CF147A

Product name : M251nw

Laser, Colour, 600 x 600 dpi, 750 MHz, 128 MB, PCL 6/PCL 5c/postscript 3, 3.5" touchscreen, Wi-Fi, Ethernet, USB 2.0, Black

HP LaserJet M251nw. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 30000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 14 ppm. Display: LCD. Network ready, Wi-Fi. Product colour: Black



Printing		Design	
Print speed (colour, normal quality, A4/US Letter)	14 ppm	Product colour *	Black
Colour *	✓	Display	LCD
Print technology *	Laser	Power	
Duplex printing *	✗	Power consumption (printing) *	315 W
Maximum resolution *	600 x 600 DPI	Power consumption (off)	0.2 W
Print speed (black, normal quality, A4/US Letter) *	14 ppm	System requirements	
Time to first page (black, normal)	18.5 s	Mac operating systems supported	Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Time to first page (colour, normal)	19 s	Linux operating systems supported	Fedora 11, Fedora 12, Fedora 9, SuSE Linux 10.3, SuSE Linux 11, Ubuntu 8.04, Ubuntu 8.10, Ubuntu 9.04, Ubuntu 9.10
Features		Minimum processor	233 MHz
Maximum duty cycle *	30000 pages per month	Minimum RAM	512 MB
Recommended duty cycle	250 - 1500 pages per month	Minimum storage drive space	200 MB
Printing colours *	Black, Cyan, Magenta, Yellow	Operational conditions	
Number of print cartridges *	4	Operating temperature (T-T)	15 - 32.5 °C
Page description languages *	PCL 5c, PCL 6, PostScript 3	Operating relative humidity (H-H)	20 - 70%
Input & output capacity		Storage relative humidity (H-H)	10 - 95%
Total input capacity *	150 sheets	Sustainability	
Total output capacity *	125 sheets	Sustainability certificates	ENERGY STAR
Maximum input capacity	150 sheets	Weight & dimensions	
Maximum output capacity	125 sheets	Maximum dimensions (W x D x H)	405 x 512 x 354 mm
Paper handling		Pallet dimensions (W x D x H)	1200 x 1000 x 2340 mm
Maximum ISO A-series paper size *	A4	Weight	18.8 kg
Maximum print size	216 x 356 mm	Dimensions (WxDxH)	405 x 453 x 265 mm
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Photo paper, Plain paper, Recycled paper	Packaging data	
Multi-purpose tray media types	Heavyweight paper, Letterhead, Preprinted forms	Package weight	22.8 kg
ISO A-series sizes (A0...A9) *	A4, A5, A6		
Non-ISO print media sizes	Letter		


Paper handling		Logistics data	
JIS B-series sizes (B0...B9)	B5	Pallet gross weight	660.3 kg
Custom media width	76 - 216 mm	Products per pallet	28 pc(s)
Custom media length	127 - 356 mm	Other features	
Paper tray media weight	63 - 163 g/m ²	Print quality (black, normal quality)	600 DPI
Ports & interfaces		Input capacity for envelopes (primary tray)	10 sheets
Standard interfaces	USB 2.0	Print margin bottom (A4)	4.3 mm
USB 2.0 ports quantity	2	Print margin left (A4)	4.3 mm
Network		Print margin right (A4)	4.3 mm
Network ready	✓	Print margin top (A4)	4.3 mm
Wi-Fi *	✓	Print quality (colour, best quality)	600 DPI
Ethernet LAN *	✓	Print quality (black, best quality)	600 x 600 DPI
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Standard output capacity for transparencies	50 sheets
Security algorithms	802.1x RADIUS, SSL/TLS, WPA	Supported network protocols	TCP/IP, IPv4, IPv6, Bonjour
Management protocols	SNMPv1/v2/v3, HTTP/HTTPS, Telnet	Package dimensions (WxDxH)	500 x 333 x 550 mm
Performance			
Internal memory *	128 MB		
Maximum internal memory	128 MB		
Processor frequency	750 MHz		



0886112446505




886112446505



0886112446529




886112446529



0886112446512




886112446512



0886112446482




886112446482



0886112446543



886112446543




0886112446468




886112446468



0889899388983




889899388983



0886112446444



886112446444



0886112446499



886112446499



0886112446451



886112446451



0886112466558




886112466558



0886112446406




886112446406



0886112446413




886112446413



0886112446420



886112446420



0886112446437



886112446437



0886112446475



886112446475



0886112446536



886112446536

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.