



HP LaserJet Enterprise 700 Printer M712xh, Black and white, Printer for Business, Print, Front-facing USB printing; Two-sided printing

Brand : HP

Product family: LaserJet Enterprise

Product code: CF238A

Product name : HP LaserJet Enterprise 700 Printer M712xh, Black and white, Printer for Business, Print, Front-facing USB printing; Two-sided printing

- Front-facing USB printing; Two-sided printing
 - Print
 - Up to 41 ppm (black)
 - Up to 1200 x 1200 dpi
- LaserJet Enterprise 700 Printer M712xh

HP LaserJet Enterprise 700 Printer M712xh, Black and white, Printer for Business, Print, Front-facing USB printing; Two-sided printing:

Print black-and-white, two-sided jobs at high speeds with an A3 printer that holds up to 1,100 sheets. Control costs with energy-saving features. Enable high-volume, black-and-white printing on paper sizes up to A3, with capacity up to 4,600 sheets^[1]. Control costs with energy-saving features and two-sided printing. Protect sensitive business data and centrally manage printing policies.

HP LaserJet Enterprise 700 Printer M712xh, Black and white, Printer for Business, Print, Front-facing USB printing; Two-sided printing. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 100000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 41 ppm, Duplex printing. Display: LCD. Network ready



| Printing | | Design | |
|---|-------------------------------------|------------------------|---|
| Duplex printing mode | Auto | Certification | CISPR 22:2008 / EN 55022:2010 (Class A); EN 61000-3-2 :2006 +A1:2009 +A2:2009; EN 61000-3-3 :2008;EN 55024:1998 +A1 +A2; FCC Title 47 CFR, Part 15 Class A(USA); ICES-003, Issue 4 (Canada); EMC Directive 2004/108/EC with CE Marking (Europe); other EMC approvals as required by individual countries |
| Print resolution black | 1200 x 1200 DPI | | |
| Colour * | ✗ | | |
| Print technology * | Laser | | |
| Duplex printing * | ✓ | | |
| Maximum resolution * | 1200 x 1200 DPI | | |
| Print speed (black, normal quality, A4/US Letter) * | 41 ppm | | |
| Print speed (black, normal quality, A3) | 20 ppm | | |
| Time to first page (black, normal) | 10.5 s | Power | Power consumption (printing) * 786 W Power consumption (ready) 22.1 W Power consumption (standby) 22.1 W Power consumption (off) 0.21 W Energy Star Typical Electricity Consumption (TEC) 2.718 kWh/week AC input voltage 110 - 240 V AC input frequency 50/60 Hz |
| Secure printing | ✓ | | |
| Features | | | |
| Maximum duty cycle * | 100000 pages per month | | |
| Recommended duty cycle | 5000 - 20000 pages per month | System requirements | Windows operating systems supported Windows 7, Windows Vista, Windows 10, Windows 8, Windows XP Mac operating systems supported Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion Server operating systems supported Windows Server 2003, Windows Server 2008 Other operating systems supported Linux, Novell |
| Printing colours * | Black | | |
| Number of print cartridges * | 1 | | |
| Page description languages * | PCL 5, PCL 6, PDF 1.4, PostScript 3 | | |
| Country of origin | China | Operational conditions | Operating temperature (T-T) 10 - 32.5 °C Operating relative humidity (H-H) 20 - 80% |
| HP segment | Business | | |
| Input & output capacity | | | |
| Total number of input trays * | 4 | | |
| Total input capacity * | 1100 sheets | | |
| Total output capacity * | 250 sheets | | |
| Paper tray 1 input capacity | 100 sheets | | |
| Paper tray 2 input capacity | 250 sheets | | |
| Multi-Purpose tray | ✓ | | |
| Multi-Purpose tray input capacity | 100 sheets | | |

| | | | |
|------------------------------------|--|---|--|
| Input & output capacity | | Operational conditions | |
| Maximum number of input trays | 6 | Storage relative humidity (H-H) | 10 - 90% |
| Maximum input capacity | 4600 sheets | Sustainability | |
| Maximum output capacity | 250 sheets | Sustainability compliance | ✓ |
| Paper handling | | Sustainability certificates | Blue Angel, Taiwan Green Mark |
| Maximum ISO A-series paper size * | A3 | Weight & dimensions | |
| Maximum print size | 297 x 420 mm | Maximum dimensions (W x D x H) | 858 x 989 x 517 mm |
| Paper tray media types * | Thick paper, Envelopes, Rough paper, Letterhead, Bond paper, Plain paper, Card stock, Transparencies, Labels, Recycled paper | Width | 568 mm |
| | ISO A-series sizes (A0...A9) * | A3, A4, A5 | Depth |
| JIS B-series sizes (B0...B9) | B4, B5 | Height | 517 mm |
| Custom media width | 76.2 - 312 mm | Pallet dimensions (W x D x H) | 825 x 800 x 1998 mm |
| Custom media length | 127 - 469.9 mm | Weight | 49.8 kg |
| Paper tray media weight | 60 - 199 g/m ² | Packaging data | |
| Ports & interfaces | | Package width | 825 mm |
| Standard interfaces | Ethernet, USB 2.0 | Package depth | 800 mm |
| USB port * | ✓ | Package height | 1074 mm |
| USB 2.0 ports quantity | 4 | Package weight | 83.2 kg |
| Network | | Packaging content | |
| Network ready | ✓ | Cables included | AC |
| Wi-Fi * | ✗ | Bundled software | Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver |
| Ethernet LAN * | ✓ | Brand-specific features | |
| Cabling technology | 10/100/1000Base-T(X) | HP Auto-On/Auto-Off | ✓ |
| Ethernet LAN data rates | 10,100,1000 Mbit/s | Logistics data | |
| Security algorithms | PEAP, SNMPv3, EAP-TLS, IPsec, WPA2-Enterprise, SSL/TLS | Pallet gross weight | 125.4 kg |
| Mobile printing technologies | Apple AirPrint, HP ePrint, Mopria Print Service | Products per pallet | 2 pc(s) |
| Performance | | Technical details | |
| Internal memory * | 512 MB | Master (outer) cases per pallet layer | 1 pc(s) |
| Maximum internal memory | 1024 MB | | (ABT) 886112999797; (ABY) 886112999803; (ACQ) 886112999810; (B13) 888182819883; (B19) 886112999827; (BAZ) 886112999834 |
| Internal storage capacity | 500 GB | EAN/UPC/GTIN and local identifier(s) | 886112999797, 886112999803, 886112999810, 888182819883, 886112999827, 886112999834 |
| Storage media | HDD | EAN/UPC/GTIN identifier(s) | |
| Built-in processor | ✓ | Other features | |
| Processor frequency | 800 MHz | Recommended system requirements | Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.micr |
| Sound pressure level (printing) | 54 dB | Recommended humidity operating range | 30 - 70% |
| Sound power level (printing) | 6.8 dB | Print margin bottom (A4) | 2 mm |
| Design | | Print margin left (A4) | 2 mm |
| Market positioning * | Business | Print margin right (A4) | 2 mm |
| Built-in display * | ✓ | Print margin top (A4) | 2 mm |
| Display | LCD | Print quality (black, best quality) | 1200 x 1200 DPI |
| Colour display | ✓ | Standard output capacity for transparencies | 250 sheets |
| Display diagonal | 5.08 cm (2") | Package dimensions (WxDxH) | 825 x 800 x 1074 mm |
| Control type | Buttons | | |



0886112999728




886112999728




0886112999803




886112999803



0886112999834



886112999834



0886112999780




886112999780



0886112999841




886112999841



0886112999735




886112999735



0886112999742




886112999742



0886112999759



886112999759



0886112999766




886112999766



0886112999773



886112999773



0886112999797



886112999797



0886112999810



886112999810

Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is non-exclusive and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linked to this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.