



# HP Color LaserJet Pro M452nw Colour 600 x 600 DPI A4 Wi-Fi

Brand : HP

Product family: Color LaserJet Pro Product code: CF388A

Product name : M452nw

- Print

- Up to 20 ppm (black) and 20 ppm (colour)  
- 600 x 600 dpi, up to 38400 x 600 enhanced dpi

Color LaserJet Pro M452nw

HP Color LaserJet Pro M452nw. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 50000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 27 ppm. Display: LCD. Network ready, Wi-Fi. Product colour: White



Printing		Design	
Duplex printing mode	Manual	Market positioning *	Business
Print speed (colour, normal quality, A4/US Letter)	27 ppm	Product colour *	White
Colour *	✓	Built-in display *	✓
Print technology *	Laser	Display	LCD
Duplex printing *	✗	Display number of lines	2 lines
Maximum resolution *	600 x 600 DPI	Power	
Print speed (black, normal quality, A4/US Letter) *	27 ppm	Power consumption (printing) *	570 W
Time to first page (black, normal)	9 s	Power consumption (standby)	17.6 W
Time to first page (colour, normal)	9.9 s	Power consumption (off)	0.06 W
Features		AC input voltage	110 - 240 V
Maximum duty cycle *	50000 pages per month	AC input frequency	50 - 60 Hz
Recommended duty cycle	750 - 4000 pages per month	System requirements	
Printing colours *	Black, Cyan, Yellow, Magenta	Windows operating systems supported	✓
Number of print cartridges *	4	Mac operating systems supported	✓
Page description languages *	PCL 5c, URF, PCL 6, PostScript 3	Linux operating systems supported	✓
HP segment	Small medium business	Operational conditions	
Input & output capacity		Operating temperature (T-T)	15 - 30 °C
Total number of input trays *	2	Storage temperature (T-T)	-20 - 40 °C
Total input capacity *	300 sheets	Operating relative humidity (H-H)	10 - 80%
Total output capacity *	150 sheets	Storage relative humidity (H-H)	10 - 95%
Paper tray 2 input capacity	250 sheets	Sustainability	
Paper input type	Paper tray	Sustainability certificates	Blue Angel, ENERGY STAR
Maximum number of input trays	3	Sustainable technologies and materials	Mercury free
Maximum input capacity	850 sheets	Weight & dimensions	
Maximum output capacity	150 sheets	Width	412 mm
Paper handling		Depth	453 mm
Maximum ISO A-series paper size *	A4	Height	295 mm
Paper tray media types *	Envelopes, Glossy paper, Bond paper, Photo paper, Card stock, Plain paper, Pre-printed, Labels, Recycled paper	Weight	17.5 kg
ISO A-series sizes (A0...A9) *	A5, A6, A4	Packaging data	
		Package width	497 mm

<b>Paper handling</b>		<b>Packaging data</b>	
Non-ISO print media sizes	Executive, Legal, Letter, Oficio	Package depth	379 mm
JIS B-series sizes (B0...B9)	B6, B5	Package height	583 mm
<b>Ports &amp; interfaces</b>		Package weight	20.7 kg
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	<b>Packaging content</b>	
<b>Network</b>		Cartridge(s) included	✓
Network ready	✓	Included black & color (CMYK) cartridges capacity	1200 pages
Wi-Fi *	✓	Drivers included	✓
Ethernet LAN *	✓	Quick start guide	✓
Wi-Fi standards	802.11g, 802.11b, Wi-Fi 4 (802.11n)	Documentation CD	✓
Mobile printing technologies	Apple AirPrint, Google Cloud Print, HP ePrint, Mopria Print Service	Cables included	AC
<b>Performance</b>		<b>Brand-specific features</b>	
Internal memory *	128 MB	HP ePrint	✓
Maximum internal memory	128 MB	HP Web Jetadmin	✓
Built-in processor	✓	HP Auto-On/Auto-Off	✓
Processor frequency	1200 MHz	HP Management tools	HP Proxy Agent Software; HP Imaging and Printing Security Center; HP Utility (Mac); HP Device Toolbox (Win 7)
Sound pressure level (printing)	49 dB	HP Software provided	HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), HP Device Toolbox, HP Product Improvement Study
Sound power level (standby)	4.8 dB	<b>Logistics data</b>	
		Harmonized System (HS) code	84433210



0888793382974




888793382974




0888793382998



888793382998



0888793383001



888793383001



0888793382943



888793382943



0888793382912



888793382912



0888793382967



888793382967



0888793382950



888793382950



0888793382936



888793382936



0888793382929




888793382929



0889899387986



889899387986



6953041195607

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.