SAMSUNG

Samsung CLX-3160FN multifunction printer Laser A4 600 x 2400 DPI 16 ppm

Brand : Samsung

Product code: CLX-3160FN

Product name : CLX-3160FN

CLX-3160FN - 600 x 2400 dpi, 16 A4 ppm, fax, 64MB, LCD, USB 2.0, Ethernet

Samsung CLX-3160FN. Print technology: Laser, Printing: Colour printing, Maximum resolution: 600 x 2400 DPI, Print speed (colour, normal quality, A4/US Letter): 4 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning. Faxing: Mono faxing. Maximum ISO A-series paper size: A4. Direct printing







Printing		Ports & interfaces	
Print technology *	Laser	Standard interfaces	Ethernet, USB 2.0
Printing *	Colour printing	Direct printing *	4
Maximum resolution * Print speed (black, normal quality,	600 x 2400 DPI	USB port	1
A4/US Letter) *	16 ppm	Network	
Print speed (colour, normal quality, A4/US Letter)	4 ppm	Wi-Fi * Ethernet LAN *	×
Time to first page (black, normal)	14 s	Performance	
Time to first page (colour, normal)	26 s	Internal memory *	64 MB
Copying		Sound pressure level (printing)	35 dB
Copying *	Colour copying	Mac compatibility	✓
Maximum copy resolution *	600 x 600 DPI	Design	
Copy speed (black, normal quality, A4)	16 cpm	Market positioning *	Home & office
Copy speed (colour, normal quality,	4	Built-in display *	✓
A4)	4 cpm	Display	LCD
Copier resize	25 - 400%	Power	
Copy resolution (colour text and graphics)	1200 DPI	Power consumption (average operating)	400 W
Scanning		Power consumption (PowerSave)	30 W
Scanning *	Colour scanning	Operational conditions	
Maximum scan resolution	4800 x 4800 DPI	Operating relative humidity (H-H)	20 - 80%
Scanner type * Scan to	Flatbed scanner E-mail. USB	Operating temperature (T-T)	10 - 32 °C
Fax		Sustainability	
Faxing *	Mono faving	Sustainability certificates	ENERGY STAR
Modem speed	Mono faxing 33.6 Kbit/s	Weight & dimensions	
Fax memory	4 MB	Weight	20.5 kg
Fax speed (A4)	3 sec/page	Packaging data	
Features		Package weight	26 kg
Digital sender Number of print cartridges *	× 4	Other features	-
		Networking features	10/100Base-TX Ethernet
			TO TOODOSE IN ELIIEITIEL

Input & output capacity		Other features	
Total input capacity *	150 sheets	Dimensions (WxDxH)	466 x 429 x 486 mm
Total output capacity *	100 sheets	Custom media sizes	(76 x 127mm) - (216 x 356mm)
Auto document feeder (ADF)	✓	Network ready	✓
Auto document feeder (ADF) input	50 sheets	Power requirements	220/240V; 50/60Hz
capacity Paper handling		Media types supported	Plain paper, Transparencies, Envelopes, Labels, Card stock
Maximum ISO A-series paper size * Maximum print size	A4 210 x 297 mm	Compatible operating systems	Windows 98/Me/2000/XP Linux OS (Red Hat 8.0-9.0, Fedora Core 1-4, Mandrake 9.2-10.1, SuSE 8.2-9.2) Mac OS X 10.3-10.4
		PictBridge	✓
		Emulations	SPL-C
		All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Copy, Print, Scan
		Package dimensions (WxDxH)	610 x 570 x 638 mm













Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.