

Samsung CLX-3185 multifunction printer Laser A4 2400 x 600 DPI 16 ppm

Brand : Samsung

Product code: CLX-3185

Product name : CLX-3185

CLX-3185, Print, Copy, Scan, Color, Laser, A4, 16 ppm, 2400 x 600 dpi, SPL-C, LCD, 128MB, 50 dB, 14240 g, Black

Samsung CLX-3185. Print technology: Laser, Printing: Colour printing, Maximum resolution: 2400 x 600 DPI, Print speed (colour, normal quality, A4/US Letter): 4 ppm. Copying: Colour copying, Maximum copy resolution: 1200 x 1200 DPI. Scanning: Colour scanning, Optical scanning resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4



Printing		Paper handling	
Duplex printing mode	Manual	Paper tray media weight	60 - 105 g/m ²
Print technology *	Laser	Ports & interfaces	
Printing *	Colour printing	Standard interfaces	USB 2.0
Duplex printing *	✗	Direct printing *	✗
Maximum resolution *	2400 x 600 DPI	USB port	✓
Print speed (black, normal quality, A4/US Letter) *	16 ppm	USB 2.0 ports quantity	1
Print speed (colour, normal quality, A4/US Letter)	4 ppm	Network	
Time to first page (black, normal)	14 s	Wi-Fi *	✗
Time to first page (colour, normal)	26 s	Ethernet LAN *	✗
Economical printing	✓	Performance	
Copying		Card reader integrated	✗
Duplex copying *	✗	Internal memory *	128 MB
Copying *	Colour copying	Processor frequency	360 MHz
Maximum copy resolution *	1200 x 1200 DPI	Sound pressure level (printing)	47 dB
Copy speed (black, normal quality, A4)	12 cpm	Sound pressure level (copying)	50 dB
Copy speed (colour, normal quality, A4)	4 cpm	Mac compatibility	✓
Time to first copy (black, normal)	18 s	Design	
Time to first copy (colour, normal)	45 s	Market positioning *	Business
Maximum number of copies	99 copies	Built-in display *	✓
Copier resize	25 - 400%	Display	LCD
PC free copying	✓	Display number of lines	2 lines
Scanning		Power	
Duplex scanning *	✗	Power consumption (average operating)	350 W
Scanning *	Colour scanning	Power consumption (PowerSave)	8 W
Optical scanning resolution *	1200 x 1200 DPI	Power consumption (standby)	60 W
Maximum scan resolution	4800 x 4800 DPI	Power consumption (off)	0.45 W
Scanner type *	Flatbed scanner	AC input voltage	220 - 240 V
Scan technology	CIS	AC input frequency	50 - 60 Hz
Scan to	Image		

Scanning		System requirements	
Greyscale levels	256	Windows operating systems supported	✓
Scan drivers	TWAIN, WIA	Mac operating systems supported	✓
Fax		Linux operating systems supported	✓
Duplex faxing	✗	Weight & dimensions	
Faxing *	✗	Weight	14.2 kg
Features		Packaging data	
Maximum duty cycle *	20000 pages per month	Package weight	17.3 kg
Digital sender	✗	Packaging content	
Page description languages	SPL-C	Drivers included	✓
All-In-One-multitasking	✓	Other features	
Input & output capacity		Dimensions (WxDxH)	462 x 489 x 530 mm
Total input capacity *	130 sheets	Number of power supply units	1
Total output capacity *	80 sheets	Power supply type	AC/DC
Paper handling		Compatible operating systems	Windows 2000/XP/2003/Vista/2008 Windows 7/2008 R2 (64bit) Linux OS including Fedora 2 ~ 10, OpenSuSE 9.1 ~ 9.3 10.0 ~ 10.3, 11.0, 11.1, Debian 6.0, 6.10, 7.04, 7.10, 8.04, 8.10, Mandriva 10.0, 10.1, 2005 ~ 2008, Debian 3.1, 4.0, 5.0, RedHat Enterprise Desktop 9.10 (32/64bit), SuSE Linux 9.1 (32bit), Mandrake 10.0, 10.1 (32/64bit) Mac OS X 10.3 ~ 10.6
Maximum ISO A-series paper size *	A4	All-in-one functions	Copy, Print, Scan
Maximum print size	216 x 356 mm	Colour all-in-one functions	Copy, Print, Scan
Paper tray media types *	Envelopes, Glossy paper, Labels, Plain paper, Transparencies	Colour scanning	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Legal	✓
ISO B-series sizes (B0...B9)	B5	Other network protocols supported	TCP/IP, LRP, IPP, HTTP, SNMP, SLP, WINS, DDNS, Bonjour, NetBIOS
Non-ISO print media sizes	Executive, Folio, Legal, Letter		
JIS B-series sizes (B0...B9)	B5		
Custom media width	216 - 356 mm		
Custom media length	76 - 152 mm		



8808993621927



8808993628599



4260132641335



4260132641410



8806071588629



3610170548812



0635753716641



635753716641

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.