

Intel Core i3-8300 processor 3.7 GHz 8 MB Smart Cache

Brand : Intel


Product family: Core

Product code:
CM8068403377111

Product name : i3-8300

Intel® Core™ i3-8300 Processor
(8M Cache, 3.70 GHz)

Intel Core i3-8300. Processor family: Intel® Core™ i3, Processor socket: LGA 1151 (Socket H4), Processor lithography: 14 nm. Memory channels: Dual-channel, Maximum internal memory supported by processor: 64 GB, Memory types supported by processor: DDR4-SDRAM. On-board graphics card model: Intel® UHD Graphics 630, Maximum on-board graphics card memory: 64 GB, On-board graphics card outputs supported: DisplayPort, Embedded DisplayPort (eDP), HDMI. Market segment: Desktop, PCI Express configurations: 1x16, 2x8, 1x8+2x4, Supported instruction sets: SSE4.1, SSE4.2, AVX 2.0. Package type: Retail box



| Processor | | Features | |
|--|-------------------------|---|---------|
| Processor manufacturer * | Intel | Commodity Classification | G077159 |
| Processor generation | 8th gen Intel® Core™ i3 | Automated Tracking System (CCATS) | |
| Processor model * | i3-8300 | Processor special features | |
| Processor base frequency * | 3.7 GHz | Intel® Hyper Threading Technology (Intel® HT Technology) | ✗ |
| Processor family * | Intel® Core™ i3 | Intel® Identity Protection Technology (Intel® IPT) | ✓ |
| Processor cores * | 4 | Intel® Turbo Boost Technology | ✗ |
| Processor socket * | LGA 1151 (Socket H4) | Intel® Quick Sync Video Technology | ✓ |
| Component for | PC | Intel® InTru™ 3D Technology | ✓ |
| Processor lithography * | 14 nm | Intel® Clear Video HD Technology (Intel® CVT HD) | ✓ |
| Processor threads | 4 | Intel® AES New Instructions (Intel® AES-NI) | ✓ |
| System bus rate | 8 GT/s | Enhanced Intel SpeedStep Technology | ✓ |
| Processor operating modes * | 64-bit | Intel Trusted Execution Technology | ✗ |
| Processor cache | 8 MB | Intel® Memory Protection Extensions (Intel® MPX) | ✓ |
| Processor cache type | Smart Cache | Intel® Transactional Synchronization Extensions | ✗ |
| Thermal Design Power (TDP) | 62 W | Intel Enhanced Halt State | ✓ |
| Box * | ✗ | Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID) | ✓ |
| Cooler included * | ✗ | Intel VT-x with Extended Page Tables (EPT) | ✓ |
| Generation | 8th Generation | Intel® Secure Key | ✓ |
| Bus type | DMI3 | Intel TSX-NI | ✗ |
| Memory bandwidth supported by processor (max) | 37.5 GB/s | Intel Stable Image Platform Program (SIPP) | ✗ |
| Processor codename | Coffee Lake | | |
| Processor ARK ID | 129942 | | |
| Memory | | | |
| Maximum internal memory supported by processor | 64 GB | | |
| Memory types supported by processor | DDR4-SDRAM | | |
| Memory clock speeds supported by processor | 2400 MHz | | |

| Memory | | Processor special features | |
|---|---|---|---|
| Memory channels * | Dual-channel | Intel® OS Guard | ✓ |
| ECC | ✓ | Intel Clear Video Technology | ✓ |
| Graphics | | Intel Software Guard Extensions (Intel SGX) | ✓ |
| On-board graphics card * | ✓ | Intel 64 | ✓ |
| Discrete graphics card * | ✗ | Intel Identity Protection Technology version | 1.00 |
| On-board graphics card model * | Intel® UHD Graphics 630 | Intel Secure Key Technology version | 1.00 |
| Maximum on-board graphics card memory | 64 GB | Intel Stable Image Platform Program (SIPP) version | 0.00 |
| On-board graphics card outputs supported | DisplayPort, Embedded DisplayPort (eDP), HDMI | Intel Virtualization Technology (VT-x) | ✓ |
| On-board graphics card base frequency | 350 MHz | Intel Virtualization Technology for Directed I/O (VT-d) | ✓ |
| On-board graphics card dynamic frequency (max) | 1150 MHz | Intel TSX-NI version | 0.00 |
| Number of displays supported (on-board graphics) | 3 | Intel® Optane™ Memory Ready | ✓ |
| On-board graphics card 4K support | ✓ | Intel® Boot Guard | ✓ |
| On-board graphics card DirectX version | 12.0 | Intel® vPro™ Platform Eligibility | ✗ |
| On-board graphics card OpenGL version | 4.5 | Operational conditions | |
| On-board graphics card maximum resolution (DisplayPort) | 4096 x 2304 pixels | Tjunction | 100 °C |
| On-board graphics card maximum resolution (eDP - Integrated Flat Panel) | 4096 x 2304 pixels | Technical details | |
| On-board graphics card maximum resolution (HDMI) | 4096 x 2304 pixels | Bus bandwidth | 8 |
| On-board graphics card refresh rate at maximum resolution (DisplayPort) | 60 Hz | Bus type units | GT/s |
| On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel) | 60 Hz | Launch date | Q2'18 |
| On-board graphics card refresh rate at maximum resolution (HDMI) | 24 Hz | Maximum resolution & refresh rate (DisplayPort) | 4096x2304@60Hz |
| On-board graphics card ID | 0x3E91 | Maximum resolution & refresh rate (HDMI) | 4096x2304@24Hz |
| Discrete graphics card model * | Not available | Maximum resolution & refresh rate (Integrated Flat Panel) | 4096x2304@60Hz |
| Features | | Processor cache | 8192 KB |
| Execute Disable Bit | ✓ | Product type | Processor |
| Idle States | ✓ | Status | Discontinued |
| Thermal Monitoring Technologies | ✓ | Maximum memory | 64 GB |
| Market segment | Desktop | Processor brand name | 8th Gen Intel Core i3 8th Gen Intel Core i3 Processor |
| Maximum number of PCI Express lanes | 16 | Supported memory types | DDR4-SDRAM |
| PCI Express slots version | 3.0 | Last change | 63903513 |
| PCI Express configurations | 1x16, 2x8, 1x8+2x4 | Product family | Intel Core Processors |
| Supported instruction sets | SSE4.1, SSE4.2, AVX 2.0 | Bus speed | 8 GT/s |
| Scalability | 1S | Maximum graphics card memory | 64 GB |
| CPU configuration (max) | 1 | Processor ID | 0x3E91 |
| Embedded options available | ✗ | Logistics data | |
| Thermal solution specification | PCG 2015C | Harmonized System (HS) code | 8542310001 |
| PCI Express CEM revision | 3.0 | Packaging data | |
| Export Control Classification Number (ECCN) | 5A992C | Package type | Retail box |
| | | Weight & dimensions | |
| | | Processor package size | 37.5 x 37.5 mm |
| | | Other features | |
| | | Maximum internal memory | 64 GB |
| | | Maximum internal memory | 65536 MB |



8592978094928

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.