



HP OfficeJet L511a Inkjet A4 4800 x 1200 DPI 5 ppm

Brand : HP

Product family: OfficeJet

Product code: CN550A

Product name : Officejet 150
Mobile All-in-One Printer - L511a



A4, 4800x1200 dpi/colour, 500 pages/monthly, 2.36" CGD, USB 2.0, SD, PictBridge, Bluetooth 2.0+EDR, 65W

HP OfficeJet L511a. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 4800 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 3.5 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Product colour: Black, Silver



Printing		Ports & interfaces	
Duplex printing mode	Manual	USB 2.0 ports quantity	1
Print technology *	Inkjet	Network	
Printing *	Colour printing	Wi-Fi *	✗
Duplex printing *	✓	Ethernet LAN *	✗
Maximum resolution *	4800 x 1200 DPI	Bluetooth	✓
Print speed (black, normal quality, A4/US Letter) *	5 ppm	Performance	
Print speed (colour, normal quality, A4/US Letter)	3.5 ppm	Maximum internal memory	64 MB
Print speed (black, draft quality, A4/US Letter)	22 ppm	Card reader integrated	✓
Copying		Internal memory *	64 MB
Copying *	Colour copying	Compatible memory cards	SD, SDHC, SDXC
Maximum copy resolution *	600 x 600 DPI	Processor frequency	220 MHz
Copy speed (black, normal quality, A4)	4 cpm	Design	
Copy speed (colour, normal quality, A4)	2 cpm	Product colour *	Black, Silver
Maximum number of copies	99 copies	Market positioning *	Home & office
Copier resize	25 - 400%	Built-in display *	✓
Scanning		Display diagonal	5.99 cm (2.36")
Scanning *	Colour scanning	Colour display	✓
Optical scanning resolution *	600 x 600 DPI	Power	
Maximum scan resolution	19200 x 19200 DPI	Power consumption (average operating)	65 W
Maximum scan area	A4 (210 x 297)	Power consumption (PowerSave)	22 W
Scanner type *	ADF scanner	Power consumption (standby)	6.4 W
Scan technology	CIS	Power consumption (off)	0.4 W
Scan speed (colour)	0.9 ppm	AC input voltage	100 - 240 V
Scan speed (black)	1.7 ppm	AC input frequency	50 - 60 Hz
Input colour depth	24 bit	System requirements	
Greyscale levels	256	Windows operating systems supported	✓
Fax		Mac operating systems supported	✓
Faxing *	✗	Linux operating systems supported	✓
Features		Operational conditions	
Maximum duty cycle *	500 pages per month	Operating relative humidity (H-H)	15 - 90%
		Operating temperature (T-T)	5 - 40 °C

Features		Operational conditions	
Digital sender	✘	Storage relative humidity (H-H)	20 - 90%
Number of print cartridges *	2	Sustainability	
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainability certificates	ENERGY STAR
Page description languages	PCL 3	Weight & dimensions	
All-In-One-multitasking	✓	Width	350 mm
Input & output capacity		Depth	171 mm
Total input capacity *	50 sheets	Height	90 mm
Paper handling		Weight	2.9 kg
Maximum ISO A-series paper size *	A4	Packaging data	
Maximum print size	216 x 297 mm	Package width	424 mm
Paper tray media types *	Coated paper, Envelopes, Labels, Photo paper, Plain paper	Package depth	221 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package height	255 mm
ISO C-series sizes (C0...C9)	C5, C6	Package weight	4.4 kg
Envelopes sizes	C5, C6, DL	Other features	
Photo paper sizes	10x15,13x18 cm	Hardware scan resolution	600 x 600 DPI
Ports & interfaces		PictBridge	✓
Standard interfaces	Bluetooth, USB 2.0	Maximum scan area (ADF)	216 x 356 mm
USB port	✓		



0885631849064




885631849064



0885631426623




885631426623



0885631426586



885631426586



0885631426593



885631426593



0885631849071



885631849071



0885631426616



885631426616



0885631426722



885631426722




0885631849057



885631849057



0889899386255



889899386255



0889894400239



889894400239



0885631426609



885631426609



0885631426630




885631426630



0885631426647




885631426647



0885631426654




885631426654



0885631426661



885631426661



0885631426678



885631426678



0885631426685



885631426685



0885631426692




885631426692



0885631426708




885631426708



0885631426715




885631426715



0885631426739



885631426739



0885631426746



885631426746



0885631426753



885631426753



0885631426760




885631426760



0885631426777



885631426777



0885631426784



885631426784

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.