



## HP OfficeJet E710a Inkjet A4 4800 x 1200 DPI 32 ppm

Brand : HP

Product family: Officejet

Product code: CN555A

Product name : E710a

Officejet 6500A e-All-in-One Printer, Inkjet, 32ppm, A4, 192MHz, 64MB, 2.36" LCD

HP OfficeJet E710a Inkjet A4 4800 x 1200 DPI 32 ppm:

**Professional colour for up to 50% less cpp and energy use than lasers, Ethernet networking, HP ePrint, 35-page one-sided ADF, 6.1 cm HP TouchSmart screen, 250-sheet paper tray, digital solutions including scan-to-PC or e-mail, four individual HP Officejet inks, optional XL cartridges, ENERGY STAR® qualified**

Produce professional-quality colour documents with the lowest cost per page compared with in-class inkjet all-in-ones with this network-ready HP e-All-in-One.<sup>[1]</sup> Fax, copy and scan too, and print from mobile devices with HP ePrint.<sup>[2]</sup>



Printing		Ports & interfaces	
Print technology *	Inkjet	Direct printing *	✓
Printing *	Colour printing	USB port	✓
Duplex printing *	✗	USB 2.0 ports quantity	1
Maximum resolution *	4800 x 1200 DPI	RJ-11 ports quantity	1
Print speed (black, normal quality, A4/US Letter) *	32 ppm	<b>Network</b>	
Print speed (colour, normal quality, A4/US Letter)	31 ppm	Wi-Fi *	✗
Print speed (colour, draft quality, A4/US Letter)	31 ppm	Ethernet LAN *	✓
Time to first page (black, normal)	16 s	<b>Performance</b>	
Time to first page (colour, normal)	18 s	Card reader integrated	✗
<b>Copying</b>		Internal memory *	64 MB
Duplex copying *	✗	Processor frequency	192 MHz
Copying *	Colour copying	Sound pressure level (printing)	55 dB
Maximum copy resolution *	4800 x 1200 DPI	Mac compatibility	✓
Copy speed (black, normal quality, A4)	32 cpm	<b>Design</b>	
Copy speed (colour, normal quality, A4)	31 cpm	Product colour *	Black
Maximum number of copies	100 copies	Market positioning *	Home & office
Copier resize	25 - 400%	Built-in display *	✓
<b>Scanning</b>		Display	LCD
Duplex scanning *	✗	Display diagonal	5.99 cm (2.36")
Scanning *	Colour scanning	Display resolution	480 x 234 pixels
Optical scanning resolution *	4800 x 4800 DPI	Touchscreen	✓
Maximum scan area	216 x 297 mm	Control type	Touch
Scanner type *	Flatbed scanner	<b>Power</b>	
Scan technology	CIS	Power consumption (average operating)	36 W
Input colour depth	24 bit	Power consumption (standby)	5.5 W
Greyscale levels	256	<b>System requirements</b>	
<b>Fax</b>		Windows operating systems supported	✓
Duplex faxing	✗	Mac operating systems supported	✓
		Linux operating systems supported	✓
		Minimum RAM	512 MB

<b>Fax</b>		<b>System requirements</b>	
Faxing *	Colour faxing	Minimum storage drive space	300 MB
Modem speed	33.6 Kbit/s	Minimum processor	233 MHz
Fax memory	100 pages	<b>Operational conditions</b>	
Auto-redialing	✓	Operating relative humidity (H-H)	20 - 90%
Fax forwarding	✓	Storage temperature (T-T)	-40 - 60 °C
Fax broadcasting	20 locations	Operating temperature (T-T)	5 - 40 °C
Auto reduction	✓	Storage relative humidity (H-H)	200 - 90%
<b>Features</b>		<b>Sustainability</b>	
Maximum duty cycle *	7000 pages per month	Sustainability certificates	ENERGY STAR
Digital sender	✗	<b>Weight &amp; dimensions</b>	
Number of print cartridges *	4	Width	476 mm
All-In-One-multitasking	✓	Depth	409 mm
<b>Input &amp; output capacity</b>		Height	258 mm
Total input capacity *	250 sheets	Weight	8.1 kg
Total output capacity *	50 sheets	<b>Packaging data</b>	
Auto document feeder (ADF)	✓	Package width	570 mm
Auto document feeder (ADF) input capacity	35 sheets	Package depth	336 mm
Maximum input capacity	30 sheets	Package height	548 mm
<b>Paper handling</b>		Package weight	12 kg
Maximum ISO A-series paper size *	A4	<b>Packaging content</b>	
Maximum print size	210 x 297 mm	Drivers included	✓
Paper tray media types *	Photo paper, Plain paper	<b>Other features</b>	
ISO A-series sizes (A0...A9) *	A4	Standard input trays	1
ISO B-series sizes (B0...B9)	B5, B6	Power requirements	100-240V, 50/60Hz
ISO C-series sizes (C0...C9)	C6	Power supply type	AC
Non-ISO print media sizes	Executive, Statement	Wireless technology	IEEE 802.11b/g/n
JIS B-series sizes (B0...B9)	B5, B6	Compatible operating systems	Windows XP/Vista/7 Mac X 10.5.8/10.6
<b>Ports &amp; interfaces</b>		PictBridge	✗
Standard interfaces	Ethernet, RJ-11, USB 2.0	All-in-one functions	Copy, Fax, Scan
		Colour all-in-one functions	Copy, Fax, Print, Scan



0885631243220



885631243220



0885631243145



885631243145



0885631243268



885631243268



0885631243244



885631243244



0885631243237



885631243237



0885631243275



885631243275



0885631243251



885631243251




0885631243282



885631243282



0885631243176



885631243176



0885631243169



885631243169



0885631243299



885631243299



0885631243213



885631243213



0885631243190



885631243190



0885631243183



885631243183



0885631243206



885631243206

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.