



HP LaserJet Color Enterprise MFP M680f

Brand : HP

Product family: LaserJet

Product code: CZ249A

Product name : Color LaserJet Enterprise MFP M680f




Color LaserJet Enterprise Multifunction M680f Printer, 45 ppm, 800 Mhz, 2GB, Flatbed/ADF Scanner
HP LaserJet Color Enterprise MFP M680f. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 45 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Product colour: Black, Grey



Printing		Paper handling	
Print technology *	Laser	ISO A-series sizes (A0...A9) *	A4, A5, A6
Printing *	Colour printing	JIS B-series sizes (B0...B9)	B5, B6
Duplex printing *	✓	Envelopes sizes	B5, C5, C6, DL
Maximum resolution *	1200 x 1200 DPI	Paper tray media weight	60 - 120 g/m ²
Print speed (black, normal quality, A4/US Letter) *	45 ppm	Ports & interfaces	
Print speed (colour, normal quality, A4/US Letter)	45 ppm	Standard interfaces	Ethernet, USB 2.0
Time to first page (black, normal)	10.5 s	USB port	✓
Time to first page (colour, normal)	10.5 s	Network	
Copying		Wi-Fi *	✗
Copying *	Colour copying	Ethernet LAN *	✓
Maximum copy resolution *	600 x 600 DPI	Cabling technology	10/100/1000Base-T(X)
Copy speed (black, normal quality, A4)	45 cpm	Ethernet LAN data rates	10,100,1000 Mbit/s
Copy speed (colour, normal quality, A4)	45 cpm	Mobile printing technologies	Apple AirPrint, HP ePrint
Maximum number of copies	9999 copies	Performance	
Copier resize	25 - 400%	Maximum internal memory	2048 MB
Scanning		Internal memory *	2048 MB
Duplex scanning *	✓	Processor frequency	800 MHz
Optical scanning resolution *	600 x 600 DPI	Sound power level (standby)	54 dB
Maximum scan area	216 x 356 mm	Design	
Scanner type *	Flatbed & ADF scanner	Product colour *	Black, Grey
		Market positioning *	Business
		Built-in display *	✓

Scanning		Design	
Scan speed (colour)	45 ppm	Display	LCD
Scan speed (black)	60 ppm	Display diagonal	20.3 cm (8")
Image formats supported	JPG, TIF	Touchscreen	✓
Document formats supported	PDF, XPS	Control type	Touch
Fax		Power	
Fax resolution (black)	300 x 300 DPI	Power consumption (average operating)	797 W
Fax transmission speed	3 sec/page	AC input voltage	110 - 240 V
Fax speed dialing (max numbers)	100	AC input frequency	50 - 60 Hz
Fax broadcasting	100 locations	System requirements	
Features		Windows operating systems supported	✓
Maximum duty cycle *	175000 pages per month	Mac operating systems supported	✓
Page description languages	PCL 5, PCL 6, PostScript 3	Operational conditions	
Input & output capacity		Operating relative humidity (H-H)	30 - 70%
Total input capacity *	100 sheets	Operating temperature (T-T)	15 - 30 °C
Total output capacity *	500 sheets	Sustainability	
Paper input type	Paper tray	Sustainability certificates	Blue Angel, ENERGY STAR
Maximum output capacity	900 sheets	Weight & dimensions	
Paper handling		Width	840 mm
Maximum ISO A-series paper size *	A4	Depth	681 mm
Paper tray media types *	Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Pre-printed, Transparencies	Height	1135 mm
		Weight	77.9 kg
		Packaging data	
		Package weight	96.6 kg



0887111994837



887111994837




0887111994806



887111994806



0887111994851



887111994851



0887111994790



887111994790



0887111994714




887111994714



0887111994684



887111994684



0887111994691



887111994691




0887111994707



887111994707



0887111994721



887111994721



0887111994738



887111994738



0887111994745



887111994745



0887111994752



887111994752



0887111994769



887111994769




0887111994776



887111994776



0887111994783



887111994783



0887111994813



887111994813



0887111994820



887111994820



0887111994844



887111994844




0888182807538




888182807538



0888182379530



888182379530



0888182379561



888182379561

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.