



HP LaserJet Color Enterprise M651n

Brand : HP

Product family: LaserJet

Product code: CZ255A

Product name : Color LaserJet Enterprise M651n

Laser, 42 ppm, 1200 x 1200 dpi, 10.9 cm (480 x 272), 1.5 GB, USB 2.0 x 3, Ethernet
HP LaserJet Color Enterprise M651n. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 120000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 42 ppm. Network ready. Product colour: Black, Grey



Printing		Performance	
Print speed (colour, normal quality, A4/US Letter)	42 ppm	Sound pressure level (printing)	55 dB
Colour *	✓	Design	
Print technology *	Laser	Product colour *	Black, Grey
Maximum resolution *	1200 x 1200 DPI	Built-in display *	✓
Print speed (black, normal quality, A4/US Letter) *	42 ppm	Certification	EPEAT
Time to first page (black, normal)	9 s	Power	
Time to first page (colour, normal)	9 s	Power consumption (printing) *	650, -
Features		Power consumption (standby)	67 W
Maximum duty cycle *	120000 pages per month	Energy Star Typical Electricity Consumption (TEC)	4.7 kWh/week
Recommended duty cycle	2000 - 17000 pages per month	AC input voltage	220 - 240 V
Number of print cartridges *	4	AC input frequency	50 - 60 Hz
Page description languages *	PCL 5c, PCL 6, PostScript 3, URF	Operational conditions	
Input & output capacity		Operating temperature (T-T)	10 - 30 °C
Total input capacity *	500 sheets	Operating relative humidity (H-H)	30 - 70%
Total output capacity *	500 sheets	Sustainability	
Multi-Purpose tray	✓	Sustainability certificates	Blue Angel
Multi-Purpose tray input capacity	100 sheets	Weight & dimensions	
Maximum output capacity	500 sheets	Width	550 mm
Paper handling		Depth	520 mm
Maximum ISO A-series paper size *	A4	Height	455 mm
	Bond paper, Card stock, Glossy paper, Heavy paper, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies	Weight	39.1 kg
Paper tray media types *		Packaging data	
ISO A-series sizes (A0...A9) *	A4, A5	Package width	780 mm
JIS B-series sizes (B0...B9)	B5, B6	Package depth	678 mm
Envelopes sizes	B5, C5, C6, DL	Package height	597 mm
Multi-Purpose Tray media weight	60 - 220 g/m ²	Package weight	44.6 kg

Ports & interfaces		Packaging content	
Standard interfaces	Ethernet, USB 2.0	Quick start guide	✓
USB 2.0 ports quantity	3	Cables included	AC
Optional connectivity	Wireless LAN	Other features	
Network		Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008 Windows Server 2008 R2 (64 bit) Windows Server 2012 (64-bit) 200 MB available hard disk space CD-ROM or DVD drive, or Internet connection Dedicated Universal Serial Bus (USB 1.1 or 2.0), or network connection	
Network ready	✓		
Ethernet LAN *	✓		
Mobile printing technologies	Apple AirPrint, HP ePrint	Minimum system requirements Compatible operating systems Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit) Mac OS X v10.6 Snow Leopard, OS X v10.7 Lion, OS X v10.8 Mountain Lion, OS X v10.9 Mavericks.	
Performance			
Internal memory *	1500 MB		
Maximum internal memory	1500 MB		
Processor frequency	800 MHz		



0887111971999



887111971999




0887111971968



887111971968



0887111971951




887111971951



0887111972019



887111972019



0888182285985



888182285985



0888182286012



888182286012



0888182809457



888182809457




0887111971845



887111971845



0887111971852



887111971852



0887111971869



887111971869



0887111971876



887111971876



0887111971883



887111971883



0887111971890



887111971890




0887111971906



887111971906



0887111971913



887111971913



0887111971920



887111971920



0887111971937



887111971937



0887111971944



887111971944



0887111971975



887111971975



0887111971982



887111971982



0887111972002



887111972002

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.