



HP LaserJet Color Enterprise M651dn

Brand : HP

Product family: LaserJet

Product code: CZ256A

Product name : Color LaserJet Enterprise M651dn

Laser print technology, 45 ppm, 1200 x 1200 dpi, 800 MHz, 1.5 GB, 4.3" (10.9 cm), 480 x 272, USB 2.0 x 3, Ethernet

HP LaserJet Color Enterprise M651dn. Print technology: Laser, Colour. Maximum duty cycle: 120000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 45 ppm, Duplex printing. Network ready. Product colour: Black, Grey



Printing		Design	
Print speed (colour, normal quality, A4/US Letter)	45 ppm	Display diagonal	10.9 cm (4.3")
Colour *	✓	Touchscreen	✓
Print technology *	Laser	Control type	Touch
Duplex printing *	✓	Certification	ENERGY STAR qualified 2.0 EPEAT Silver Blue Angel UZ-171
Maximum resolution *	1200 x 1200 DPI	Power	
Print speed (black, normal quality, A4/US Letter) *	45 ppm	Power consumption (printing) *	650 W
Time to first page (black, normal)	9 s	Power consumption (standby)	67 W
Time to first page (colour, normal)	9 s	Power consumption (off)	0.1 W
Features		AC input frequency	50 - 60 Hz
Maximum duty cycle *	120000 pages per month	Operational conditions	
Recommended duty cycle	2000 - 17000 pages per month	Operating temperature (T-T)	10 - 30 °C
Page description languages *	PCL 5, PCL 6, PostScript 3, URF	Operating relative humidity (H-H)	30 - 70%
Input & output capacity		Sustainability	
Total input capacity *	500 sheets	Sustainability certificates	Blue Angel, ENERGY STAR
Total output capacity *	500 sheets	Weight & dimensions	
Multi-Purpose tray	✓	Width	551.2 mm
Multi-Purpose tray input capacity	100 sheets	Depth	520.7 mm
Paper handling		Height	457.2 mm
Maximum ISO A-series paper size *	A4	Weight	39 kg
Paper tray media types *	Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Plain paper, Pre-printed, Recycled paper, Transparencies	Packaging data	
ISO A-series sizes (A0...A9) *	A4	Package width	750 mm
Ports & interfaces		Package depth	678 mm
Standard interfaces	Ethernet, USB 2.0	Package height	597 mm
USB 2.0 ports quantity	3	Package weight	44.6 kg
Optional connectivity	Wireless LAN	Packaging content	
		Drivers included	✓
		Manual	✓

Network		Packaging content	
Network ready	✓	Quick start guide	✓
Ethernet LAN *	✓	Cables included	AC
Mobile printing technologies	HP ePrint	Other features	
Performance		Minimum system requirements	Windows 8, Windows 7 (SP1 or higher), Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008 Windows Server 2008 R2 (64 bit) Windows Server 2012 (64-bit) 200 MB available hard disk space CD-ROM or DVD drive, or Internet connection Dedicated universal serial bus (USB 1.1 or 2.0), or network connection
Internal memory *	1500 MB		
Maximum internal memory	1500 MB		
Processor frequency	800 MHz		
Sound pressure level (printing)	55 dB		
Noise level (idle)	4.9 dB		
Design		Compatible operating systems	Windows XP SP3 or greater (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows Server 2003 SP2 or greater (32-bit and 64-bit), Windows Server 2008 (32-bit and 64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2012 (64-bit), OS X 10.6 Snow Leopard, OS X 10.7 Lion, OS X 10.8 Mountain Lion, OS X 10.9 Mavericks
Product colour *	Black, Grey		
Built-in display *	✓		



0887111972149



887111972149




0887111972170



887111972170



0887111972132



887111972132



0887111972194



887111972194



0887111972057



887111972057



0887111972026



887111972026



0887111972033



887111972033




0887111972040



887111972040



0887111972064



887111972064



0887111972071



887111972071



0887111972088



887111972088



0888182285992



888182285992



0888182286029



888182286029




0888182809464



888182809464



0887111972095



887111972095



0887111972101



887111972101



0887111972118



887111972118



0887111972125



887111972125



0887111972156



887111972156




0887111972163



887111972163



0887111972187



887111972187

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.