



HP Color LaserJet Enterprise M750xh Colour 600 x 600 DPI A3

Brand : HP

Product family: Color LaserJet Enterprise Product code: D3L10A

Product name : HP Color LaserJet Enterprise M750xh, Print, Front-facing USB printing; Two-sided printing

HP Color LaserJet Enterprise M750xh, Laser, 600 x 600 DPI, 30 ppm, A4, 800 MHz, 1024 MB, LCD

HP Color LaserJet Enterprise M750xh Colour 600 x 600 DPI A3:

As HP Color LaserJet Enterprise M750n with two-sided printing; 3 x 500 sheet feeder with stand; HP High-Performance Secure Hard Disk (minimum 320 GB, AES 256 hardware encryption or greater)

Print large volumes of professional-quality documents in sizes from postcard up to SRA3. Maintain productivity with intuitive management tools and get convenient printing from laptops, smartphones and tablets^[1].

HP Color LaserJet Enterprise M750xh. Print technology: Laser, Colour. Number of print cartridges: 4, Maximum duty cycle: 120000 pages per month. Maximum resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A3. Print speed (black, normal quality, A4/US Letter): 30 ppm, Duplex printing. Display: LCD. Network ready. Product colour: Black, White



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN *	✓
Print resolution colour	600 x 600 DPI	Cabling technology	10/100/1000Base-T(X)
Print resolution black	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (colour, normal quality, A4/US Letter)	30 ppm	Security algorithms	PEAP, EAP-TLS, SNMPv3, WPA2-Enterprise, SSL/TLS, IPsec
Print speed (black, draft quality, A4/US Letter)	30 ppm	Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Colour *	✓	Performance	
Print technology *	Laser	Internal memory *	1024 MB
Duplex printing *	✓	Maximum internal memory	1024 MB
Maximum resolution *	600 x 600 DPI	Internal storage capacity	320 GB
Print speed (black, normal quality, A4/US Letter) *	30 ppm	Storage media	HDD
Print speed (black, normal quality, A3)	15 ppm	Built-in processor	✓
Print speed (colour, normal quality, A3)	15 ppm	Processor frequency	800 MHz
Time to first page (black, normal)	10 s	Sound pressure level (printing)	50 dB
Time to first page (colour, normal)	10 s	Sound power level (printing)	6.7 dB
Watermark printing	✓	Design	
Secure printing	✓	Product colour *	Black, White
Features		Built-in display *	✓
Maximum duty cycle *	120000 pages per month	Display	LCD
Recommended duty cycle	2500 - 13000 pages per month	Power	
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (printing) *	677.41 W
		Power consumption (ready)	59.46 W

Features		Power	
Number of print cartridges *	4	Power consumption (standby)	9.09 W
Page description languages *	PCL 5, PCL 6, PDF 1.4, PostScript 3	Power consumption (PowerSave)	0.35 W
Printer fonts	PostScript, Scalable, TrueType, Windows	Power consumption (off)	0.35 W
HP segment	Business	AC input voltage	110 - 240 V
		AC input frequency	50/60 Hz
Input & output capacity		System requirements	
Total number of input trays *	6		Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Total input capacity *	2350 sheets		Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Total output capacity *	300 sheets	Windows operating systems supported	
Paper tray 1 input capacity	100 sheets		
Paper tray 2 input capacity	250 sheets		
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	100 sheets		
Maximum number of input trays	6		
Maximum input capacity	2350 sheets		
Maximum output capacity	300 sheets		
Paper handling			
Maximum ISO A-series paper size *	A3		
	Transparencies, Heavy paper, Card stock, Labels, Glossy paper, Plain paper, Thick paper, Recycled paper, Envelopes		
Paper tray media types *			
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6		
ISO B-series sizes (B0...B9)	B5	Mac operating systems supported	
ISO C-series sizes (C0...C9)	C5, C6		
Non-ISO print media sizes	16K	Linux operating systems supported	✓
JIS B-series sizes (B0...B9)	B4, B5, B6		Windows Server 2003, Windows Server 2003 R2, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012
Envelopes sizes	B5, C5, C6, DL	Server operating systems supported	
Custom media width	76 - 320 mm		
Custom media length	127 - 470 mm		
Paper tray media weight	60 - 220 g/m ²	Other operating systems supported	Novell NetWare 3.x, Novell NetWare 4.x, Novell NetWare 5.x, Novell NetWare 6.x
Ports & interfaces		Operational conditions	
Standard interfaces	Ethernet, USB 2.0	Operating temperature (T-T)	15 - 27 °C
USB port *	✓	Operating relative humidity (H-H)	30 - 70%
USB 2.0 ports quantity	3		
Optional connectivity	Wireless LAN		
Network		Sustainability	
Network ready	✓	Sustainability compliance	✓
Wi-Fi *	✗	Sustainability certificates	Blue Angel, EPEAT Silver, Taiwan Green Mark, ENERGY STAR
		Weight & dimensions	
		Width	745 mm
		Depth	688 mm
		Height	885 mm
		Pallet dimensions (W x D x H)	856 x 760 x 1343 mm
		Weight	83 kg
		Packaging data	
		Package width	856 mm
		Package depth	760 mm
		Package height	1343 mm
		Package weight	98 kg
		Logistics data	
		Pallet gross weight	98 g
		Layers per pallet	1 pc(s)
		Products per pallet	1 pc(s)

Technical details

Master (outer) cases per pallet layer 1 pc(s)



0887758609569



887758609569



0887758123416



887758123416



0887758123362



887758123362



0887758609552



887758609552



0887758123423



887758123423



0887758123386



887758123386



0887758123355



887758123355



0887758123348



887758123348



0887758123331



887758123331



0887758123324



887758123324



0887758123300



887758123300



0887758123379



887758123379



0887758123393



887758123393



0887758123317



887758123317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.