

HP OfficeJet Pro 8730 All-in-One Printer, Color, Printer for Home, Print, copy, scan, fax, 50-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

Brand : HP

Product family: OfficeJet Pro

Product code: D9L20A

Product name : HP OfficeJet Pro 8730 All-in-One Printer, Color, Printer for Home, Print, copy, scan, fax, 50-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing

OfficeJet Pro 8730 All-in-One Printer

HP OfficeJet Pro 8730 All-in-One Printer, Color, Printer for Home, Print, copy, scan, fax, 50-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing:

Maximise your print environment with space-saving HP Print Forward Design and professional-quality, low-cost colour.⁽¹⁾ Help reduce costs with fleet management solutions. Stay productive with an all-in-one designed for high-volume enterprises.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.







Printing		Paper handling	
Duplex printing mode	Auto	Borderless printing media sizes	A4
Print resolution colour	2400 x 1200 DPI	Custom media width	76 - 216 mm
Print resolution black	1200 x 1200 DPI	Custom media length	127 - 356 mm
Print technology *	Thermal inkjet	Ports & interfaces	
Printing *	Colour printing		Ethernet, RJ-11, USB 2.0, Wireless
Duplex printing *	✓	Standard interfaces	LAN
Maximum resolution *	2400 x 1200 DPI	Direct printing *	1
Print speed (black, normal quality, A4/US Letter) *	24 ppm	USB port USB 2.0 ports quantity	✓ 1
Print speed (colour, normal quality, A4/US Letter)	20 ppm	RJ-11 ports quantity	1
Print speed (black, draft quality, A4/US Letter)	36 ppm	Network	
Print speed (colour, draft quality, A4/US Letter)	36 ppm	Wi-Fi * Ethernet LAN *	1
Print speed (ISO/IEC 24734) black	24 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Print speed (ISO/IEC 24734) colour	20 ppm	Security algorithms	HTTPS, LEAP, SSL/TLS, PEAP, WPA2-
Time to first page (black, normal)	10 s	Mobile printing technologies	Enterprise, EAP-TLS Apple AirPrint
Time to first page (colour, normal)	11 s	1 3 5	Apple All find
Print margins (top, bottom, right, left)	3.3 mm	Performance Maximum internal memory	512 MB
N-in-1 print function	✓	Card reader integrated	×
Watermark printing	✓	Internal memory *	512 MB
Secure printing	✓	Built-in processor	v
Cover page printing function	✓	Processor frequency	1200 MHz
Booklet printing function	✓	Sound power level (printing)	6.8 dB
Borderless printing	<	Design	
Copying		Product colour *	Grey
Duplex copying *	✓	Market positioning *	Home & office
Copying *	Colour copying	Built-in display *	
Maximum copy resolution *	600 x 600 DPI	Display	CGD
		Display diagonal	10.9 cm (4.3")

Copying		Design	
Copy speed (black, normal quality,		Touchscreen	1
A4)	36 cpm	Control type	Buttons
Copy speed (colour, normal quality,	36 cpm	Colour display	✓
A4) Copy speed (black, draft, A4)	36 cpm	Power	
Copy speed (colour, draft, A4)	36 cpm	Power consumption (max)	35 W
Maximum number of copies	99 copies	Power consumption (ready)	7.2 W
Copier resize	25 - 400%	Power consumption (standby)	7.2 W
ID-card copy function	4	Power consumption (sleep)	1.3 W
Auto fit function	4	Power consumption (off)	0.14 W
Scanning		Energy Star Typical Electricity	0.31 kWh/week
Duplex scanning *	1	Consumption (TEC) AC input voltage	100 - 240 V
Scanning *	Colour scanning	AC input frequency	50/60 Hz
Optical scanning resolution *	1200 x 1200 DPI		50,00
Maximum scan resolution	1200 x 1200 DPI	Brand-specific features	
Maximum scan area	216 x 356 mm	HP ePrint	
Scanner type *	Flatbed & ADF scanner	HP Instant Ink HP SureSupply	4
Scan technology	CIS	HP Web Jetadmin	
Scan to	Fax, Software	HP dynamic security	
Scan speed (black) Scan speed (colour)	19 inch/min 8 inch/min		(A80) 889894310675; (ABT)
Image formats supported	TIFF, PNG, JPEG, BMP, JPG, TIF	HP GTIN (EAN/UPC) with options	889894310682; (ACQ)
Document formats supported	PDF, RTF, TXT		889894310699
Input colour depth	24 bit	HP GTIN (EAN/UPC)	889894310675, 889894310682, 889894310699
Greyscale levels	256	System requirements	
Scan drivers	TWAIN	System requirements	Windows 9 Windows 11 Windows
TWAIN version	1.9	Windows operating systems	Windows 8, Windows 11, Windows 8.1, Windows Vista, Windows 7,
Fax		supported	Windows 10
Duplex faxing	1	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra
Faxing *	Colour faxing	Linux operating systems supported	v
Fax resolution (black)	203 x 196 DPI	Other operating systems supported	ChromeOS
Fax resolution (colour)	200 x 200 DPI	Operational conditions	
Fax transmission speed	4 sec/page	Operating relative humidity (H-H)	20 - 80%
Fax memory Auto-redialing	100 pages	Recommended humidity operating	
Fax forwarding	1	range	25 - 75%
Fax broadcasting	20 locations	Storage temperature (T-T)	-40 - 60 °C
Fax delayed sending	 Image: A second s	Operating temperature (T-T)	5 - 40 °C
Auto reduction	4	Certificates	
Features		Certification	FCC CFR 47, Part 15 Class B (USA);
Recommended duty cycle	250 - 2000 pages per month		ICES - 003, Issue 5 Class B (Canada)
Maximum duty cycle *	30000 pages per month	Sustainability	
Duplex functions *	Print, Scan, Fax	Sustainability compliance	1
Digital sender	4	Sustainability certificates	EPEAT Silver
Number of print cartridges *	4	Weight & dimensions	
Printing colours *	Black, Cyan, Magenta, Yellow	Width	499.5 mm
Page description languages	PCL 6, PCL XL, PostScript 3, PDF	Depth	449.7 mm
All-In-One-multitasking		Height	327.3 mm
Country of origin HP segment	China Home	Weight	15.2 kg
-		Packaging data	
Input & output capacity	1	Package width	583 mm
Total number of input trays *	1 250 chaota	Package depth	393 mm
Total input capacity * Total output capacity *	250 sheets 150 sheets	Package height	612 mm
Paper input type	Paper tray	Package weight	18.7 kg
Auto document feeder (ADF)		Packaging content	
Auto document feeder (ADF) input	-	Cartridge(s) included	<
capacity	50 sheets	Included cartridge capacity (black)	1300 pages
Maximum number of input trays	2	Included cartridge capacity (CMY)	540 pages


Input & output capacity		Packaging content		
Maximum input capacity	500 sheets	Cables included	AC	
Maximum output capacity	150 sheets	Bundled software	HP Dropbox, HP Google Drive, Microsoft DotNet	
Paper handling				
Maximum ISO A-series paper size *	Α4	Logistics data		
Maximum print size	n print size209 x 349 mmay media types *Photo paper, Thick paper, Letterhead, Plain paper, Matte paper, Glossy paper, Card stockries sizes (A0A9) *A4, A5, A6ries sizes (C0C9)C5, C6print media sizesHagaki cardes sizes (B0B9)B5es sizesC5, C6, DL	Harmonized System (HS) code	84433100	
Paper tray media types *		Pallet gross weight	390 g	
		Layers per pallet	4 pc(s)	
		Products per pallet	20 pc(s)	
ISO A-series sizes (A0A9) * ISO C-series sizes (C0C9)		Technical details		
Non-ISO print media sizes		Master (outer) cases per pallet laye	r 5 pc(s)	
JIS B-series sizes (B0B9)		Other features		
Envelopes sizes		Number of users	5 user(s)	
Photo paper sizes (imperial)		Pallet dimensions (W x D x H)	1219 x 1016 x 2590 mm	
			Windows 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet	

Recommended system requirements	Windows 10, 8.1, 8, 7: 32-bit/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Windows Vista: 32-bit only, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8; Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks; 1
	Yosemite, OS X v10.9 Mavericks; 1 GB available hard disk space; Internet required; USB Linux

×

4

PictBridge Number of print heads
























































































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.