

## D-Link Nuclias Connect AC1300 Wave 2 Dual-Band Access Point

**Brand :** D-Link

**Product code:** DAP-2610

**Product name :** D-Link Nuclias Connect AC1300 Wave 2 Dual-Band Access Point

DAP-2610 Nuclias Connect Wireless AC1300 Wave 2 DualBand PoE Access Point  
 D-Link Nuclias Connect AC1300 Wave 2 Dual-Band Access Point. Maximum data transfer rate: 1000 Mbit/s, Maximum data transfer rate (5 GHz): 867 Mbit/s, Ethernet LAN data rates: 100,1000 Mbit/s. Security algorithms: 64-bit WEP, 128-bit WEP, 802.1x RADIUS, SSID, WPA, WPA2. Management protocols: SNMP v1 / v2c / v3. AC input voltage: 12 V, Input current: 1 A, Power consumption (max): 12 W. Placement: Ceiling, Table, Wall, Product colour: White, LED indicators: Power, Status



Features		Technical details	
2.4 GHz *	✓	Shipping (inner) case net weight	2 kg
5 GHz *	✓	Products per shipping (inner) case	5 pc(s)
6 GHz *	✗	Pallet gross weight (air)	400.2 kg
Maximum data transfer rate *	1000 Mbit/s	Master (outer) cases per pallet (air)	96 pc(s)
Maximum data transfer rate (5 GHz)	867 Mbit/s	Products per pallet (air)	480 pc(s)
Ethernet LAN data rates	100,1000 Mbit/s	Pallet gross length	110.1 cm
Networking standards	IEEE 802.3ab, IEEE 802.3u	Pallet gross width	120 cm
<b>Security</b>		Pallet height (air)	2.05 m
Security algorithms *	64-bit WEP, 128-bit WEP, 802.1x RADIUS, SSID, WPA, WPA2	Pallet gross weight (sea)	400.2 kg
<b>Protocols</b>		Master (outer) cases per pallet (sea)	96 pc(s)
Management protocols	SNMP v1 / v2c / v3	Products per pallet (sea)	480 pc(s)
<b>Ports &amp; interfaces</b>		Pallet height (sea)	2.05 m
Ethernet LAN (RJ-45) ports *	1	Shipping (inner) case gross weight	3.95 kg
<b>Power</b>		<b>Weight &amp; dimensions</b>	
Power over Ethernet (PoE) *	✓	Width	170 mm
AC input voltage	12 V	Depth	170 mm
Input current	1 A	Height	28 mm
Power consumption (max)	12 W	Weight	314 g
<b>Design</b>		<b>Packaging data</b>	
Placement *	Ceiling, Table, Wall	Package width	204 mm
Product colour *	White	Package depth	269 mm
LED indicators	Power, Status	Package height	64 mm
Certification	FCC IC CE UL	Package weight	134.8 g
Internal	✗	<b>Operational conditions</b>	
<b>Antenna</b>		Operating relative humidity (H-H)	10 - 90%
Antenna type *	Internal	Operating temperature (T-T)	0 - 40 °C
Antenna direction type	Omni-directional	Storage temperature (T-T)	-20 - 65 °C
Antennas quantity	2	Storage relative humidity (H-H)	5 - 95%
		<b>Logistics data</b>	
		Harmonized System (HS) code	85176990

**Antenna**

Antenna gain level (max)	3 dBi
--------------------------	-------

**Technical details**

Shipping (inner) case length	35.6 cm
Shipping (inner) case width	28.4 cm
Shipping (inner) case height	22.4 cm



0790069430855



790069430855



0790069430879




790069430879



0790069443763



790069443763



0790069430909



790069430909

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.