



D-Link DXE-820T network card Internal Ethernet 10000 Mbit/s

Brand : D-Link

Product code: DXE-820T



Product name : DXE-820T

PCIe 2.0 x8, 2 x 10 Gigabit RJ-45

D-Link DXE-820T network card Internal Ethernet 10000 Mbit/s:

Add 10 Gigabit connectivity to your server or high-powered workstation with the D-Link DXE-820T Dual Port 10 Gigabit Ethernet PCIe Adapter. It is a high performance network adapter which combines 10GBase-T with high-speed PCI Express 2.0 x8 interface.



D-Link DXE-820T. Internal. Connectivity technology: Wired, Host interface: PCI Express, Interface: Ethernet. Maximum data transfer rate: 10000 Mbit/s

Ports & interfaces		Operational conditions	
Connectivity technology *	Wired	Storage relative humidity (H-H)	10 - 90%
Host interface *	PCI Express	Weight & dimensions	
Interface *	Ethernet	Width	181 mm
Ethernet LAN (RJ-45) ports	2	Depth	21.6 mm
PCI version	2.0	Height	120.9 mm
Network		Packaging data	
Maximum data transfer rate *	10000 Mbit/s	Package width	183 mm
Networking standards *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3an, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Package depth	190 mm
		Package height	32 mm
Ethernet LAN	✓	Package weight	251 g
Ethernet interface type	10 Gigabit	Logistics data	
Ethernet LAN data rates	10,100,1000,10000 Mbit/s	Shipping (inner) case net weight	10 kg
Wi-Fi	✗	Shipping (inner) case length	39.3 cm
Full duplex	✓	Shipping (inner) case height	44.5 cm
Jumbo frames support	✓	Shipping (inner) case width	35.9 cm
Jumbo frames	9000	Products per shipping (inner) case	40 pc(s)
Quality of Service (QoS) support	✓	Pallet gross weight (air)	427.3 kg
VLAN tagging	✓	Master (outer) cases per pallet (air)	36 pc(s)
iSCSI support	✓	Products per pallet (air)	1440 pc(s)
Design		Pallet height (air)	191.5 cm
Internal *	✓	Pallet gross weight (sea)	427.3 kg
Chipset	RISC	Master (outer) cases per pallet (sea)	36 pc(s)
LED indicators	✓	Products per pallet (sea)	1440 pc(s)
Certification	CE FCC C-Tick	Pallet height (sea)	191.5 cm
Power		Shipping (inner) case gross weight	11.2 kg
Output voltage	3.3-12 V	Pallet gross width	120 cm
Power consumption (typical)	23.38 W	Pallet gross length	110 cm
System requirements		Other features	
Other operating systems supported	Solaris 11	Buffer size	96 KB
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2012	Flow control support	✓
		Management protocols	SNMP
Operational conditions			
Operating temperature (T-T)	0 - 40 °C		
Storage temperature (T-T)	-20 - 70 °C		
Operating relative humidity (H-H)	10 - 90%		



0790069413933



790069413933



5057103059249

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.