



## TP-Link EAP610-OUTDOOR wireless access point 1201 Mbit/s White Power over Ethernet (PoE)



**Brand :** TP-Link

**Product code:** EAP610-OUTDOOR

**Product name :** EAP610-OUTDOOR

- Superior WiFi 6 Speeds: Delivers dual-band speeds of up to 1.8 Gbps powered by the latest WiFi 6 technology†
  - Higher Network Efficiency: Enjoy faster speeds on more devices with less lag via OFDMA and MU-MIMO
  - Long-Range Coverage: Dedicated high-power amplifier and professional antennas with IP67 weatherproof enclosure
  - Omada Mesh Technology: Enables wireless connectivity between access points for extended range and flexible deployment\*\*
  - Stay Smooth with Fast Roaming: Users can enjoy seamless streaming across the property with their devices switching effortlessly between access points\*\*
  - Centralized Cloud Management: Integrates into Omada SDN for cloud access and remote management
- AX1800 Indoor/Outdoor WiFi 6 Access Point

Features		Power	
2.4 GHz *	✓	AC input voltage	8 V
5 GHz *	✓	Input current	0.5 A
6 GHz *	✗	Design	
Maximum data transfer rate *	1201 Mbit/s	Placement *	Pole, Wall
Ethernet LAN data rates	10,100,1000 Mbit/s	Product colour *	White
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	International Protection (IP) code	IP67
		LED indicators	✓
Automatic channel selection	✓	Antenna	
Automatic channel scanning	✓	Antenna type *	Internal
MIMO	✓	Antenna features	Integrated antenna
MIMO type	Multi User MIMO	Antenna gain level (max)	5 dBi
Wi-Fi Multimedia (WMM)/(WME)	✓	Weight & dimensions	
VLAN support	✓	Width	280.4 mm
Rate limiting	✓	Depth	106.5 mm
Wireless isolation	✓	Height	56.9 mm
Band steering	✓	Packaging data	
Quality of Service (QoS) support	✓	Package width	241 mm
BeamForming	✓	Package depth	325 mm
Security		Package height	67 mm
Security algorithms *	WEP, WPA, WPA2, WPA3	Package weight	1.29 kg
MAC address filtering	✓	Packaging content	
Number of SSID supported	16	Number of products included	1 pc(s)
Remote Authentication Dial-In User Service (RADIUS)	✓	PoE adapter included	✓
Protocols		Mounting kit	✓
Management protocols	SNMP v1/v2c	Operational conditions	
Management features		Operating relative humidity (H-H)	10 - 90%
Web-based management	✓	Operating temperature (T-T)	-30 - 70 °C
Syslog	✓	Storage temperature (T-T)	-40 - 70 °C
Management platform	Omada	Storage relative humidity (H-H)	5 - 90%

**Ports & interfaces**

Ethernet LAN (RJ-45) ports \* 1

**Power**

Power over Ethernet (PoE) \* ✓

**Logistics data**

Harmonized System (HS) code 85176990



6935364010232



6935364010249



0845973073145



845973073145

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.