



# TP-Link AX5400 Ceiling Mount WiFi 6 Access Point

Brand : TP-Link

Product code: EAP670

Product name : AX5400 Ceiling Mount WiFi 6 Access Point

- Blazing-Fast WiFi 6 Speeds - Delivers astonishing wireless speeds of up to 54 Gbps powered by the latest WiFi 6 technology
  - Higher Network Efficiency - OFDMA and DL/UL MU-MIMO\* deliver data to multiple devices simultaneously with less lag
  - Long-Range Coverage - Dedicated high-power amplifier and professional antennas with IP67 weatherproof enclosure
  - Optimized Network Experience - Ensures uninterrupted WiFi connections with seamless roaming and Omada Mesh technology\*
  - Centralized Cloud Management - Integrates into Omada SDN for cloud access and remote management
- IEEE 802.11ax/ac/n/g/b/a, 2.4 / 5 GHz, 1x 2.5 Gigabit Ethernet (RJ-45), 802.3at PoE, 243 x 243 x 64 mm



Features		Management features	
2.4 GHz *	✓	Web-based management	✓
5 GHz *	✓	Firmware upgradeable	✓
6 GHz *	✗	<b>Power</b>	
Maximum data transfer rate *	5400 Mbit/s	Power over Ethernet (PoE) *	✓
Maximum data transfer rate (2.4 GHz)	574 Mbit/s	Input current	1.5 A
Maximum data transfer rate (5 GHz)	4804 Mbit/s	<b>Design</b>	
Ethernet LAN data rates	2500 Mbit/s	Placement *	Ceiling, Wall
Frequency band	2.4 - 5 GHz	Product colour *	White
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	International Protection (IP) code	IP67
MIMO	✓	Reset button	✓
MIMO type	Multi User MIMO	LED indicators	✓
VLAN support	✗	Certification	CE, FCC, RoHS
Rate limiting	✓	<b>Antenna</b>	
Wireless isolation	✓	Antenna type *	Internal
Band steering	✓	Antenna direction type	Omni-directional
Quality of Service (QoS) support	✓	Antennas quantity	6
BeamForming	✓	Antenna gain level (max)	5 dBi
Transmitting power (CE)	<20 dBm(2.4 GHz, EIRP); <23 dBm(5 GHz, band1 & band2, EIRP); <30 dBm(5 GHz, band3, EIRP)	<b>Weight &amp; dimensions</b>	
Transmitting power (FCC)	<25 dBm (2.4 GHz); <28 dBm (5 GHz)	Width	243 mm
<b>Security</b>		Depth	243 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Height	64 mm
Number of SSID supported	16	<b>Packaging data</b>	
Remote Authentication Dial-In User Service (RADIUS)	✓	Package width	302 mm
Access Control List (ACL)	✓	Package depth	304 mm
		Package height	82 mm
		Package weight	1.32 kg
		<b>Packaging content</b>	
		Number of products included	1 pc(s)

**Logistics data**

Harmonized System (HS) code 85176990



4897098687154




4897098681510



0840030707155



840030707155



4895252506181

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.