



# HP LaserJet Enterprise M506x 1200 x 1200 DPI A4

Brand : HP

Product family: LaserJet Enterprise

Product code: F2A70A

Product name : M506x

HP LaserJet Enterprise M506x, Laser, 43ppm, A4, 1200MHz, 512MB, 4.3" LCD

HP LaserJet Enterprise M506x 1200 x 1200 DPI A4:


Finish tasks faster with a printer that starts right away and helps conserve energy.<sup>[1]</sup> Multi-level device security helps protect from threats.<sup>[2]</sup> Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.<sup>[3]</sup>

HP LaserJet Enterprise M506x. Print technology: Laser. Number of print cartridges: 1, Maximum duty cycle: 150000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 43 ppm, Duplex printing. Display: LCD. Network ready. Product colour: Grey



Printing		Performance	
Duplex printing mode	Auto	Built-in processor	✓
Colour *	✗	Processor frequency	1200 MHz
Print technology *	Laser	Sound pressure level (printing)	54 dB
Duplex printing *	✓	Sound pressure level (quiet mode)	24 dB
Maximum resolution *	1200 x 1200 DPI	Design	
Print speed (black, normal quality, A4/US Letter) *	43 ppm	Product colour *	Grey
Time to first page (black, normal)	5.9 s	Built-in display *	✓
Features		Display	LCD
Maximum duty cycle *	150000 pages per month	Display diagonal	10.9 cm (4.3")
Recommended duty cycle	2000 - 7500 pages per month	Touchscreen	✓
Printing colours *	Black	Control type	Touch
Number of print cartridges *	1	Power	
Page description languages *	PCL 5, PCL 6, PDF 1.7, PostScript 3	Power consumption (printing) *	741.98 W
HP segment	Enterprise	Power consumption (standby)	13.72 W
Input & output capacity		Power consumption (off)	0.08 W
Total number of input trays *	2	AC input voltage	100 - 240 V
Total input capacity *	1200 sheets	AC input frequency	50 - 60 Hz
Total output capacity *	250 sheets	System requirements	
Paper tray 2 input capacity	550 sheets	Windows operating systems supported	✓
Paper input type	Paper tray	Mac operating systems supported	✓
Maximum number of input trays	3	Linux operating systems supported	✓
Maximum input capacity	2300 sheets	Operational conditions	
Maximum output capacity	250 sheets	Operating temperature (T-T)	15 - 32.5 °C
Paper handling		Storage temperature (T-T)	-20 - 60 °C
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	10 - 90%


Paper handling		Sustainability	
Paper tray media types *	Envelopes, Transparencies, Bond paper, Card stock, Plain paper, Pre-printed, Labels, Recycled paper	Sustainability certificates	EPEAT Silver, ENERGY STAR
ISO A-series sizes (A0...A9) *	A5, A4	Weight & dimensions	
JIS B-series sizes (B0...B9)	B5	Width	418 mm
<b>Ports &amp; interfaces</b>		Depth	376 mm
Standard interfaces	Ethernet, USB 2.0	Height	481 mm
<b>Network</b>		Weight	15.8 kg
Network ready	✓	Packaging data	
Wi-Fi *	✗	Package width	564 mm
Ethernet LAN *	✓	Package depth	498 mm
Mobile printing technologies	Apple AirPrint, HP ePrint, Mopria Print Service	Package height	713 mm
<b>Performance</b>		Package weight	22.1 kg
Internal memory *	512 MB		
Maximum internal memory	1536 MB		
Memory slots	1		
Memory type	DDR3		



0888793425909




888793425909



0888793425879



888793425879



0888793425886




888793425886



0888793425794



888793425794



0888793425848




888793425848



0888793425855



888793425855



0888793425800




888793425800



0888793613931




888793613931



0888793425923




888793425923



0888793425930




888793425930



0888793425817




888793425817



0888793425862




888793425862



0888793425916




888793425916



0888793425824



888793425824



0888793425831



888793425831



0888793425893



888793425893

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.